

TAYLOR®

2024
PROFESSIONAL PRODUCTS



TOOLS THE PROS TRUST



The Taylor Advantage

Best Quality:

Precision measurement has been the exclusive focus of our business for 170 years. Our ability to fulfill the professional market's exacting standards for accuracy, durability, and design is built on a legacy of technical expertise, quality materials and a constant awareness of changing industry needs.

Best Selection:

The diversity of our product line reflects an ongoing commitment to provide the best solutions to the food service and professional community at every level, with ever-expanding choices in specialized temperature and weight measurement instruments, high-performance cutlery and high-temperature spatulas that promote food safety, enhanced productivity and user convenience.

One Source:

We're the Food Service and Professional industry's most complete source for both thermometers and scales. So to simplify your purchasing process, plus improve your choices, quality and value... We've got everything you need. Taylor... Tools the Pros Trust in thermometers, timers, scales, professional cutlery, and kitchen gadgets.



Contents

Thermometers	4-31
Instant Read Dial Thermometers 1" and 1 ¼" Standard Grade	4-5
Instant Read Dial Thermometers 1" Superior Grade	5
Bi-Therm® Dial Thermometers 1 ¼" and 2" Superior Grade	6
Hand Held Thermocouple Thermometers	7-8
K-Type Thermocouple Thermometers and Probes	7
Non-Contact Infrared Thermometers	9
Pocket Digital Thermometers	9-11
Roast/Meat Thermometers	12
Cooking Thermometers	13
Candy & Deep Fry Thermometers	13-14
Oven/Grill Thermometers	15
Refrigerator/Freezer Thermometers	16-18
Panel Mount Digital Thermometer	18
HACCP Food Safety Products and Probe Wipes	19
Special Use Thermometers	20
Temperature Strips/Dishwasher Thermometer & Storage Bracket	21
PH Meter and Accessories	22
Dial Thermometers/Clocks	23
Dial HACCP Thermometers	24
Window/Wall Thermometers	25-27
Indoor Tabletop Thermometers	28
Max/Min Thermometers	29
Thermometer Comparison Guide	30-31
Timers	32-37
Mechanical	32
Digital	33-35
Digital Timer Comparison Guide	36-37
Scales	38-41
Digital Scales	38
Digital Portion Control Scales	39-41
Digital Keg Scale	42-43
Analog Portion Control Scales	44-45
Heavy Duty Mechanical Scales	46
Receiving Scales	47
Scale Comparison Guide	48-49
Cutlery	50-52
High Temperature Silicone Spatulas	53
Kitchen Tools & Gadgets	54-57
Chef'n Fruit & Veg Prep	54-55
Swing-A-Way Commercial Openers	56-57
Wine & Bar Accessories	58-59
Manual Corkscrews	58
Preservers	59
Other Accessories	59
Hotel & Resort	60-61
Miscellaneous Parts, Supplies & Accessories	62
Terms and Conditions	62
Index	63-65
Temperature Safety Guide	66
Ice Bath Calibration Process	67



THERMOMETERS

Instant Read Dial Thermometers 1" Standard Grade



- ▶ 5" stem
- ▶ Recalibratable
- ▶ Accuracy +/- 2°F/1°C at dial midpoint
- ▶ Patented recalibration wrench built into pocket case
- ▶ Shatterproof Lexan® plastic lens
- ▶ High visibility dial graphics
- ▶ Convenient, protective case
- ▶ Durable stainless steel
- ▶ Superior shock protection
- ▶ Individual cartons with hang tabs (except 3621N, 5988N, 5989NFS which are on a blister card)



Exclusive Safe-T-Set Calibration System

Most 1" models have a protective pocket case which doubles as a calibration tool

3621N

- ▶ Temperature range: 0°F / 220°F
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Pack Qty.: 6

5988N - High Temperature

- ▶ Temperature range: 50°F / 550°F
- ▶ Pack Qty.: 6

5989NFS

- ▶ Temperature range: 0°F / 220°F and -14°C / 105°C
- ▶ Pack Qty.: 6

6065N

- ▶ Temperature range: -40°C / 70°C
- ▶ Pack Qty.: 12

6091N

- ▶ Temperature range: -40°F / 120°F
- ▶ Pack Qty.: 12

6092N

- ▶ Temperature range: 0°F / 220°F
- ▶ Pack Qty.: 12

6093N - High Temperature

- ▶ Temperature range: 50°F / 550°F
- ▶ Pack Qty.: 12

6094N

- ▶ Temperature range: -40°C / 50°C
- ▶ Pack Qty.: 12

6096N

- ▶ Temperature range: -40°F / 160°F
- ▶ Pack Qty.: 12

6099N

- ▶ Temperature range: -10°C / 110°C
- ▶ Pack Qty.: 12



Pocket Test Thermometer



- ▶ 1" magnified lens
- ▶ Protective pocket sleeve
- ▶ Pack Qty.: 6

3512FS

- ▶ Temperature range: 0°F / 220°F



3517 - High Temperature

- ▶ Temperature range: 50°F / 550°F



Instant Read Dial Thermometers 1 3/4" Standard Grade



- ▶ 5" stem and 1 3/4" dial
- ▶ Recalibratable
- ▶ Standard grade with 1 point calibration
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case



8018N

- ▶ Temperature range: 0°F/220°F and -17°C/104°C
- ▶ Pack Qty.: 6

Instant Read Dial Thermometers 1" Superior Grade



- ▶ 5" stem
- ▶ Recalibratable
- ▶ Accuracy +/- 2°F/1°C of entire range
- ▶ 3 point calibration
- ▶ Patented recalibration wrench built into pocket case
- ▶ Shatterproof Lexan® plastic lens
- ▶ High visibility dial graphics
- ▶ Convenient protective case
- ▶ Durable stainless steel
- ▶ Superior shock protection
- ▶ Individual cartons with hang tabs



6071

- ▶ Temperature range: -40°F /120°F
- ▶ Pack Qty.: 12

6072N

- ▶ Temperature range: 0°F/220°F
- ▶ Pack Qty.: 12

6073J - High Temperature

- ▶ Temperature range: 50°F /550°F
- ▶ Pack Qty.: 12

6075

- ▶ Temperature range: 25°F /125°F
- ▶ Pack Qty.: 12

6076J

- ▶ Temperature range: -40°F /160°F
- ▶ Pack Qty.: 12

6079J

- ▶ Temperature range: -10°C /110°C
- ▶ Pack Qty.: 12

THERMOMETERS

Bi-Therm® Dial Thermometers 2" Superior Grade



6211J

- ▶ Temperature range: -40°F /120°F
- ▶ Pack Qty.: 1

6212J

- ▶ Temperature range: 25°F /125°F
- ▶ Pack Qty.: 1

6215J

- ▶ Temperature range: 0°F /220°F
- ▶ Pack Qty.: 1

6220J - High Temperature

- ▶ Temperature range: 50°F /550°F
- ▶ Pack Qty.: 1

6235J

- ▶ Temperature range: -10°C /110°C
- ▶ Pack Qty.: 1



INSTANT
READ



STAINLESS
STEEL

- ▶ 8" stem length
- ▶ Recalibratable
- ▶ 3 point calibration
- ▶ Accuracy +/- 2°F/1°C of entire range
- ▶ Stainless steel external parts
- ▶ High visibility dial graphics
- ▶ Extended scale design
- ▶ Packed in individual boxes

Bi-Therm® Dial Thermometers 1 3/4" Superior Grade



8212J

- ▶ Temperature range: 25°F /125°F
- ▶ Pack Qty.: 1

8215N

- ▶ Temperature range: 0°F /220°F and -10°C/110°C
- ▶ Vessel clip included
- ▶ Pack Qty.: 6

8220J - High Temperature

- ▶ Temperature range: 50°F /550°F
- ▶ Pack Qty.: 1

8238J

- ▶ Temperature range: 0°C /250°C
- ▶ 2°C divisions
- ▶ Pack Qty.: 1



INSTANT
READ



STAINLESS
STEEL



- ▶ 8" stem length
- ▶ Recalibratable
- ▶ 3 point calibration
- ▶ Accuracy +/- 2°F/1°C of entire range
- ▶ Stainless steel external parts
- ▶ High visibility dial graphics
- ▶ Anti-parallax dial/case design
- ▶ Extended scale design
- ▶ Superior shock protection
- ▶ Packed in individual boxes (except 8215N is on blister card)

Handheld Thermocouple Thermometers



9306N Splash-Proof Dual Temp Infrared Thermometer with Fold Out Thermocouple Step Down Probe



- ▶ Thermocouple range: -67°/626°F and -55°/330°C with accuracy from 14° to 149°F (-10° to 65°C) +/- 1°F (0.6°C)
- ▶ Infrared range: -67°/482°F and -55°/250°C with accuracy from 32°F to 149°F (0°C to 65°C) +/- 2°F (1°C)
- ▶ Resolution: 0.5°F or 0.2°C
- ▶ HACCP pass/fail light system
- ▶ Min/max/hold features
- ▶ Adjustable emissivity
- ▶ D:S=3:1
- ▶ Auto shut off
- ▶ IP65 rated
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



5296650 Rapid Response Thermocouple Thermometer ★



- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Resolution: 0.1°F or °C
- ▶ Stabilized reading in 6 seconds with 1 second updates
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case and sleeve
- ▶ Min/max/temperature recall
- ▶ Recalibratable with auto off and hold features
- ▶ Waterproof IP67 rated
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6



9867FDA Digital Folding Probe Thermocouple Thermometer



- ▶ Temperature range: -40°F /572°F and -40°C/300°C
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Recalibration system
- ▶ Thermocouple
- ▶ Stabilized reading in 5 seconds or less
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



9868FDA Folding Thermocouple Thermometer (Yellow)



- ▶ Temperature range: -40°F /572°F and -40°C/300°C
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Pivoting probe of 270°
- ▶ Large 180° rotating display with white backlight
- ▶ Recalibratable with auto off and hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Black nylon storage case
- ▶ Waterproof IP67 rated
- ▶ Pack Qty.: 2



5302445 High Precision Waterproof Digital Thermocouple Thermometer ★



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Resolution: 0.1°F or °C
- ▶ Stabilized reading in 6 seconds with 1 second updates
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Min/max features
- ▶ Recalibratable with auto off and hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case and sleeve
- ▶ Waterproof IP67 rated
- ▶ 2 - CR2032 batteries included
- ▶ Pack Qty.: 3



5256860

- ▶ Available in Red



5293167

- ▶ Available in Purple (Allergen)



THERMOMETERS

Handheld K-Type Thermocouple Thermometers



9405 High Accuracy Waterproof K-Type Thermocouple Thermometer

- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ With a 2-second response probe and a 4 ft. cord
- ▶ +/- 1° over HACCP range
- ▶ Recalibratable from the front panel switches
- ▶ Auto-off feature
- ▶ IP65 rated
- ▶ 1 - 9V battery included
- ▶ Pack Qty.: 1




5286498 Compact Thermocouple with K-Type Probe

- ▶ Temperature range: -58°F /662°F and -50°C/350°C
- ▶ 1.5mm stepdown probe diameter, FDA recommended
- ▶ Resolution: 0.1°F (0.1°C)
- ▶ Response time: 5 seconds
- ▶ Compact size
- ▶ Oversized 1.1" LCD readout
- ▶ Recalibratable for HACCP Programs
- ▶ Hold, Auto-off and Disable Auto-off features
- ▶ IP65 water resistant
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 3



5296652 Thermocouple Thermometer with K-Type Probe ★

- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Resolution: 0.1°F or °C
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Pivoting probe of 270°
- ▶ Rotating display
- ▶ Easily toggle between °F and °C
- ▶ Twist off probe attachment
- ▶ Waterproof IP67 rated
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



5296652RP K-Type Thermocouple Replacement Probe

- ▶ 1.5mm step down probe diameter
- ▶ Pack Qty.: 1

SPECIAL ORDER



9806 Clip-On Probe

- ▶ Clip-on oven probe includes 4' lead
- ▶ Pack Qty.: 1

SPECIAL ORDER



9812 Angle Surface Probe

- ▶ Includes 5' lead
- ▶ Pack Qty.: 1




9818 Step-Down Penetration Probe with 3' Lead

- ▶ 1.50 mm tip diameter with 3' lead
- ▶ Pack Qty.: 1




98102 Hamburger/Filet Probe

- ▶ 3/16" tip with 5' lead
- ▶ Pack Qty.: 1



5296652ASP K-Type Thermocouple Angled Surface Probe

- ▶ 1" diameter plate
- ▶ Pack Qty.: 1



5296652LSP K-Type Thermocouple Long Shielded Air/Gas Probe

- ▶ 8" probe length
- ▶ Pack Qty.: 1

5296652GC K-Type Thermocouple Gator Clip w-Air/Gas

- ▶ 8' lead
- ▶ Pack Qty.: 1

5296652KIT K-Type Probe Kit ★

- ▶ Includes: 5296652, 5296652ASP, 5296652LSP, 5296652GC

Non-Contact Infrared Thermometers



9523 Infrared Thermometer

AAA
BATTERY
INCLUDED

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -49°F /752°F and -45°C/400°C
- ▶ Scan and hold features
- ▶ Emissivity fixed at 0.95 and resolution at 0.1°F/0.1°C
- ▶ Spot to distance ratio is 6:1
- ▶ Includes nylon storage case
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



9527 Infrared Thermometer

CR2032
BATTERY
INCLUDED

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -67°F /428°F and -55°C/220°C with accuracy of +/- 1.1°F (0.6°C)
- ▶ Resolution: 0.1°F/C
- ▶ Min/max/lock modes
- ▶ Auto-off after 15 seconds
- ▶ Emissivity range is 0.95 (default) and adjustable to 0.005 to 1 (step 0.1)
- ▶ Quick response at 1 second
- ▶ Low battery indicator
- ▶ Protective rubber boot and lanyard included
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 2



5315470 Infrared Thermometer ★

BACKLIGHT

AAA
BATTERIES
INCLUDED

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -58°F/716° and -50°C/380°C
- ▶ Scan and hold features
- ▶ Emissivity fixed at 0.95 and resolution at 0.1°F/0.1°C
- ▶ Spot to distance ratio is 12:1
- ▶ Backlight feature
- ▶ Wrist lanyard included
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2

Pocket Digital Thermometers



1476FDA Compact Folding Thermometer

LR44
BATTERY
INCLUDED

MAGNETIC

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -58°F /392°F and -50°C/200°C
- ▶ FDA recommended step down probe
- ▶ Auto-off feature
- ▶ Magnet on the back
- ▶ Lanyard included
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



3516FS Digital Instant Read Thermometer

MULTIUSE

LR44
BATTERY
INCLUDED

INSTANT
READ

0.4"
DIGITAL
DISPLAY



- ▶ Temperature range: -40°F /302°F
- ▶ Auto-off feature
- ▶ Protective pocket sleeve included
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



3519FDA Waterproof Digital Instant Read Thermometer with Step Down Probe

LR44
BATTERY
INCLUDED

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Resolution: 0.1°F/C
- ▶ Easy to grip, pen style design
- ▶ 1.5mm step down probe as recommended by the FDA
- ▶ Waterproof design with instant read and hold feature
- ▶ Auto-shut off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3

THERMOMETERS

Pocket Digital Thermometers



9836 Adjustable Head Digital Thermometer

- ▶ Temperature range: -40°F /450°F and -40°C/230°C
- ▶ Supersized 1.0" readout
- ▶ Head pivots in multiple positions for easier reading
- ▶ Durable stainless steel 5" stem with step down tip
- ▶ Storage sleeve
- ▶ Auto-shut off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



9840RB Digital Thermometer

- ▶ Temperature range: -40°F /302°F and -40°C/150°C
- ▶ Protective rubber boot included to withstand drops
- ▶ Stainless steel step down probe
- ▶ Auto-off feature
- ▶ Protective sleeve included
- ▶ 2 - LR44 batteries included
- ▶ Pack Qty.: 6



9841RB High Temp Digital Thermometer

- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Protective rubber boot included to withstand drops
- ▶ Stainless steel step down probe
- ▶ Auto-off feature
- ▶ Protective sleeve included
- ▶ 2 - LR44 batteries included
- ▶ Pack Qty.: 6



9842FDA Waterproof Digital Thermometer

- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Auto-off feature
- ▶ Recalibratable and C/F switch
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



9848EFDA Waterproof Digital Thermometer

- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Waterproof and dishwasher safe
- ▶ Min/max/hold features
- ▶ Recalibratable
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Blue backlit LCD
- ▶ Lanyard included
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6



5296651 Digital Pivoting Display Thermometer

- ▶ Temperature range: -40°F /392°F and -40°C/200°C
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Pivoting display rotates 180 degrees for enhanced viewing
- ▶ Wire-free battery replacement
- ▶ Display updates every 1 second, auto-off after 40 minutes
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



Pocket Digital Thermometers



9877FDA Compact Waterproof Digital Thermometer



- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Waterproof and dishwasher safe
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Response time less than 6 seconds with 1 second updates
- ▶ Min/max/hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Auto-off feature
- ▶ 1 - CR1225 battery included
- ▶ Pack Qty.: 6

9877FDARD ★

- ▶ Red



9877FDAYL ★

- ▶ Yellow



9878E High Precision Waterproof Digital Thermometer



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Waterproof and dishwasher safe
- ▶ 1.5 mm step down probe diameter, FDA recommended
- ▶ Min/max/hold features
- ▶ Recalibratable
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Auto-off and disable auto-off functions
- ▶ Amber backlit LCD
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3



5302142 Digital Waterproof Rotating Display Thermometer ★



- ▶ Temperature range: -58°F /572°F and -50°C/300°C
- ▶ 1.5 mm step down probe diameter, FDA recommended
- ▶ Rotating display rotates 360 degrees for enhanced viewing
- ▶ Auto-off feature
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3

5302142RD

- ▶ Red

5302142BLU

- ▶ Blue



Allergen Thermometers



3519PRFDA Waterproof Digital Instant Read Allergen Thermometer



- ▶ Temperature range: -40°F /450°F and -40°C/230°C
- ▶ Resolution: 0.1°F/C
- ▶ Easy to grip, pen style design
- ▶ 1.5mm step down probe as recommended by the FDA
- ▶ Waterproof design with instant read and hold feature
- ▶ Auto-shut off feature
- ▶ Helps support allergy safety
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3



9840PRN Digital Allergen Thermometer



- ▶ Temperature range: -40°F /302°F and -40°C/150°C
- ▶ Reduces the risk of cross-contamination
- ▶ Helps support allergy safety
- ▶ Stainless steel step down probe
- ▶ Auto-off feature
- ▶ Protective sleeve included
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



9878EPR Waterproof Digital Allergen Thermometer



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Waterproof and dishwasher safe
- ▶ Helps support allergy safety
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Min/max/hold features
- ▶ Recalibratable
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Auto-off and disable auto-off functions
- ▶ Amber backlit LCD
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3

See Thermocouple 5293167 on Page 7

THERMOMETERS

Roast/Meat Thermometers



3504FS Meat Dial Thermometer



- ▶ Temperature range: 120°F to 210°F / 50°C to 90°C
- ▶ 2" dial with USDA guidelines
- ▶ Adjustable temperature indicator
- ▶ Stainless steel 4½" stem
- ▶ Pack Qty.: 6



5937N Multi-Purpose Thermometer



- ▶ Temperature range: 105°F to 185°F
- ▶ Armored sabre-tipped tube for easy piercing
- ▶ Meat and yeast temperature guides
- ▶ Dishwasher safe
- ▶ Pack Qty.: 6



5939N Meat Thermometer



- ▶ Temperature range: 120°F to 200°F
- ▶ Large 3" dial
- ▶ Adjustable temperature indicator
- ▶ Meat guidelines on dial
- ▶ Pack Qty.: 6



61054J Meat Thermometer



- ▶ Temperature range: 0°F to 220°F
- ▶ Easy to read 2" dial
- ▶ 4" stainless steel stem with glass crystal
- ▶ Packed in individual carton
- ▶ Pack Qty.: 1



5984J Instant Read Meat Thermometer



- ▶ Temperature range: 0°F / 220°F
- ▶ 1½" dial with 5" stem
- ▶ Recalibratable
- ▶ Pack Qty.: 1



Cooking Thermometers



1470FS Digital Thermometer and Timer



STAINLESS STEEL



BATTERY INCLUDED



F/°C
FAHRENHEIT/
CELSIUS



MAGNETIC

- ▶ Temperature range: 32°F / 392°F and 0°C / 200°C
- ▶ Sealed stainless steel probe with 4' cord
- ▶ Temperature alarm signals when food is done
- ▶ Non-slip nylon clip on probe to prevent moisture from entering the probe
- ▶ On/off switch to preserve battery life
- ▶ Folds down for compact storage
- ▶ Magnet on back for mounting to stove
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 6



1470FSRP Replacement Probe for Model 1470FS



STAINLESS STEEL



BATTERY INCLUDED



F/°C
FAHRENHEIT/
CELSIUS



MAGNETIC

- ▶ Replacement Probe for Model 1470FS
- ▶ Sealed stainless steel probe with 4' cord
- ▶ Pack Qty.: 1



3518N Digital Cooking Thermometer



MULTIUSE



PROGRAMMABLE



BATTERY INCLUDED



F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 32°F / 392°F and 0°C / 200°C
- ▶ Stainless steel probe with 4" silicone cord
- ▶ F/C switch
- ▶ Stand or use with magnet on back for mounting to stove
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



VALUE



Candy & Deep Fry Thermometers



3505 Candy/Deep Fry Thermometer



MULTIUSE



SLIDE TEMP REFERENCE



2" DIAL



NSF

- ▶ Temperature range: 100°F / 380°F
- ▶ 2" dial with candy zones
- ▶ Adjustable pan/kettle clip
- ▶ Slide temperature indicator
- ▶ 6" stem
- ▶ Pack Qty.: 6



VALUE



3522FS Deep Fry Thermometer



MULTIUSE



SLIDE TEMP REFERENCE



1 1/4" DIAL



NSF

- ▶ Temperature range: 50°F / 550°F and 50°C / 285°C
- ▶ 1 1/4" dial
- ▶ Durable 12" stainless steel stem with adjustable pan clip
- ▶ Slide temperature indicator
- ▶ Pack Qty.: 6



VALUE



5911N Candy/Deep Fry Thermometer



MULTIUSE



SLIDE TEMP REFERENCE



3" DIAL



NSF

- ▶ Temperature range: 100°F / 400°F and 40°C / 200°C
- ▶ Large 3" dial
- ▶ Slide temperature indicator
- ▶ Durable rounded tip
- ▶ 6" stainless steel stem
- ▶ Candy zones on dial
- ▶ Pack Qty.: 6

THERMOMETERS

Candy & Deep Fry Thermometers



5978N Candy/Deep Fry Thermometer

- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Glass tube with adjustable pan clip
- ▶ Protective storage sleeve is printed with convenient cooking chart
- ▶ 8" in length
- ▶ Pack Qty.: 6



5983N Candy/Deep Fry Thermometer

- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Insulated handle with built in pan clip
- ▶ Large printing for easy to read temperature zones
- ▶ Classic stainless steel design
- ▶ 12" in length
- ▶ Pack Qty.: 6



6084J8 Professional Candy/Deep Fry Thermometer

- ▶ Temperature range: 50°F / 550°F
- ▶ 2" dial with 8" stem
- ▶ Pack Qty.: 1



6084J12 Professional Candy/Deep Fry Thermometer

- ▶ Temperature range: 50°F / 550°F
- ▶ 2" dial with 12" stem
- ▶ Pack Qty.: 1



983915 Adjustable Head Digital Candy/Deep Fry Thermometer

- ▶ Temperature range: -40°F / 450°F and -40°C / 230°C
- ▶ Multi-position pivoting head
- ▶ Large 1" LCD readout
- ▶ Adjustable pan clip
- ▶ Durable stainless steel 9" stem
- ▶ Auto-off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3



5280826 Programmable Candy/Deep Fry Thermometer ★

- ▶ Temperature range: -40°F / 500°F and -40°C / 260°C
- ▶ Angled display for best visibility
- ▶ Oversized 0.76" backlit display
- ▶ Programmable to alert user when desired temperature is reached
- ▶ 9" stainless steel stem with adjustable pan clip
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3



5305741 Premium Programmable Candy/Deep Fry Thermometer ★

- ▶ Temperature range: -40°F / 500°F and -40°C / 260°C
- ▶ Programmable to alert user when desired temperature is reached
- ▶ Heat Shield protects angled display
- ▶ Pan clip has silicone cover to protect pans
- ▶ Oversized, 0.75" backlit display is easy-to-read
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3



Oven/Grill Thermometers



3506FS Oven Dial Thermometer

- OVEN SAFE
- VALUE
- Temperature range: 100°F / 600°F and 50°C / 300°C
- 2 1/2" dial
- Durable stainless steel
- Hangs or stands in oven
- Pack Qty.: 6
-



5921N Oven Guide Thermometer

- STAINLESS STEEL
- OVEN SAFE
- STAIN RESISTANT SURFACE
- Temperature range: 100°F / 600°F
- Easy-to-read zone guide references
- Durable stainless steel
- Hangs or stands
- Pack Qty.: 6



5932 Oven Dial Thermometer

- STAINLESS STEEL
- °F/°C FAHRENHEIT/CELSIUS
- 3" DIAL
-
- Temperature range: 100°F / 600°F and 50°C / 300°C
- 3" dial
- Durable stainless steel
- Hangs or stands
- Pack Qty.: 6



5980N Professional Hot Holding Thermometer

- STAINLESS STEEL
- °F/°C FAHRENHEIT/CELSIUS
-
- Temperature range: 100°F / 180°F and 38°C / 82°C
- Dial includes HACCP guidelines
- Pack Qty.: 6



5986N Dial Proofing Thermometer

- STAINLESS STEEL
- °F/°C FAHRENHEIT/CELSIUS
-
- Temperature range: 70°F / 130°F 20°C / 54°C
- Dial includes proofing zone indicator
- Pack Qty.: 6



6021 Surface Temperature Thermometer

- STAINLESS STEEL
- 2" DIAL
-
- Temperature range: 100°F / 700°F and 50°C / 350°C
- Monitor grill or any surface temperatures
- Easy-to-read 2" dial
- Enclosed design protects coil
- Pack Qty.: 6



6246J CharBroiler Thermometer

- STAINLESS STEEL
- Temperature range: 200°F / 1000°F
- Hermetically sealed
- Holder for use on the grill
- Includes heat deflection sheet for use on CharBroiler
- Pack Qty.: 4



8146W Smoker Thermometer

- Temperature range: 100°F / 475°F
- Mounts directly onto smoker
- Luminescent ink for easy low-light viewing
- Pack Qty.: 6



THERMOMETERS

Refrigerator/Freezer Thermometers



5262798 Digital Refrigerator/Freezer Thermometer

- MULTIUSE
- FOOD SAFETY
- °F/°C
FAHRENHEIT/
CELSIUS
- CR2032
BATTERY INCLUDED

- ▶ Large 2" LCD readout with min/max temperature tracking
- ▶ Temperature range: -4°F to 140°F/-20°C to 60°C
- ▶ Attaches with suction cup or adjustable clip
- ▶ Safe zones printed on front panel for easy reference
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6

OPTIMAL TEMPERATURES		
Proper storage temperatures are critical to food safety. Using a thermometer to measure temperatures will ensure refrigerators and freezers are operating within food safety guidelines and that food is being stored safely.		
	SAFE ZONES	DANGER ZONES
Refrigerator	32°F-40°F	42°F +
Freezer	-10°F-0°F	10°F +



1443 Digital Refrigerator/Freezer Thermometer

- 0.8" DIGITAL DISPLAY
- MEMORY
- CR2025 BATTERY INCLUDED

- ▶ Temperature range: -4°F / 140°F and -20°C / 60°C
- ▶ Large LCD readout with min/max feature
- ▶ Hangs, stands or attaches with magnet
- ▶ F/C switchable
- ▶ 1 - CR2025 battery included
- ▶ Pack Qty.: 6



1445 Safety Zone Refrigerator/Freezer Digital Thermometer

- 23:59:59 TIMER RANGE
- 0.6" DIGITAL DISPLAY
- FOOD SAFETY
- CR2025 BATTERY INCLUDED

- ▶ Temperature range: -4°F / 140°F and -20°C / 60°C
- ▶ Track internal temperature of fridge or freezer
- ▶ Programmed with safety zone temperatures
- ▶ Alerts to potential food safety concern
- ▶ Pack Qty.: 6



3503FS Refrigerator/Freezer Tube Thermometer

- FOOD SAFETY
- °F/°C
FAHRENHEIT/
CELSIUS
- NSF

- ▶ Temperature range: -20°F / 70°F and -30°C / 30°C
- ▶ Safe temperature zone indicators
- ▶ Hangs or attaches with suction cups
- ▶ Pack Qty.: 4

VALUE



3507FS Refrigerator/Freezer Dial Thermometer

- FOOD SAFETY
- °F/°C
FAHRENHEIT/
CELSIUS
- NSF

- ▶ Temperature range: -20°F / 80°F and -30°C / 30°C
- ▶ 2½" dial
- ▶ Hangs or stands in the fridge/freezer
- ▶ Safe temperature zone indicators
- ▶ Pack Qty.: 6

VALUE

Refrigerator/Freezer Thermometers



Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Compact size ▶ Clips to rack or attaches with suction cup ▶ Safe temperature zone indicators
	 3509FS <ul style="list-style-type: none"> ▶ Blister carded ▶ Pack Qty.: 6
5926 <ul style="list-style-type: none"> ▶ Bulk pack of 50 per box 	



5924 Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ 3" dial ▶ Safe temperature zone indicators ▶ Hangs or stands ▶ Pack Qty.: 6



5925NFS Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Magnified face with shatterproof clear plastic lens ▶ Safe temperature zone indicators ▶ Hangs or attaches with suction cups ▶ Pack Qty.: 6



5927 Glycol Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 60°F and -30°C / 30°C ▶ Polypropylene glycol simulates food product temperatures for a more accurate reading ▶ Not affected by ambient air changes due to door openings or cold and warm spots ▶ Reduces energy costs by mimicking food temperatures ▶ Hangs/stands/sits ▶ Pack Qty.: 6



5977N Refrigerator/Freezer Thermometer

 MULTIUSE FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Magnified lens and shatterproof design ▶ Safe temperature zone indicators ▶ Pack Qty.: 6

THERMOMETERS

Refrigerator/Freezer Thermometers



5981N Professional Refrigerator/Freezer Thermometer

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -30°F / 70°F and -34°C / 20°C
- ▶ Includes HACCP guidelines for safe temperature measurement
- ▶ Pack Qty.: 6



5982N Milk/Beverage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F / 120°F and -40°C / 50°C
- ▶ Includes adhesive and magnetic backing
- ▶ Pack Qty.: 12



5994 Refrigeration Thermometer

STAINLESS
STEEL



°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -30°F / 70°F and -34°C / 20°C
- ▶ Professional quality and accuracy
- ▶ Easy to read 3" dial with safe temperature one guide
- ▶ Durable stainless steel
- ▶ Includes adhesive backing
- ▶ Pack Qty.: 6

Panel Mount Digital Thermometer



9940N Panel Mount Digital Thermometer

0.6"

DIGITAL
DISPLAY

AAA
BATTERY
INCLUDED

WATER
PROOF

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F / 300°F and -40°C / 150°C
- ▶ Flush and flange mounting options
- ▶ Waterproof housing and probe
- ▶ 10' cable for both air and liquid immersion
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 4



HACCP Food Safety Thermometers



- ▶ 1" dial with 5" stem
- ▶ Stainless steel construction with shatterproof lens
- ▶ Pocket sleeve with patented built-in calibration feature



1" Dial Instant Read Reduce Cross Contamination Thermometers

6092NBLBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Blue - Fish
- ▶ Pack Qty.: 6



6092NBRBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Brown - Cooked Meat
- ▶ Pack Qty.: 6



6092NPRBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Purple - Allergy
- ▶ Pack Qty.: 6



6092NRDBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Red - Raw Meat
- ▶ Pack Qty.: 6



6092NYLBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Yellow - Poultry
- ▶ Pack Qty.: 6



HACCP Probe Wipes



9999N

- ▶ 70% isopropyl alcohol
- ▶ Wipe dimensions: 2.5" x 1.25"
- ▶ Guaranteed 12 month shelf life
- ▶ Pack Qty.:
 - 100 single use wipes per box
 - 10 boxes per case



THERMOMETERS

Special Use Thermometers



5416J Cup Case Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/130°F and -40°C/55°C
- ▶ F&C cup case with ring top
- ▶ Brass casing
- ▶ Permacolor® filled
- ▶ Pack Qty.: 4



5499J Orchard or Minimum Registering Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 10°F/100°F in 1° increments
- ▶ Register present and minimum temperature reached
- ▶ Pack Qty.: 12



5948N Tobacco Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 10°F/200°F and -10°C/95°C
- ▶ F&C scales
- ▶ Green color zones for curing process
- ▶ Pack Qty.: 12



5976N Soil Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 20°F/180°F and 0°C/80°C
- ▶ F&C scales
- ▶ Color coded zone for min, max & optimal soil temperatures
- ▶ Pack Qty.: 6



5985N Hot Beverage Thermometer



- ▶ Temperature range: 70°F/190°F
- ▶ 1" dial with 5" stem
- ▶ Pan clip and sleeve included with built-in calibration wrench
- ▶ Pack Qty.: 4



5997E Cappuccino Frothing Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 120°F/180°F and 50°C/80°C
- ▶ Easy to read zoned dial for optimal frothing temperatures
- ▶ Sealed dial design to prevent fogging
- ▶ Pack Qty.: 4



8215N 1 3/4" Dial Hot Beverage Thermometer



°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 0°F/220°F and -10°C/100°C
- ▶ 8" stem with vessel clip
- ▶ Recalibratable
- ▶ Blister carded
- ▶ Pack Qty.: 6



5286344 Digital Coffee Thermocouple Thermometer



°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 0°F/220°F and -10°C/100°C
- ▶ Resolution: +/- 1°F
- ▶ Response time: 1 second
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Visual alert when temperature exceeds safe zone
- ▶ Large LCD readout
- ▶ Hold feature with auto off after 20 seconds
- ▶ Waterproof IP67 rated
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6



Temperature Strips/Dishwasher Thermometers



8750 TempRite® Temperature Test Labels



F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 180°F /82°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ Guaranteed 12 month shelf life
- ▶ Made in USA
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8751 TempRite® Temperature Test Labels



F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 160°F /71°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ Guaranteed 12 month shelf life
- ▶ Made in USA
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8752 TempRite® Temperature Test Labels



F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 170°F /76°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ Guaranteed 12 month shelf life
- ▶ Made in USA
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8766J TempRite® Temperature Test Strips



F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 160°F /71°C
- ▶ Guaranteed 12 month shelf life
- ▶ Made in USA
- ▶ 1 pack of 25 test strips
- ▶ Pack Qty.: 12



8767J TempRite® Temperature Test Strips



F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 180°F /82°C
- ▶ Guaranteed 12 month shelf life
- ▶ Made in USA
- ▶ 1 pack of 25 test strips
- ▶ Pack Qty.: 12



8769 TempRite® Temperature 3 in 1 Test Labels



F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 160°F / 71°C , 170°F / 77°C and 180°F / 82°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ Guaranteed 12 month shelf life
- ▶ Made in USA
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8791 Plate-Simulating Dishwasher Thermometer



TEMP RANGE

CR2032
BATTERY INCLUDED



- ▶ Temperature range: 32°F/194°F and 0°C/90°C
- ▶ Accuracy to ±1.8°F (±1°C)
- ▶ Accurately measures plate surface temperature during wash cycle
- ▶ FDA Food Code compliant for sanitization
- ▶ Designed for use in commercial dishwashers
- ▶ IP67 rated and NIST-Traceable Certificate included
- ▶ Pack Qty.: 6



5265263 Dishwasher Thermometer Storage Bracket



- ▶ For use with Taylor's Model 8791
- ▶ Stores thermometer in close proximity when not in use
- ▶ Durable stainless-steel construction
- ▶ Designed with multiple options for wall mounting
- ▶ Easy to clean
- ▶ Pack Qty.: 6



214621J Dishwasher Test Thermometer

- ▶ Temperature range: 0°F /220°F
- ▶ Mercury filled
- ▶ Tube sealed in open face armor case made of high temperature MINLON® plastic
- ▶ Maximum registering
- ▶ Individually packaged
- ▶ Pack Qty.: 1

THERMOMETERS

PH Meter and Accessories



6580 Digital PH Meter



- ▶ PH range: 0.00-14.00
- ▶ Temperature compensation range: 32°F to 122°F / 0°C to 50°C
- ▶ 3 point calibration: 4.01, 6.86, 9.18
- ▶ Calibration powder buffer solution (1 for each calibration point) included
- ▶ Durable hard plastic storage case included
- ▶ (4) LR44 batteries included
- ▶ Replacement probe tip with protective cap (model #6580RP) sold separately
- ▶ Pack Qty.:5



5288906 PH Meter Replacement Probe

- ▶ Replacement probe tip with protective cap for model 6580
- ▶ Pack Qty.:1



Taylor's pH meter tests the acidity or alkalinity of sushi rice, aquarium water, home brewed beer, cheese, soil, etc. and provides fast and accurate readings.



Dial Thermometers/Clocks



166 Patio Clock

AA
BATTERY
NOT
INCLUDED

- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Weather resistant and clock movement cover
- ▶ 12" diameter
- ▶ 1 - AA battery required (not included)
- ▶ Pack Qty.: 5



497J Humidiguide Dial Thermometer

MULTIUSE
°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ Humidity range: 20% to 90%
- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Large, easy-to-read face
- ▶ Includes a relative humidity scale
- ▶ 12" diameter
- ▶ Pack Qty.: 5



681T Extra Large Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Large, easy-to-read face
- ▶ Weather resistant construction
- ▶ 18" diameter
- ▶ Pack Qty.: 3



6714 Indoor/Outdoor
13.25" Dial Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ ColorTrak design features bright and colorful numbers
- ▶ Framed in a glossy white bezel
- ▶ Weather resistant construction
- ▶ 13.25" diameter
- ▶ Pack Qty.: 4



6760 13.25" Big & Bold Clock

AA
BATTERY
NOT
INCLUDED

- ▶ Large, bold easy-to-read graphics
- ▶ Attractively framed in a white bezel
- ▶ Quartz clock movements for accurate time measurement
- ▶ Pack Qty.: 4



5630 6" Black and White
Bi-Metal Thermometer

°F
FAHRENHEIT

- ▶ Temperature range: -60°F/120°F
- ▶ Bold and vibrant silk-screened graphics
- ▶ °F scale only
- ▶ Easy-to-read numerals with clear bezel
- ▶ Wall bracket included for mounting
- ▶ Pack Qty.: 6



5265191 Digital Clock/Thermometer

AA
BATTERY
INCLUDED

MULTIUSE

3.63"
DIGITAL
DISPLAY

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 14°F/140°F and -10°C/60°C
- ▶ Time displayed in either 12 or 24 hour format
- ▶ Calendar with month, date and day
- ▶ 2 - AA batteries included
- ▶ Pack Qty.: 4



THERMOMETERS

Dial HACCP Thermometers



5636 6" Bi-Metal Thermometer HACCP Cooler/Freezer

- FOOD SAFETY**
- °F/°C**
FAHRENHEIT/CELSIUS
- ▶ Temperature range: 0°F/80°F and -17°C/26°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with clear bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Wall bracket included for mounting
 - ▶ Pack Qty.: 6



5637 6" Bi-Metal Thermometer HACCP Prep/Dry Storage

- FOOD SAFETY**
- °F/°C**
FAHRENHEIT/CELSIUS
- ▶ Temperature range: 0°F/100°F and -17°C/37°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with clear bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Wall bracket included for mounting
 - ▶ Pack Qty.: 6



5680 13.25" Thermometer HACCP Cooler/Freezer

- FOOD SAFETY**
- °F/°C**
FAHRENHEIT/CELSIUS
- ▶ Temperature range: 0°F/80°F and -17°C/26°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with clear bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Pack Qty.: 4



5681 13.25" Thermometer HACCP Prep/Dry Storage

- FOOD SAFETY**
- °F/°C**
FAHRENHEIT/CELSIUS
- ▶ Temperature range: 0°F/100°F and -17°C/37°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with white bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Pack Qty.: 4




Window/Wall Thermometers



1105J 12" x 2" Dry Storage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 0°F/120°F and -30°C/50°C
- ▶ Easy-to-read in poor lighting
- ▶ Packed in individual carton
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 12



1106J 12" x 2" Cold/Dry Storage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -50°F/70°F and -40°C/20°C
- ▶ Easy-to-read in poor lighting
- ▶ Packed in individual carton
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 12



5109 14½" x 3¾" Jumbo Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Bright red reading tube with extra large colorful numbers
- ▶ Weather resistant and rustproof for quick, accurate temperature checks inside or outside
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



THERMOMETERS

Window/Wall Thermometers



5132N 8 $\frac{1}{8}$ " x 2 $\frac{1}{2}$ " Utility Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ White aluminum back with plastic end caps for secure mounting
- ▶ Large, easy-to-read face
- ▶ Weather resistant and rustproof
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



5135N 8 $\frac{7}{8}$ " x 2 $\frac{1}{4}$ " Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ White aluminum for indoor or outdoor use
- ▶ Large, easy-to-read face
- ▶ Weather resistant and rustproof
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



5153 7 $\frac{5}{8}$ " x 2 $\frac{3}{8}$ " Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Curved look with large, easy-to-read numerals in bright blue & green
- ▶ Includes aluminum bracket for mounting
- ▶ Weather resistant and rustproof
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



Window/Wall Thermometers



5154 7⁵/₈" x 2³/₈" Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS


- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Curved look with large, easy-to-read numerals in bright red & blue
- ▶ Includes aluminum bracket for mounting
- ▶ Weather resistant and rustproof
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



5316N 8" x 2¹/₂" Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ White aluminum back with large, easy-to-read numerals
- ▶ Rustproof bracket with adjustable design for multi-directional viewing
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



5321N 3¹/₂" Dial Stick-on Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Read outside temperature from inside
- ▶ Easy to apply suction cup mount
- ▶ Weather resistant and rustproof
- ▶ Pack Qty.: 6



5327 9³/₄" x 1¹/₄" Indoor/Outdoor Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/100°F and -40°C/40°C
- ▶ Read indoor and outdoor temperatures from inside
- ▶ Bold numerals in bright blue and red
- ▶ Permacolor® filled solution with red (indoor) and blue (outdoor) colors
- ▶ Pack Qty.: 6



5329 9³/₄" x 1⁷/₈" Indoor/Outdoor Thermometer

MULTIUSE
°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/40°C
- ▶ Humidity range: 10% to 80%
- ▶ Dial to read indoor humidity
- ▶ Large, easy-to-read face
- ▶ Permacolor® filled solution with red (indoor) and blue (outdoor) colors
- ▶ Pack Qty.: 4



5380N 1³/₄" Dial Stick-on Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Indoor/outdoor multi-purpose thermometer easily mounts with double-faced adhesive
- ▶ Weather resistant and rustproof
- ▶ Pack Qty.: 12



THERMOMETERS

Indoor Tabletop Thermometers



5504 Indoor Humidiguide and Thermometer



- ▶ Temperature range: 20°F/100°F
- ▶ Humidity range: 10% to 100%
- ▶ Displays relative humidity and temperature
- ▶ 4" square case hangs or stands
- ▶ Pack Qty.: 6



1745BK Indoor Thermometer with Hygrometer



- ▶ Indoor Temperature Range: 14°F/122°F and -10°C/50°C
- ▶ Humidity Range: 20-90%
- ▶ Read and record indoor temperature and humidity
- ▶ Clock function
- ▶ 2 - LR44 batteries included
- ▶ Pack Qty.: 6



5306103 Indoor Digital Humidiguide Thermometer with Hygrometer ★



- ▶ Indoor Temperature Range: -40°F/158°F and -40°C/70°C
- ▶ Humidity Range: 10-95%
- ▶ Min/Max feature
- ▶ Large, easy-to-read LCD wall mount or table top
- ▶ 300 days of continuous reading battery life
- ▶ 2 - AAA batteries (not included)
- ▶ Pack Qty.: 6



Max/Min Thermometers



1441E Digital Max/Min Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

AA
BATTERY
INCLUDED

- ▶ Temperature range: -20°F/120°F and -29°C/50°C
- ▶ Records temperature readings for 7 days at a time
- ▶ Dual 3 meter probes for independent readings
- ▶ 2 - AA batteries included
- ▶ Pack Qty.: 4



1442 Critical Care Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

AAA
BATTERY
INCLUDED

- ▶ Temperature range: -40°F/221°F and -40°C/105°C
- ▶ For monitoring temperature critical materials
- ▶ Programmable high and low limit alarms
- ▶ 96 hour memory of high and low temperatures
- ▶ Stores history of alarm breaches including time of day and duration
- ▶ Dual 6' glycol-tolerant probes
- ▶ Password protected
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 18



5458 Max/Min Thermometer

°F
FAHRENHEIT

- ▶ Temperature range: -40°F/120°F
- ▶ Magnet reset, registers high and low reading from last setting
- ▶ Mercury filled
- ▶ Pack Qty.: 1



5460 Max/Min Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Push button reset and magnet reset
- ▶ Permacolor® filled
- ▶ Pack Qty.: 4



DIGITAL THERMOMETERS - COMPARISON GUIDE



Product Specifications	3516FS	9840RB	9840PRN	9841RB	1476FDA	3519FDA
Temperature range:	-40°/302°F	-40°/302°F -40°/150°C	-40°/302°F -40°/150°C	-40°/500°F -40°/260°C	-40°/392°F -40°/200°C	-40°/450°F -40°/232°C
Accuracy:	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F
Certifications:						
Dimensions: • Stem Length • Probe Diameter	4.75" 3.8mm	4.69" 1.5mm	4.69" 1.5mm	4.69" 1.5mm	3.43" 1.5mm	3.19" 1.5mm
Features: • Safe-T-Guard™ Case • °F & °C Selectable • On/Off • Hold • Auto Shut Off • Protective Rubber Boot • 1.5mm Step Down Probe • Calibration • Max/Min Memory	✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓
LCD Size:	0.3"	0.4"	0.4"	0.4"	0.6"	0.5"
Battery Type:	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)
Warranty:	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year



9842FDA



9848EFDA



9877FDA



9878E



5302142 ★



3519PRFDA



9878EPR

3519PRFDA	9842FDA	9848EFDA	9877FDA	9878E	9878EPR	5302142
-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/500°F -40°/260°C	-40°/500°F -40°/260°C	-58°F/572°F -50°C/300°C
+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 1°F	+/- 1°F	+/- 2°F
3.19" 1.5mm	4.81" 1.5mm	3.00" 1.5mm	2.81" 1.5mm	5.11" 1.5mm	5.11" 1.5mm	4.50" 1.5mm
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓ (max)	✓	✓	✓	✓
0.5"	0.5"	0.5"	0.3"	0.4"	0.4"	1.375"
LR44 (included)	LR44 (included)	CR2032 (included)	CR1225 (included)	CR2032 (included)	CR2032 (included)	CR2032 (included)
1 Year	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year

TIMERS

Mechanical



5830 Stainless Steel 60 Minute Timer



- ▶ Timer range: 60 minutes
- ▶ Stainless steel housing
- ▶ Rubberized turn knob and slip proof base
- ▶ Long ring
- ▶ Pack Qty.: 6



5831N 60 Minute Timer



- ▶ Timer range: 60 minutes
- ▶ Large easy to read numbers
- ▶ Long ring
- ▶ Pack Qty.: 6



5832 60 Minute Timer



- ▶ Timer range: 60 minutes
- ▶ Small compact size
- ▶ Long ring
- ▶ Pack Qty.: 6



Digital



5806 Digital Multi-Purpose Timer

- 99:59
TIMER RANGE
 - 0.5"
DIGITAL DISPLAY
 - MAGNETIC
 - AAA
BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Small and compact design
 - ▶ Counts up and counts down
 - ▶ Clip/magnet/stand positioning
 - ▶ Splash resistant
 - ▶ 1 - AAA battery included
 - ▶ Pack Qty.: 6



5822 Memory Digital Timer

- 99:59
TIMER RANGE
 - 0.8"
DIGITAL DISPLAY
 - MEMORY
 - AAA
BATTERY INCLUDED
- ▶ Counts up to 99 minutes, 59 seconds
 - ▶ Recalls last timing event for easy programming
 - ▶ 0.8" LCD readout
 - ▶ Count up and countdown feature
 - ▶ Clip/magnet/stand positioning
 - ▶ 1 - AAA battery included
 - ▶ Pack Qty.: 6



5828 Dual Event Digital Timer/Clock

- MULTIUSE
 - VARIETY OF RINGS
 - 23:59:59
TIMER RANGE
 - 2 EVENTS SAME TIME
 - 1.5"
DIGITAL DISPLAY
 - AAA
BATTERY INCLUDED
- ▶ Each timer counts up to 23 hours, 59 minutes, 59 seconds
 - ▶ Times two events simultaneously
 - ▶ 1.5" LCD readout
 - ▶ Clock feature
 - ▶ Clip/magnet/stand positioning
 - ▶ 1 - AAA battery included
 - ▶ Pack Qty.: 6



5839N 4 Event Digital Timer

- MULTIUSE
 - VARIETY OF RINGS
 - 9:59:59
TIMER RANGE
 - 4 EVENTS SAME TIME
 - AA
BATTERY INCLUDED
- ▶ Each timer counts up to 9 hours, 59 minutes, 59 seconds
 - ▶ Times 4 events simultaneously
 - ▶ 100 decibel alarms with a distinctive ring for each timer
 - ▶ Adjustable volume control knob
 - ▶ Lights flash when timer reaches zero
 - ▶ Stand or wall mount
 - ▶ 4 - AA batteries included
 - ▶ Pack Qty.: 2



5862 Compact 4 Event Digital Timer

- MULTIUSE
 - VARIETY OF RINGS
 - 9:59:59
TIMER RANGE
 - 4 EVENTS SAME TIME
 - LR44
BATTERY INCLUDED
- ▶ Each timer counts up to 99 minutes, 59 seconds
 - ▶ Times 4 events simultaneously
 - ▶ Extra large LCD readout
 - ▶ 4 distinct beep tones
 - ▶ Count up and down features
 - ▶ 12/24 hour clock
 - ▶ Self standing/magnetic mounting feature
 - ▶ 2 - LR44 batteries included
 - ▶ Pack Qty.: 6



TIMERS

Digital



5863 Water & Impact Resistant Timer

- MULTIUSE**
 - MEMORY**
 - WATER PROOF**
 - BACKLIGHT**
 - 4 EVENTS SAME TIME**
 - AAA BATTERY INCLUDED**
- ▶ Times up to 24 hours, 59 minutes, 59 seconds
 - ▶ Dust and water resistant
 - ▶ IP65 rated
 - ▶ Impact resistant up to 4 feet
 - ▶ 4 level adjustable volume
 - ▶ High temp LED readout
 - ▶ Counts up and counts down with memory recall
 - ▶ Backlight and clock features
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 6



5896 Jumbo Readout Digital Timer

- 99:59 TIMER RANGE**
 - 1.375" DIGITAL DISPLAY**
 - MAGNETIC**
 - LR44 BATTERY INCLUDED**
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Memory function to recall last timing event
 - ▶ Extra loud alarm
 - ▶ Magnet/stand positioning
 - ▶ 1 - LR44 battery included
 - ▶ Pack Qty.: 6



5816N Chef's Timer & Stopwatch

- 99:59 TIMER RANGE**
 - MAGNETIC**
 - LR44 BATTERY INCLUDED**
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Includes lanyard for convenience
 - ▶ Counts up and counts down
 - ▶ Magnet positioning
 - ▶ 1 - LR44 battery included
 - ▶ Pack Qty.: 3



5817FS Digital Continuous Ring Timer

- 99:59 TIMER RANGE**
 - MAGNETIC**
 - AAA BATTERY INCLUDED**
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Continuous ring with no automatic shut off
 - ▶ 95 decibels with volume control button
 - ▶ Red LED light for alert
 - ▶ Magnet/stand positioning
 - ▶ 2-AAA batteries included
 - ▶ Pack Qty.: 4



582721 Digital Timer

- 99:59 TIMER RANGE**
 - 0.7" DIGITAL DISPLAY**
 - AAA BATTERY INCLUDED**
- ▶ Times up to 99 minutes, 59 seconds
 - ▶ 0.7" LCD readout
 - ▶ Clip/magnet/stand positioning
 - ▶ 1 -AAA battery included
 - ▶ Pack Qty.: 4



584721 Digital Timer

- MULTIUSE**
 - 23:59:59 TIMER RANGE**
 - MEMORY**
 - AAA BATTERY INCLUDED**
- ▶ Times up to 23 hours, 59 minutes, 59 seconds
 - ▶ Memory and clock function
 - ▶ Count up and down features
 - ▶ Extra large LCD for easy readout
 - ▶ Magnet or stand positioning
 - ▶ 1 - AAA battery included
 - ▶ Pack Qty.: 3

Digital



5849 4 Event Timer with Whiteboard

- MULTIUSE
 - MEMORY
 - 4 EVENTS SAME TIME
 - 1.1" DIGITAL DISPLAY
 - AAA BATTERY INCLUDED
- ▶ Each timer counts up to 24 hours, 59 minutes
 - ▶ 1.1" LCD readout
 - ▶ Times up to 4 events simultaneously
 - ▶ Different tone for each event
 - ▶ Convenient whiteboard plus dry-erase pen with eraser for notes
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 6



5873 Continuous Ring Digital Timer/Clock

- 23:59:59 TIMER RANGE
 - 0.625" DIGITAL DISPLAY
 - MAGNETIC
 - AAA BATTERY INCLUDED
- ▶ Timer range: 23 hours, 59 minutes, 59 seconds
 - ▶ Super loud timer up to 95 decibels
 - ▶ Timer continues to ring until the user turns it off
 - ▶ Features a clock and count up/count down
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 4



5879 Flashing Light Timer

- 99:59 TIMER RANGE
 - 0.5" DIGITAL DISPLAY
 - MAGNETIC
 - AAA BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Get alerted with sound, light and/or vibration
 - ▶ Position with magnet, stand or clip
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 4



5842N21 Mini Timer

- 99:59 TIMER RANGE
 - 0.7" DIGITAL DISPLAY
 - MAGNETIC
 - LR1130 BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Count up and countdown features
 - ▶ Slim, compact design
 - ▶ Magnetic positioning
 - ▶ 1 - LR1130 battery included
 - ▶ Pack Qty.: 4



5282798 24 Hour Digital Timer

- 23:59:59 TIMER RANGE
 - 0.6" DIGITAL DISPLAY
 - AA BATTERY INCLUDED
- ▶ Timer range: 23 hours, 59 minutes, 59 seconds
 - ▶ Continuous ring with no automatic shut off
 - ▶ Red LED light for alert with 95 decibels
 - ▶ 4 Volume settings
 - ▶ Stand or wall mount
 - ▶ 3 - AA batteries included
 - ▶ Pack Qty.: 4



5305743 Touch Screen Digital Timer ★

- 99:59 TIMER RANGE
 - TOUCH SENSOR BUTTON
 - MAGNETIC
 - BACKLIGHT
 - AAA BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Count up and down features
 - ▶ Continuous ring with no automatic shut off
 - ▶ 95 decibels with volume control button
 - ▶ Backlight feature
 - ▶ Magnet/stand positioning
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 4

DIGITAL TIMERS - COMPARISON GUIDE

5806



5822



5896



5817FS



5828



5816N



582721



5842N21



5879



584721



Product Specifications	5806	5816N	5822	582721	5828	5842N21	5879	5896
Timer Range:	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	23 hours 59 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds
Digital Display:	0.5"	0.6"	0.8"	0.7"	1.5"	0.7"	0.5"	1.375"
Counts up and Counts Down:	X	X	X	X		X	X	X
Memory:			X					X
Multiple Events:					2 Events			
Adjustable Volume:								
Decibel Level:	70 decibels	70 decibels	70 decibels	75 decibels	75 decibels	65 decibels	75 decibels	75 decibels
Clock Feature:					X			
Splash/Water Resistant:	X							
Flashing Lights/ Visual Alert:							X	
Magnet:	X	X	X	X	X	X	X	X
Clip:	X		X	X	X		X	
Stand:	X		X	X	X		X	X
Battery Type:	1 AAA (included)	1 LR44 (included)	1 AAA (included)	1 AAA (included)	1 AAA (included)	1 LR1130 (included)	2 AAA (included)	1 LR44 (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



5817FS	584721	5849	5873	5839N	5862	5863	5282798	5305743
99 minutes 59 seconds	23 hours 59 minutes 59 seconds	24 hours 59 minutes 59 seconds	23 hours 59 minutes 59 seconds	9 hours 59 minutes 59 seconds	99 minutes 59 seconds	24 hours 59 minutes 59 seconds	23 hours 59 minutes 59 seconds	99 minutes 59 seconds
0.7"	1.0"	1.1"	0.625"	1.0"	0.75"	1.0"	0.6"	2.0"
	X	X	X		X	X	X	X
	X	X	X		X	X		
		4 Events		4 Events	4 Events			
X				X		X	X	X
95 decibels	70 decibels	70 decibels	95 decibels	95 decibels	70 decibels	up to 85 decibels	95 decibels	95 decibels
	X		X		X	X		
						X (IP65 Rated)	X (IP65 Rated)	
X				X	X		X	X
X	X	X			X	X		X
X	X	X	X	X	X	X	X	X
2 AAA (included)	1 AAA (included)	2 AAA (included)	2 AAA (included)	4 AA (included)	2 LR44 (included)	2 AAA (included)	3 AA (included)	2 AAA (included)
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited

SCALES

Digital Scales



1020NFS Digital Kitchen Scale



- ▶ Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- ▶ Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Stainless steel platform on black base
- ▶ Add & weigh feature
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



1020PRNFS Digital Kitchen Scale



- ▶ Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- ▶ Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Stainless steel platform on purple base
- ▶ Add & weigh feature
- ▶ For use in allergy programs
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



3817R Compact Digital Kitchen Scale



- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Small size for easy storage and portability
- ▶ Auto-shut off & tare features
- ▶ Color in red
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 1

3817

- ▶ Available in White



1250BKT21 Compact Digital Kitchen Scale



- ▶ Capacity: 16 oz x 0.001 oz / 500 g x 0.01 g
- ▶ Ultra fine 0.005 oz / 0.01 g increments
- ▶ Stainless steel platform
- ▶ Weighing cover inverts for use as a tray
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 3



3907 Large Platform High Capacity Kitchen Scale



- ▶ Capacity: 22 lb x 0.01 oz / 10000 g x 0.1 g
- ▶ Food-grade stainless steel platform is naturally antimicrobial
- ▶ Ultra-thin design for a high-capacity scale
- ▶ 1.1" LCD readout with reverse readout blue backlight
- ▶ Touch control buttons won't collect dust/food
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1



5282002 High Capacity Waterproof Digital Scale



- ▶ Dry Capacity: 30 lb x 0.1 oz / 13600 g x 1 g
- ▶ Liquid Capacity: 477 fl.oz. x 0.1 fl.oz / 13,600 mL x 1 mL
- ▶ 10.71" x 8.93" platform size
- ▶ Durable tempered glass platform
- ▶ Tare and hold functions
- ▶ Auto-off feature
- ▶ IP 67 rated
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1



5282765 Digital Coffee Scale



- ▶ Capacity: 70.5 oz / 2 kg
- ▶ Graduation: 0.004 oz / 0.1 g
- ▶ Timer range: 9 minutes, 59 seconds
- ▶ 4.1" x 4.1" platform size
- ▶ Tare function
- ▶ Auto-off feature
- ▶ Micro USB cord adapter (included)
- ▶ Pack Qty.: 4



5302554 4.4 lb Precision Portion Scale ★



- ▶ Capacity: 4.4 lb x 0.01 oz / 2000 g x 0.1 g
- ▶ 2000 mL x 0.1 mL / 68 fl.oz x 0.01 fl.oz
- ▶ Multiple uses: nutrition, spices, coffee, crafts
- ▶ Small and compact, portable for an on the go lifestyle
- ▶ Includes storage case that also can be used as weighing trays
- ▶ Pack Qty.: 3

Digital Portion Control Scales



TE11FTP 11lb Digital Portion Control Scale

- TARE
 - DIGITAL DISPLAY
 - CAPACITY
 - BATTERY INCLUDED
 -
- ▶ Capacity: 11 lb x 0.1 oz / 176 oz x 0.05 oz / 5 kg x 1 g
 - ▶ 5.25" x 5.25" removable stainless steel platform
 - ▶ Tare and hold function
 - ▶ Auto-off and disable auto-off
 - ▶ AC adapter port included, adapter sold separately
 - ▶ 2-AAA batteries included
 - ▶ Pack Qty.: 1



Full Size Digital Portion Control Scale

- TARE
 - DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 - BATTERY NOT INCLUDED
 -
- ▶ 7.15" x 7.15" stainless steel platform
 - ▶ Extra large 0.9" LCD readout
 - ▶ Tare and hold function
 - ▶ Calibration feature
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 2 - AAA batteries not included



TE2FT

- ▶ Capacity: 2 lb x 0.1 oz / 1 kg x 1 g
- ▶ Pack Qty.: 1

TE11FT

- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Pack Qty.: 1

TE22FT

- ▶ Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
- ▶ Pack Qty.: 1



Compact Digital Portion Control Scale


- TARE
 - DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 - BATTERY NOT INCLUDED
 -
- ▶ 5.38" x 5.38" stainless steel platform
 - ▶ Extra large 0.9" LCD readout
 - ▶ Tare and hold function
 - ▶ Calibration feature
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 2 - AAA batteries not included

TE10FT

- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Pack Qty.: 1

TE32FT

- ▶ Dry Capacity: 2 lb (32 oz) x 0.01 oz / 1 kg x 0.5 g
- ▶ Pack Qty.: 1



SCALES

Digital Portion Control Scales



Digital Portion Control Scale with Oversized Platform



TARE



DIGITAL DISPLAY



BATTERY NOT INCLUDED



- ▶ 11.25" x 7.25" stainless steel removable, washable platform
- ▶ Tare and hold function
- ▶ Dual mode calibration feature
- ▶ Auto-off and disable auto-off features when powered by batteries
- ▶ AC adapter included
- ▶ 2 - AAA batteries not included

TE220S

- ▶ Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
352 oz x 0.1 oz / 352 oz x 1/8 oz / 10,000 g x 1 g
- ▶ Pack Qty.: 1

TE330S

- ▶ Capacity: 33 lb x 0.1 oz / 15 kg x 1 g
528 oz x 0.1 oz / 528 oz x 1/8 oz / 15,000 g x 1 g
- ▶ Dual mode calibration feature
- ▶ Pack Qty.: 1

TE660S

- ▶ Capacity: 66 lb x 0.1 oz / 30 kg x 2 g
1056 oz x 0.1 oz / 1056 oz x 1/8 oz / 30,000 g x 2 g
- ▶ Dual mode calibration feature
- ▶ Pack Qty.: 1



TE10PZR 10lb Precision Pizza Scale



TARE



DIGITAL DISPLAY



BACKLIGHT



CAPACITY



- ▶ Capacity: 10 lb x 0.05 oz / 5 kg x 1 g / 5000 g x 1 g
- ▶ 13.5" x 11.6" platform size
- ▶ 1" LCD readout with blue backlight
- ▶ Tare and hold function
- ▶ External tare switch
- ▶ Auto-off with low battery indicator
- ▶ Overload indicator
- ▶ Rechargeable battery and AC adapter included
- ▶ Pack Qty.: 1



TE50 Digital Portion Control Scale with Handle



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- ▶ Capacity: 50 lb x 0.5 oz / 22 kg x 0.01 kg
- ▶ 13.5" x 11.5" stainless steel platform
- ▶ Built-in handle for easy transportation
- ▶ Tare and hold functions
- ▶ Stable weight indicator
- ▶ Large easy-to-read 1" LCD readout
- ▶ Disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ Recalibratable
- ▶ 4 - AA batteries not included
- ▶ Pack Qty.: 1



TE10R Digital Portion Control Scale



TARE



BACKLIGHT



RECALIBRATE



WEIGHS LIQUID



- ▶ Capacity: 10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
- ▶ Removable 5" x 8" stainless steel platform
- ▶ Tare and hold function
- ▶ Auto-off and disable auto-off features when powered by batteries
- ▶ Rechargeable battery and AC adapter included
- ▶ Pack Qty.: 1



TE10T 10 lb Digital Portion Control Scale with Tower Readout



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- ▶ Dry Capacity: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg
- ▶ Liquid Capacity: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
- ▶ 7" x 6.5" stainless steel platform
- ▶ Extra large 1.5" LCD readout with backlight
- ▶ Tare and hold function with auto-off feature and disable auto-off feature when powered by batteries
- ▶ Recalibratable
- ▶ Low battery indicator
- ▶ AC adapter included
- ▶ 4 - AA batteries not included
- ▶ Pack Qty.: 1

Digital Portion Control Scales



TE21P 21 oz Precision Measurement Digital Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - BATTERY NOT INCLUDED
 -
- ▶ Capacity: 21 oz x 0.01 oz / 0.0002 lb / 600 g x 0.1 g
 - ▶ 5" x 5.75" removable stainless steel platform
 - ▶ Large 1" LCD readout with blue backlight
 - ▶ Tare and hold functions
 - ▶ Counting feature for exact measurement
 - ▶ Recalibratable
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 4 - AA batteries not included
 - ▶ Pack Qty.: 1



TE10CSW Waterproof Digital Portion Control Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - WATER PROOF
 - WEIGHS LIQUID
 -
- ▶ Dry Capacity: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g
 - ▶ Liquid Capacity: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
 - ▶ 4.75" x 5.9" stainless steel platform
 - ▶ Waterproof for easy cleaning
 - ▶ Tare function
 - ▶ Auto-off and disable auto-off features when powered by batteries
 - ▶ Low battery and overload indicators
 - ▶ Field recalibratable
 - ▶ IP 65 rated
 - ▶ AC adapter included
 - ▶ 1 - 9 volt battery not included
 - ▶ Pack Qty.: 1



Waterproof Digital Portion Control Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - WATER PROOF
 - WEIGHS LIQUID
 -
- ▶ 6.7" x 7" stainless steel platform and housing
 - ▶ Waterproof for easy cleaning
 - ▶ Large easy-to-read 1" LCD readout with backlight
 - ▶ Tare and hold with high/low weigh features
 - ▶ Field recalibratable
 - ▶ IP 67 rated
 - ▶ Rechargeable battery and AC adapter included

TE10SSW

- ▶ Dry Capacity: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz
- ▶ Liquid Capacity 160 oz x 0.005 oz / 160 oz x 1/8 oz / 5000 g x 1 g
- ▶ Pack Qty.: 1

TE20SSW

- ▶ Dry Capacity: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz
- ▶ Liquid Capacity: 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g
- ▶ Pack Qty.: 1




TE30WD Compact Digital Portion Control Scale with Wireless Display

- TARE
 - DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 -
- ▶ Capacity: 0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) / 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)
 - ▶ Oversized 14" x 14" removable stainless steel platform
 - ▶ Wireless display head
 - ▶ Up to 3 channels for wireless transmission
 - ▶ Touchless tare feature
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included for both base and remote
 - ▶ Recalibratable
 - ▶ Base: 6 - AA batteries (not included)
 - ▶ Remote: 4 - AA batteries (not included)
 - ▶ Pack Qty.: 1



TE32WDAR Wireless Digital Scale

- TARE
 - DIGITAL DISPLAY
 - 3 CHANNEL DISPLAY
 - AC ADAPTER
 -
- ▶ Capacity: 32 oz x 0.1 oz / 1 kg x 2 g
 - ▶ 7" x 6.7" Stainless steel platform
 - ▶ 3 Channel wireless display accommodates up to 3 scales simultaneously
 - ▶ Tare and hold functions
 - ▶ 32 oz Calibration weight included
 - ▶ 2 - AC adapters included
 - ▶ Pack Qty.: 1



SCALES

Digital Keg Scale - 5265117

Taylor's digital keg scale is a valuable tool to take the guesswork out of how much beer is actually in the keg with instant, accurate weight measurements. With a weight capacity of 440lbs, Taylor's keg scale can measure a variety of kegs from a Cornelius Keg to an Import Keg.



KEG SIZE	HEIGHT	WIDTH (Diameter)	WEIGHT (Full)	WEIGHT (Empty)
Cornelius Keg	23"	9"	55 lbs.	9 lbs.
1/6 Barrel	23 3/8"	9 1/4"	58 lbs.	16.5 lbs.
1/4 Barrel or Pony Keg	13 7/8"	16 1/8"	87 lbs.	22 lbs.
1/2 Barrel	23 3/8"	16 1/8"	160 lbs.	30 lbs.
Import Keg	20.94"	16.06"	130 lbs.	28 lbs.

Capacity	440lb x 0.2lb / 200kg x 0.1kg 440lb x 5oz
Units of Measurement	LB, KG, LB/OZ Easily converts units of measurement by pressing the UNIT button on the front of the control panel
Stainless Steel Platform Size	16" Diameter
Platform Finish	Textured
Control Panel	Aluminum & ABS Plastic
Features	
Tare	X
Hold	X
Auto-Off	X
Disable Auto-Off	X
Waterproof Rating	IPX5 Rating
Calibration Instructions	Included
Operating Temperatures	41°F to 95°F (5°C to 35°C)
Operating Humidity	35 to 85% RH
AC Adapter	Included
Battery Type	4 AA (Not Included)
Pack Qty.	1





KEG SIZE	CAPACITY	How Many Beers in a Keg
Cornelius Keg	5 gallons, 18 liters 640 ounces	40 - 16oz. Beers 53 - 12oz. Beers
1/6 Barrel	5.16 gallons, 20 liters 661 ounces	41 - 16oz. Beers 55 - 12oz. Beers
1/4 Barrel or Pony Keg	7.75 gallons, 30 liters 992 ounces	62 - 16oz. Beers 82 - 12oz. Beers
1/2 Barrel	15.5 gallons, 58.7 liters 1,984 ounces	124 - 16oz. Beers 165 - 12oz. Beers
Import Keg	13.2 gallons, 50 liters 1,690 ounces	105 - 16oz. Beers 40 - 12oz. Beers

MAXIMIZE PROFITS

Stop pouring profits down the drain. Taylor's keg scale can assist with calculating liquor costs or used in conjunction with a more advanced liquor inventory system. Using a keg scale can hold bartenders accountable for selling every pour, wasting beer by pouring it out, handing out free beers, etc.

INVENTORY CONTROL

Weighing the keg is more accurate in determining fullness. Management can calculate the amount of beer poured not sold in comparison to draft beer sales in the POS system or register.

INVENTORY VERIFICATION

Weighing kegs allows management to determine the exact amount of beer they are receiving and effectively track draft beer usage.

EASY-TO-USE AND VERSATILE

Taylor's keg scale features a slim 1.5" profile which allows heavy kegs to easily slide on for measurement readings, no heavy lifting required. This can also be used as a receiving scale for food boxes to ensure what is delivered matches the invoice price.



Analog Portion Control Scales



Analog Portion Control Scale



STAINLESS
STEEL

- ▶ Internal stop mechanism
- ▶ Angled dial design

TP16

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4" x 4.5" stainless steel NSF food grade platform
- ▶ Pack Qty.: 4

TP16FF

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4.5" x 2.5" stainless steel NSF food grade platform
- ▶ Includes fixed french fry / taco holder
- ▶ Pack Qty.: 4

TP32

- ▶ Capacity: 32 oz x 1/4 oz
- ▶ 4.5" x 4" stainless steel NSF food grade platform
- ▶ Pack Qty.: 4



TP16FF



TP32

Analog Portion Control Scales



Analog Portion Control Scale



- ▶ Rugged stainless steel construction with angled dial design



- ▶ Protective shatterproof lens and removable 6" x 5.25" platform

TS5

- ▶ Rotating dial
- ▶ Capacity: 5 lb x 1/2 oz / 2.2 kg x 20 g
- ▶ Pack Qty.: 4

TS32F

- ▶ Fixed dial
- ▶ Capacity: 32 oz x 1/4 oz
- ▶ Pack Qty.: 4

TS10

- ▶ Rotating dial
- ▶ Capacity: 11 lb x 1 oz / 5 kg x 50 g
- ▶ Pack Qty.: 4

TS25KL

- ▶ Rotating dial
- ▶ Capacity: 25 lb x 2 oz / 11 kg x 50 g
- ▶ Pack Qty.: 4

TS32

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Pack Qty.: 4

TS32D

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Adjustable dashpot knob
- ▶ Pack Qty.: 4

TS50

- ▶ Rotating dial
- ▶ Capacity: 50 lb x 4 oz / 22 kg x 113 g
- ▶ Pack Qty.: 4



Heavy Duty Mechanical Scales



Analog Portion Control Scale with Rotating Dial



- ▶ 9" x 9" stainless steel NSF food grade platform with internal stop mechanism
- ▶ Features corrosion-resistant weighing mechanism
- ▶ Dual measurement
- ▶ Shatterproof lens with bold dial

THD32

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Pack Qty.: 4

THD32D

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Adjustable dashpot with knob for tare feature
- ▶ Pack Qty.: 4

THD50

- ▶ Capacity: 50 lb x 2 oz / 22 kg x 100 g
- ▶ Pack Qty.: 4



Receiving Scales



TE150 Receiving Scale with Stainless Steel Platform

- TARE
 - DIGITAL DISPLAY
 - CAPACITY
 - BATTERY NOT INCLUDED
 -
- ▶ Capacity: 150 lb x 1/4 lb / 68 kg x 0.1 kg
 - ▶ 12.25" x 12" stainless steel platform with 6' detachable coiled cord
 - ▶ Large easy-to-read 1" LCD readout
 - ▶ Tare and hold function
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 6 - AA batteries not included
 - ▶ Pack Qty.: 1



TE250 Receiving Scale with Stainless Steel Platform

- TARE
 - DIGITAL DISPLAY
 - CAPACITY
 - BATTERY NOT INCLUDED
 -
- ▶ Capacity: 250 lb x 0.2 lb / 120 kg x 100 g
 - ▶ 13.5" x 11.5" stainless steel platform
 - ▶ Built-in handle for easy transportation
 - ▶ Tare and hold functions
 - ▶ Stable weight indicator
 - ▶ Large easy-to-read 1" LCD readout
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ Pack Qty.: 1



TE220FT Digital Receiving Scale

- DIGITAL DISPLAY
 - BATTERY INCLUDED
 -
- ▶ Capacity: 220 lb x 2 oz / 100 kg x 0.05 kg
 - ▶ Stainless steel slim platform size: 10.94" x 11.45"
 - ▶ Large 0.6" LCD readout
 - ▶ Add and weigh tare feature
 - ▶ Auto-off and disable auto-off
 - ▶ AC adapter included
 - ▶ 1 - 9 volt battery included
 - ▶ Pack Qty.: 1



TE400 Receiving Scale with Steel Tread Plate Platform

- DIGITAL DISPLAY
 - CAPACITY
 - BATTERY NOT INCLUDED
- ▶ Capacity: 400 lb x 1/2 lb / 181 kg x 0.2 kg
 - ▶ 12.25" x 12" steel tread plate platform with 6' detachable coiled cord
 - ▶ Large easy-to-read 1" LCD readout
 - ▶ Tare and hold function
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 6 - AA batteries not included
 - ▶ Pack Qty.: 1




TR250 Receiving Scale with Stainless Steel Platform

- CAPACITY
- ▶ Capacity: 250 lb x 1 lb
 - ▶ Heavy duty powder coated metal with press lock feature
 - ▶ Pack Qty.: 1



SCALES - COMPARISON GUIDE



Product Specifications	1020NFS 1020PRNFS	TE10FT TE32FT	TE2FT - TE11FT TE22FT	TE220S - TE330S TE660S	TE10R
Capacity:	Dry: 11 lb x 0.1 oz / 5 kg x 1 g Liquid: 175 fl. oz x 0.1 fl. oz / 5000 ml x 1 ml	TE10FT: 10 lb x 0.1 oz / 4.5 kg x 1 g TE32FT: 2 lb x 0.01 oz / 1 kg x 0.5 g	TE2FT: 2 lb x 0.1 oz / 1 kg x 1 g TE11FT: 11 lb x 0.1 oz / 5 kg x 1 g TE22FT: 22 lb x 0.1 oz / 10 kg x 1 g	TE220S: 22 lb x 0.1 oz / 10 kg x 1 g TE330S: 33 lb x 0.1 oz / 15 kg x 1 g TE660S: 66 lb x 0.1 oz / 30 kg x 2 g	10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
Certifications:					
Stainless Steel Platform Size:	6" (removable)	5.38"x5.38" (removable)	7.15"x7.15" (removable)	11.25"x7.25" (removable)	5"x8" (removable)
Scale Dimensions:	6.5"x8"x1.25"	7.4"x10.5"x2.5"	8.5"x12.0"x2.5"	12.5"x12.5"x2.5"	8.25"x10.0"x2.75"
Features:					
• Measures Dry & Liquid	✓				
• Tare	✓	✓	✓	✓	✓
• Hold	✓	✓	✓	✓	✓
• Auto-Off	✓	✓	✓	✓	✓
• Disable Auto-Off		✓	✓	✓	✓
• Low Battery Indicator		✓	✓	✓	✓
• Over/Under					✓
• Waterproof Rating					
• Field Recalibratable	✓	✓	✓	✓	✓
• A/C Adapter Included		✓	✓	✓	✓
Housing Material:	ABS	ABS	ABS	ABS	ABS
Battery Type:	2 AA (included)	2 AAA	2 AAA	3 AAA	Rechargeable (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



TE10T	TE10CSW	TE10SSW TE20SSW	TE30WD	TE32WDAR	TE50
Dry: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg Liquid: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	Dry: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g Liquid: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	TE10SSW: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz / 160 oz x 0.05 oz / 160 oz x 1/8 oz / 5000 g x 1 g TE20SSW: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz / 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g	0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)	32 oz x 0.1 oz / 1 kg x 2 g	50 lb x 0.5 oz / 22 kg x 0.01 kg
7.0"x6.5" (removable)	4.75"x5.9" (removable)	6.7"x7.0" (removable)	14"x14" (removable)	7"x6.7"	13.5"x11.5" (removable)
7"x7.75"x9.5"	9.61"x7.40"x2.24"	6.0"x6.75"x1.875"	15.25"x15.10"x3.00"	7"x6.7"x2"	17.25"x14.50"x2.75"
✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ (touchless tare) ✓ ✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓
✓ ✓	IP 65 ✓ ✓	IP 67 ✓ ✓	✓ ✓ (1 for base and 1 for remote)	✓ (1 for base and 1 for remote)	✓ ✓
ABS	ABS	Stainless Steel	Stainless Steel	Stainless Steel	ABS
4 AA	9 Volt	Rechargeable (included)	Base: 6 AA Remote: 4 AA	Base: 4 AA Remote: 2 AA	4 AA
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



The Taylor Advantage

Best Quality:

Precision measurement has been the exclusive focus of our business for 170 years. Our ability to fulfill the professional market's exacting standards for accuracy, durability, and design is built on a legacy of technical expertise, quality materials and a constant awareness of changing industry needs.

Best Selection:

The diversity of our product line reflects an ongoing commitment to provide the best solutions to the food service and professional community at every level, with ever-expanding choices in specialized temperature and weight measurement instruments, high-performance cutlery and high-temperature spatulas that promote food safety, enhanced productivity and user convenience.



5248350 12 INCH SLICER KNIFE WITH KULLENS - BLACK PACK QTY. 3



5248361 12 INCH SLICER KNIFE WITH KULLENS - WHITE PACK QTY. 3



5248362 10 INCH BUTCHER KNIFE - BLACK PACK QTY. 3



5248363 10 INCH BUTCHER KNIFE - WHITE PACK QTY. 3



5248364 10 INCH CHEF KNIFE - BLACK PACK QTY. 3



5248365 10 INCH CHEF KNIFE - WHITE PACK QTY. 3



5248366 10 INCH SLICER KNIFE - BLACK PACK QTY. 3



5248367 10 INCH SLICER KNIFE - WHITE PACK QTY. 3



5248368 10 INCH OFFSET BREAD KNIFE - BLACK PACK QTY. 3



5248369 10 INCH OFFSET BREAD KNIFE - WHITE PACK QTY. 3



5248370 8 INCH CHEF KNIFE - BLACK PACK QTY. 3



5248371 8 INCH CHEF KNIFE - WHITE PACK QTY. 3





- ▶ High-carbon German stainless steel blades
- ▶ Nylon/silicone slip-resistant handles
- ▶ Dishwasher Safe
- ▶ Lifetime limited warranty
- ▶ NSF Approved

5248372 8 INCH BREAD KNIFE - BLACK PACK QTY.
3



5248373 8 INCH BREAD KNIFE - WHITE PACK QTY.
3



5248374 7 INCH SANTOKU KNIFE - BLACK PACK QTY.
3



5248375 7 INCH SANTOKU KNIFE - WHITE PACK QTY.
3



5248376 6 INCH CLEAVER KNIFE - BLACK PACK QTY.
3



5248377 6 INCH CLEAVER KNIFE - WHITE PACK QTY.
3



5248378 6 INCH FILLET KNIFE - BLACK PACK QTY.
3



5248379 6 INCH FILLET KNIFE - WHITE PACK QTY.
3



5248380 6 INCH BONING KNIFE - BLACK PACK QTY.
3



5248381 6 INCH BONING KNIFE - WHITE PACK QTY.
3



5248382 5.5 INCH SERRATED UTILITY KNIFE - BLACK PACK QTY.
3



5248383 5.5 INCH SERRATED UTILITY KNIFE - WHITE PACK QTY.
3



5248384 3.5 INCH PARING KNIFE - BLACK PACK QTY.
3



5248385 3.5 INCH PARING KNIFE - WHITE PACK QTY.
3



5248386 3.5 INCH PARING KNIFE WITH SMALL HANDLE - BLACK PACK QTY.
3



5248387 3.5 INCH PARING KNIFE WITH SMALL HANDLE - WHITE PACK QTY.
3



CUTLERY



- ▶ High-carbon German stainless steel blades
- ▶ Nylon/silicone slip-resistant handles
- ▶ Dishwasher Safe
- ▶ Lifetime limited warranty
- ▶ NSF Approved

5265072 10 INCH DIAMOND SHARPENING STEEL - BLACK

PACK QTY.
3



5271192 3PC KNIFE SET - BLACK

Includes: 8 inch chef knife, 6 inch boning knife, 3.25 inch large handle paring knife

PACK QTY.
1



5274195 3PC KNIFE SET - WHITE


Includes: 8 inch chef knife, 6 inch boning knife, 3.25 inch large handle paring knife

PACK QTY.
1



FRONT

BACK



5254237 2-SIDED FLOOR DISPLAY

- ▶ The perfect display for any retail setting
- ▶ Display only, product not included

PACK QTY.

1





High-Temperature Silicone Spatulas

Durable, ergonomic design is the perfect combination of flexibility and rigidity. Featuring a heavy-duty, silicone blade and a nylon handle that is heat resistant up to 500°F / 260°C.

- ▶ Heat resistant up to 500°F / 260°C
- ▶ Blade resists most stains
- ▶ Dishwasher safe
- ▶ Hang hole for easy storage



HIGH TEMP SPATULA ★

5302556 10 INCH PACK QTY. 3



5302558 13.5 INCH PACK QTY. 3



5302560 16.5 INCH PACK QTY. 3



HIGH TEMP SPOON SPATULA ★

5302557 10 INCH PACK QTY. 3



5302559 13.5 INCH PACK QTY. 3



5302561 16.5 INCH PACK QTY. 3



KITCHEN TOOLS & GADGETS

chef'n Fruit & Veg Prep



COLOR
CHERRY

**102-138-005 STEM GEM®
STRAWBERRY HULLER**

- ▶ Push green button, insert, twist and remove stem
- ▶ Stainless steel construction
- ▶ Pack Qty.: 6



COLOR
CHERRY

**102-241-005 QUICKPIT®
CHERRY PITTER**

- ▶ Removes pits from cherries and olives
- ▶ Pack Qty.: 6



COLOR
BANANA

**102-205-017 BANANZA®
BANANA SLICER**

- ▶ Perfectly slices bananas in seconds
- ▶ Stainless steel blades
- ▶ Pack Qty.: 6



COLOR
WASABI

**102-734-062 LOOSELEAF™
KALE & GREENS STRIPPER**

- ▶ Strip leaves from stems in seconds
- ▶ Works on everything from kale to thyme
- ▶ Pack Qty.: 6



COLOR
ROMA

**102-575-205 HULLSTER™
TOMATO CORER**

- ▶ Core tomatoes quickly and easily
- ▶ Release button and twist to remove core
- ▶ Pack Qty.: 6



COLOR
BLACK

**102-238-001 FRESHFORCE™
GARLIC PRESS**

- ▶ Dual-gear mechanism
- ▶ Swing-out stainless steel plate for easy cleaning
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



chef'n Fruit & Veg Prep



COLOR
LEMON

102-159-017 FRESHFORCE™ CITRUS JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
ARUGULA

102-415-011 FRESHFORCE™ LIME JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
APRICOT

102-408-008 FRESHFORCE™ ORANGE JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 4



KITCHEN TOOLS & GADGETS

SWING-A-WAY® Commercial Openers

Combining classic, time-tested design with modern innovation, Swing-A-Way® is the most trusted name in dependable, high-quality gadgets.

Since 1938, Swing-A-Way® has created the highest quality, most dependable can openers on the market. Thanks to a patented gear-driven cutting wheel, each opener requires less elbow grease to turn the crank, and the rubberized handles cushion your hands from what little work they're doing. Simple, classic, and well designed!



407FS PORTABLE CAN OPENER



WHITE



RED



BLACK

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Assorted inner pack includes: 2 white, 2 red, 2 black
- ▶ Pack Qty.: 6



407RDFS PORTABLE CAN OPENER



RED

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



407BKFS PORTABLE CAN OPENER



BLACK

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



407WHFS PORTABLE CAN OPENER



WHITE

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6

KITCHEN TOOLS & GADGETS



1507FS ERGO SILICONE CAN OPENER ★



RED

- ▶ Extremely durable with an all-steel construction
- ▶ Silicone ergonomic handles for comfortable operation and will fit any-sized hand and ensure comfortable handling
- ▶ High-carbon, gear-driven cutting wheel and skip-proof feed for smooth and easy usage
- ▶ Integrated magnet lifts lids off can for safe and easy disposal
- ▶ Easy turn knob makes manual operation a breeze - doesn't require much effort and won't cause hand fatigue
- ▶ Pack Qty.: 6



107BKFS COMPACT CAN OPENER ★



BLACK

- ▶ Extremely durable with an all-steel construction
- ▶ Soft cushion-grips for comfortable handling; ergonomic handles fit any size hands
- ▶ High-carbon, gear-driven cutting wheel and skip-proof feed for smooth and easy usage
- ▶ Features a built-in bottle opener
- ▶ Hand wash with warm water and a mild detergent, rinse and dry immediately
- ▶ Pack Qty.: 6



6080FS EXTRA EASY CAN OPENER



BLACK

- ▶ Constructed of durable steel that withstands frequent use
- ▶ Long crank handle that makes it easier to open cans by providing a more secure grip; knob also folds down for easy storage
- ▶ Extra-long, soft-cushion grip handles for maximum comfort and control while handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



6090FS CRANK TURN HANDLE CAN OPENER



BLACK

- ▶ Constructed of durable steel that withstands frequent use
- ▶ Long crank handle makes it easier to open cans by providing a more secure grip
- ▶ Extra-long, soft-cushion grip handles for maximum comfort and control while handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



609WHFS WALL CAN OPENER MAGNETIC



WHITE

- ▶ Cuts cans quickly and easily
- ▶ Mounts to the wall
- ▶ Features a magnet for safe lid removal
- ▶ Durable metal construction
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6

WINE & BAR ACCESSORIES

Manual Corkscrews



W5614N 2-STEP WAITERS' CORKSCREW

- ▶ 2-step operation removes all corks
- ▶ Built-in foil cutter
- ▶ Pack Qty.: 12



W5624N WALNUT ZIPPITY TWO-STEP

- ▶ Non-stick spiral easily rotates into the cork
- ▶ Built-in foil cutter
- ▶ Pack Qty.: 12



W6004N ORIGINAL RABBIT

- ▶ Pulls & ejects cork in seconds
- ▶ Foil cutter and extra spiral included
- ▶ Pack Qty.: 4



R1-06301 VERTICAL RABBIT

- ▶ Pulls a cork in 3 seconds flat
- ▶ Automatically ejects cork
- ▶ Works on all bottles and all cork types
- ▶ 10 year warranty
- ▶ Pack Qty.: 4



W4030FS POCKET CORKSCREW

- ▶ Compact and lightweight
- ▶ Two piece construction with safety case easily converts into corkscrew handle
- ▶ A 5-turn rotation allows for smooth cork removal
- ▶ Pack Qty.: 12



Preservers / Other Accessories



rabbit COLOR MULTI

W6119N WINE BOTTLE STOPPERS | 2 PACK

- ▶ 12 pieces - In sets of 2
- ▶ Multi-colored wine stoppers
- ▶ Pack Qty.: 12



rabbit COLOR VELVET BLACK

W6115N WINE/CHAMPAGNE SEALER

- ▶ 12 pieces - Easy grip velvet finish
- ▶ Seals wine air-tight
- ▶ Pack Qty.: 12



rabbit COLOR BLACK

W9955T MOJITO MUDDLER

- ▶ Releases essence of mint leaves
- ▶ Polished, corrosion-free stainless steel
- ▶ Pack Qty.: 3



rabbit COLOR BLACK

W6128N STAINLESS STEEL WINE POURERS/STOPPERS

- ▶ Set of 2 - Stainless accents
- ▶ Flip to open & pour wine - Flip to close and seal wine bottle
- ▶ Pack Qty.: 6



rabbit

W6127N SUPER AERATOR

- ▶ Stainless accents
- ▶ Aerates red wine to improve flavor and bouquet
- ▶ Pack Qty.: 8



rabbit COLOR VELVET BLACK

W6113N FOIL CUTTER

- ▶ 12 pieces - Easy grip velvet finish
- ▶ Removes foil quickly and neatly
- ▶ Pack Qty.: 12



rabbit COLOR BLACK

W5575N STAINLESS STEEL WINE PRESERVER

- ▶ Removes air to preserve wine
- ▶ Pump handle for easy operation
- ▶ Black ABS with stainless accents
- ▶ Includes 2 stoppers
- ▶ Pack Qty.: 6



rabbit COLOR BLACK

5262463 WINE BOTTLE STOPPERS

- ▶ In set of 10-fits all bottle sizes
- ▶ Seals wine air-tight
- ▶ Reusable
- ▶ Pack Qty.: 6





916WHSVLKR Professional Large Dial Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ Extra large dial for easy reading
- ▶ Easy to clean, durable vinyl platform
- ▶ Large, stable platform
- ▶ Pack Qty.: 1



70844171M Digital Talking Scale

- ▶ Talking scale announces weight reading in your choice of English, Spanish, Greek, German or Croatian
- ▶ EXTRA HIGH Capacity: 440 lb/200 kg
- ▶ Large 2.8" x 1.2" readout
- ▶ Large 12.2" x 12.2" durable, tempered glass platform
- ▶ Brushed stainless steel accents
- ▶ Pack Qty.: 4



75244192 Glass Digital Scale ★

- ▶ EXTRA HIGH Capacity: 440 lb/200 kg
- ▶ Large 3.5" x 1.5" display
- ▶ Accu-Glo™ blue backlight
- ▶ Large 12.4" x 12.4" durable, tempered glass platform
- ▶ Mirror finish and chrome accents
- ▶ Pack Qty.: 2



76044192 Glass Digital Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ Large 3.21" x 1.56" display
- ▶ Accu-Glo™ blue backlight
- ▶ Large 12.2" x 12.2" durable, tempered glass platform
- ▶ Brushed stainless steel accents
- ▶ Pack Qty.: 2





75064192 Digital Glass Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ 3.2" x 1.5" readout
- ▶ High-tempered glass platform
- ▶ Chrome accents
- ▶ Pack Qty.: 2



75624072 Digital Glass Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ LCD readout with reversed red digits
- ▶ Black tempered glass platform with brushed stainless steel accents
- ▶ Pack Qty.: 2



752840133 Digital Glass Scale

- ▶ EXTRA HIGH Capacity: 440 lb/200 kg
- ▶ Bright white finish with mirror oil paint accent
- ▶ Extra large 12.25" x 13.5" tempered glass platform
- ▶ 3.2" x 2" readout with blue backlight
- ▶ Pack Qty.: 3



5283423 Digital Glass Scale

- ▶ EXTRA HIGH Capacity: 500 lb/200 kg
- ▶ Extra large 4.0" x 2.0" display
- ▶ Accu-Glo™ blue backlight
- ▶ Large 12.4" x 12.2" curved, tempered glass platform
- ▶ Stainless steel accents
- ▶ Pack Qty.: 2



REPLACEMENT PARTS & ACCESSORIES

Replacement Parts for Model #9405

9405RP	Replacement probe for 9405
9405RH	Replacement handle for 9405

Miscellaneous Parts and Supplies

97S35J	Wick for 5522, 5523 hygrometers
TEADPT3	120V adapter for model: TE30WD, TE150, TE400, TE21P, TE50, TE250
TEADPT3L	90° angle adapter, 120V adapter for model: TE10, TE10T, TE10R, TE10PZR, 5265117
TEADPT5	120V adapter for models: TE10C, TE10CSW, TE32C
TEADPT11FT	120V adapter for TE10SSW, TE20SSW
TEADPT12L	120V adapter for TE2FT, TE10FT, TE11FT, TE22FT, TE220S, TE32FT, TE330S, TE660S, TE11FTP
TEADPT3AR	Alternative to TEADPT3L with high temp cord and more durable wire
TERBAT	Replacement battery for TE10R
TERBAT10SSWFT	Replacement battery for TE10SSW, TE20SSW
TERTS10PZR	External tare switch for TE10PZR
TERBAT10PZR	Rechargeable battery for TE10PZR
TERPLCCBLE	Replacement Cable for TE150 & TE400
5265264	Stainless platform with plastic sub-platform for model TE11FTP
5265910	Wireless meter head for TE30WD
5314445	Replacement Scale Plastic Platform for TE32FT & TE10FT
TE32WDARDH	Replacement wireless Display for TE32WDAR
TE32WDARSB	Replacement stainless steel platform cover
TE32WDARSP	Replacement scale base with stainless steel platform cover

Terms & Conditions

1. Pricing - Please contact your sales representative for pricing.
2. Minimum Order - Product orders under \$100 net will be charged a \$30 processing fee per order.
3. Freight - All product is shipped FOB Rialto, CA. Routing at vendor discretion.
4. Terms - Net 30 days. Interest of 1 1/2% per month may be assessed on outstanding balances past agreed account terms.
5. Standard Packaging - Product must be ordered in minimum quantities of shelf packs only.
6. Lead Time - Taylor requires up to 10 working days to ship orders from the day the order is received via mail, fax or EDI at Customer Service.
7. Back Orders - Back orders will be shipped as soon as possible after prior authorization from customer.
8. Returns - A "Returned Authorization" (RA) must be obtained from Taylor before a return for any reason will be accepted. Shipments without an RA will be refused. Contact Returns Department at: ra@lifetimebrands.com.
9. EDI - Taylor is fully prepared to receive your orders via EDI. For information about Taylor's EDI capabilities, please contact Customer Service at edi@lifetimebrands.com.
10. Claims - Taylor is not responsible for damage, loss or pilferage in transit. Goods are carefully packed to prevent damage. If damage or loss is found on receipt of goods, notify Taylor at foodserviceUSA@lifetimebrands.com within 5 days of receipt. Failure to notify Taylor immediately of such issues could result in the denial of any recompense requested.
11. Orders should be submitted to orderentry@lifetimebrands.com. This is for order submission only. All order follow-up and any other inquiries should be sent to foodserviceUSA@lifetimebrands.com.

Due to continuous product improvements, pictures in catalog may differ slightly from the actual product.

Adapters



TEADPT3L

TEADPT3



Model	Description	Page
THERMOMETERS		
Instant Read Thermometers		
3512FS	Instant Read Thermometer	4
3517	Instant Read Thermometer	4
3621N	1" Standard Grade Instant Read Thermometer	4
5988N	1" Standard Grade Instant Read Thermometer - High Temp.	4
6065N	1" Superior Grade Instant Read Thermometer	4
6071	1" Superior Grade Instant Read Thermometer	5
6072N	1" Superior Grade Instant Read Thermometer	5
6073J	1" Superior Grade Instant Read Thermometer - High Temp.	5
6075	1" Superior Grade Instant Read Thermometer	5
6076J	1" Superior Grade Instant Read Thermometer	5
6079J	1" Superior Grade Instant Read Thermometer	5
6091N	1" Standard Grade Instant Read Thermometer	4
6092N	1" Standard Grade Instant Read Thermometer	4
6093N	1" Standard Grade Instant Read Thermometer - High Temp.	4
6094N	1" Standard Grade Instant Read Thermometer	4
6096N	1" Standard Grade Instant Read Thermometer	4
6099N	1" Standard Grade Instant Read Thermometer	4
6211J	2" Superior Grade BiTherm® Thermometer	6
6212J	2" Superior Grade BiTherm® Thermometer	6
6215J	2" Superior Grade BiTherm® Thermometer	6
6220J	2" Superior Grade BiTherm® Thermometer	6
6235J	2" Superior Grade BiTherm® Thermometer	6
8018N	1 3/4" Standard Grade Instant Read Thermometer	5
8212J	1 3/4" Superior Grade BiTherm® Thermometer	6
8215N	1 3/4" Superior Grade BiTherm® Thermometer	6, 20
8220J	1 3/4" Superior Grade BiTherm® Thermometer - High Temp.	6
8238J	1 3/4" Superior Grade BiTherm® Thermometer	6
5989NFS	1" Standard Grade Instant Read Thermometer	4
Handheld Thermocouple Thermometers		
9306N	Splash-Proof Dual Temp Infrared Thermometer with Fold Out Thermocouple Step Down Probe	7
9405	High Accuracy Waterproof K-Type Thermocouple Thermometer	8
9806	Clip-On Probe	8
98102	Hamburger/Filet Probe	8
9812	Angle Surface Probe	8
9818	Step-Down Penetration Probe with 3' Lead	8
9867FDA	Digital Folding Probe Thermometer	7
5302445	High Precision Waterproof Digital Thermocouple Thermometer	7
9868FDA	Folding Thermocouple Thermometer, Yellow	7
5256860	Folding Thermocouple Thermometer, Red	7
5286498	Compact Thermocouple with K-Type Probe	8
5293167	Folding Thermocouple Thermometer, Purple	7
5296650	Rapid Response Thermocouple Thermometer	7
5296652	Folding Thermocouple Thermometer with K-Type Probe	8
5296652RPP	K-Type Thermocouple Replace Probe	8
5296652ASP	K-Type Thermocouple Angled Surface Probe	8
5296652LSP	K-Type Thermocouple Replace Long Shielded Probe	8
5296652KIT	K-Type Probe Kit	8
5296652GC	K-Type Thermocouple Gator Clip w-Air/Gas	8
Non-Contact Infrared Thermometers		
9523	Infrared Thermometer	9
9527	Infrared Thermometer	9
5315470	Infrared Thermometer	9
Pocket Digital Thermometers		
1476FDA	Compact Folding Thermometer	9, 30
3516FS	Digital Instant Read Thermometer	9, 30
3519FDA	Waterproof Digital Instant Read Thermometer with Step Down Probe	9, 30
3519PRFDA	Waterproof Digital Instant Read Thermometer with Step Down Probe	11, 31
9836	Adjustable Head Digital Thermometer	10
9840RB	Digital Thermometer	10, 30
9841RB	High Temp Digital Thermometer	10, 30
9842FDA	Waterproof Digital Thermometer	10, 31
9848EFDA	Waterproof Digital Thermometer	10, 31
9877FDA	Compact Waterproof Digital Thermometer	11, 31

Model	Description	Page
9878E	High Precision Digital Thermometer	11, 31
9878EPR	Allergen Waterproof Digital Pocket Thermometer	11, 31
5296651	Digital Pivoting Display Thermometer	10
9840PRN	Digital Thermometer	11, 30
5302142	Digital Waterproof Rotating Display Thermometer	11, 31
5302142RD	Digital Waterproof Rotating Display Thermometer-Red	11
5302142BLU	Digital Waterproof Rotating Display Thermometer-Blue	11
Allergen Thermometers		
3519PRFDA	Waterproof Digital Instant Read Allergen Thermometer	11
9840PRN	Digital Allergen Thermometer	11
9878EPR	Waterproof Digital Allergen Thermometer	11
Roast/Meat Thermometers		
3504FS	Meat Dial Thermometer	12
5937N	Multi-Purpose Thermometer	12
5939N	Meat Thermometer	12
5984J	Instant Read Oven Thermometer	12, 15
61054J	Meat Thermometer	12
Cooking Thermometers		
1470FS	Digital Thermometer and Timer	13
1470FSRP	Replacement Probe for Model 1470FS	13
3518N	Digital Cooking Thermometer	13
Candy/Deep Fry Thermometers		
3505	Candy/Deep Fry Thermometer	13
3522FS	Deep Fry Thermometer	13
5911N	Candy/Deep Fry Thermometer	13
5978N	Candy/Deep Fry Thermometer	14
5983N	Candy/Deep Fry Thermometer	14
6084J8	Professional Candy/ Deep Fry Thermometer	14
6084J12	Professional Candy/ Deep Fry Thermometer	14
983915	Adjustable Head Digital Candy/Deep Fry Thermometer	14
5305741	Premium Programmable Candy/Deep Fry Thermometer	14
Oven/Grill Thermometers		
3506FS	Oven Dial Thermometer	15
5921N	Oven Guide Thermometer	15
5932	Oven Dial Thermometer	15
5980N	Professional Hot Holding Thermometer	15
5986N	Dial Proofing Thermometer	15
6021	Surface Temperature Thermometer	15
6246J	CharBroiler Thermometer	15
814GW	Smoker Thermometer	15
Refrigerator/Freezer Thermometers		
1443	Digital Refrigerator/Freezer Thermometer	16
1445	Safety Zone Fridge/Freezer Digital Thermometer	16
3503FS	Refrigerator/Freezer Thermometer	16
3507FS	Refrigerator/Freezer Thermometer	17
3509FS	Refrigerator/Freezer Thermometer	17
5925NFS	Refrigerator/Freezer Thermometer	17
5926	Economy Hanging Refrigerator/Freezer Thermometer	17
5927	Glycol Refrigerator/Freezer Thermometer	17
5977N	Refrigerator/Freezer Thermometer	17
5981N	Professional Cold Holding Thermometer	18
5982N	Milk/Beverage Thermometer	18
5994	Refrigeration Thermometer	18
5262798	Digital Refrigerator/Freezer Thermometer	16
5924	Refrigerator/Freezer Thermometer	17
Panel Mount Digital Thermometer		
9940N	Panel Mount Digital Thermometer	18
HACCP Probe Wipes		
9999N	HACCP Probe Wipes	19
HACCP Food Safety Thermometers		
6092NBLC	1" Dial Instant Read Reduce Cross Contamination Thermometer	

Model	Description	Page	Model	Description	Page
	Color Coded: Blue - Fish	19	1442	Critical Care Thermometer	29
6092NBRBC	1" Dial Instant Read Reduce Cross Contamination Thermometer		5458	Max/Min Thermometer	29
	Color Coded: Brown - Cooked Meat	19	5460	Max/Min Thermometer	29
6092NPRBC	1" Dial Instant Read Reduce Cross Contamination Thermometer				
	Color Coded: Purple - Allergy	19			
6092NRDBC	1" Dial Instant Read Reduce Cross Contamination Thermometer				
	Color Coded: Red - Raw Meat	19			
6092NYLBC	1" Dial Instant Read Reduce Cross Contamination Thermometer				
	Color Coded: Yellow - Poultry	19			
Special Use Thermometers			Digital Thermometers - Comparison Guide		
5416J	Cup Case Thermometer	20			30-31
5948N	Tobacco Thermometer	20	TIMERS		
5976N	Soil Thermometer	20	Mechanical Timers		
5985N	Hot Beverage Thermometer	20	5830	Stainless Steel 60 Minute Timer	32
5997E	Cappuccino Frothing Thermometer	20	5831N	60 Minute Timer	32
5499J	Orchard/Minimum Registering Thermometer	20	5832	60 Minute Timer	32
5286344	Digital Coffee Thermocouple Thermometer	20	Digital Timers		
Temperature Strips/Dishwasher Thermometers			5806	Digital Multi-Purpose Timer	33, 36
214621J	Dishwasher Test Thermometer	21	5816N	Chef's Timer & Stopwatch	34, 36
8750	TempRite® Temperature Test Labels	21	5817FS	Digital Continuous Ring Timer	34, 37
8751	TempRite® Temperature Test Labels	21	582721	Digital Timer	34, 36
8752	TempRite® Temperature Test Labels	21	5822	Memory Digital Timer	33, 36
8766J	TempRite® Temperature Test Strips	21	5828	Dual Event Digital Timer/Clock	33, 37
8767J	TempRite® Temperature Test Strips	21	5839N	4 Event Digital Timer	33, 37
8769	TempRite® Temperature 3 in 1 Test Labels	21	5842N21	Mini Timer	35, 36
8791	TempRite® Digital Dishwasher Thermometer	21	584721	Digital Timer	34, 37
5265263	Dishwasher Thermometer Storage Bracket	21	5849	4 Event Timer with Whiteboard	35, 37
PH Meter & Accessories			5862	Compact 4 Event Digital Timer	33, 37
6580	Digital PH Meter	22	5863	Water & Impact Resistant Timer	34, 37
6580RP	PH Meter Replacement Probe	22	5873	Super Loud (95 db) Timer	35, 37
Dial Thermometers/Clocks			5879	Flashing Light Timer	35, 36
166	Patio Clock	23	5896	Jumbo Readout Digital Timer	34, 36
681T	Extra Large Thermometer	23	5282798	24 Hour Digital Timer	35, 37
5265191	Digital Clock/Thermometer	23	5305743	Touch Screen Digital Timer	35, 37
497J	Humidiguide Dial Thermometer	23	Digital Timers - Comparison Guide		
5630	6" Black and White Bi-metal Thermometer	24			36-37
6714	Indoor/Outdoor 13.25" Dial Thermometer	24	SCALES		
6760	13.25" Big & Bold Clock	24	Digital Scales		
Dial HACCP Thermometers			1020NFS	Digital Kitchen Scale	38, 48
5636	6" Bi-Metal Thermometer-HACCP Cooler/Freezer	24	1020PRNFS	Digital Kitchen Scale	38, 48
5637	6" Bi-Metal Thermometer-HACCP Prep/Dry Storage	24	1250BKT	Compact Digital Kitchen Scale	38
5680	13.25" Thermometer-HACCP Cooler/Freezer	24	3817	Compact Digital Kitchen Scale	38
5681	13.25" Thermometer-HACCP Prep/Dry Storage	24	3817R	Compact Digital Kitchen Scale	38
Window/Wall Thermometers			3907	Stainless Steel 22lb Digital Kitchen Scale	38
1105J	Dry Storage Thermometer	25	5265117	Digital Keg Scale	42, 43
1106J	Cold/Dry Storage Thermometer	25	5282002	High Capacity Waterproof Scale	38
5109	Jumbo Wall Thermometer	25	5282765	Digital Coffee Scale	38
5132N	Utility Wall Thermometer	26	Digital Portion Control Scales		
5135N	Wall Thermometer	26	TE10CSW	Waterproof Digital Portion Control Scale	41, 49
5153	Window Thermometer	26	TE10FT	Compact Digital Portion Control Scale	39, 48
5154	Wall Thermometer	27	TE10PZR	10lb Precision Pizza Scale	40
5316N	Window Thermometer	27	TE10R	Digital Portion Control Scale	40, 48
5321N	3 1/2" Dial Stick-On Window Thermometer	27	TE10SSW	Waterproof Digital Portion Control Scale	41, 49
5327	Indoor/Outdoor Thermometer	27	TE10T	10 lb Digital Portion Control Scale with Tower Readout	40, 49
5329	Indoor/Outdoor Thermometer	27	TE11FT	Digital Portion Control Scale	39, 48
5380N	1 3/4" Dial Stick-On Window Thermometer	27	TE11FTP	11 lb Digital Portion Control Scale	39
Indoor Tabletop Thermometers			TE21P	21 oz Precision Measurement Digital Scale	41
5504	Indoor Humidiguide and Thermometer	28	TE22FT	Digital Portion Control Scale	39, 48
1745BK	Digital Indoor Thermometer with Hygrometer	28	TE20SSW	Waterproof Digital Portion Control Scale	41, 49
5306103	Indoor Digital Humidiguide Thermometer with Hygrometer	28	TE22OS	Digital Portion Control Scale with Oversized Platform	40, 48
Max/Min Thermometers			TE2FT	Compact Digital Portion Control Scale	39, 48
1441E	Digital Max/Min Thermometer	29	TE30WD	Digital Portion Control Scale with Wireless Display	41, 49
			TE32FT	Compact Digital Portion Control Scale	39, 48
			TE33OS	Digital Portion Control Scale with Oversized Platform	40, 48
			TE32WDAR	Wireless Digital Scale	41, 49
			TE50	Digital Portion Control Scale with Handle	40, 49
			TE66OS	Digital Portion Control Scale with Oversized Platform	40, 48
			Analog Portion Control Scales		
			TP16	Compact Analog Portion Control Scale	44
			TP16FF	French Fry / Taco Holder Scale	44
			TP32	Ice Cream Scale	44

Model	Description	Page
TS10	Analog Portion Control Scale with Rotating Dial.....	45
TS25KL	Analog Portion Control Scale with Rotating Dial.....	45
TS32	Analog Portion Control Scale with Rotating Dial.....	45
TS32D	Analog Portion Control Scale with Dashpot.....	45
TS32F	Analog Portion Control Scale with Fixed Dial.....	45
TS5	Analog Portion Control Scale with Rotating Dial.....	45
TS50	Analog Portion Control Scale with Rotating Dial.....	45
Heavy Duty Mechanical Scales		
THD32	Heavy Duty Mechanical Scale.....	46
THD32D	Heavy Duty Mechanical Scale with Dashpot.....	46
THD50	Heavy Duty Mechanical Scale.....	46
Receiving Scales		
TE150	Receiving Scale with Stainless Steel Platform.....	47
TE220FT	Digital Receiving Scale.....	47
TE250	Receiving Scale with Stainless Steel Platform.....	47
TE400	Receiving Scale with Steel Tread Plate Platform.....	47
TR250	Heavy Duty Mechanical Receiving Scale.....	47
Scales - Comparison Guide		48-49

PROFESSIONAL CUTLERY

5248350	12 Inch Slicer Knife with Kullens-Black.....	50
5248361	12 Inch Slicer Knife with Kullens-White.....	50
5248362	10 Inch Butcher Knife-Black.....	50
5248363	10 Inch Butcher Knife-White.....	50
5248364	10 Inch Chef Knife-Black.....	50
5248365	10 Inch Chef Knife-White.....	50
5248366	10 Inch Slicer Knife-Black.....	50
5248367	10 Inch Slicer Knife-White.....	50
5248368	10 Inch Offset Bread Knife-Black.....	50
5248369	10 Inch Offset Bread Knife-White.....	50
5248370	8 Inch Chef Knife-Black.....	50
5248371	8 Inch Chef Knife-White.....	50
5248372	8 Inch Bread Knife-Black.....	51
5248373	8 Inch Bread Knife-White.....	51
5248374	7 Inch Santoku Knife-Black.....	51
5248375	7 Inch Santoku Knife-White.....	51
5248376	6 Inch Cleaver Knife-Black.....	51
5248377	6 Inch Cleaver Knife-White.....	51
5248378	6 Inch Fillet Knife-Black.....	51
5248379	6 Inch Fillet Knife-White.....	51
5248380	6 Inch Boning Knife-Black.....	51
5248381	6 Inch Boning Knife-White.....	51
5248382	5.5 Inch Serrated Utility Knife-Black.....	51
5248383	5.5 Inch Serrated Utility Knife-White.....	51
5248384	3.5 Inch Paring Knife-Black.....	51
5248385	3.5 Inch Paring Knife-White.....	51
5248386	3.5 Inch Paring Knife with Poly Handle-Black.....	51
5248387	3.5 Inch Paring Knife with Poly Handle-White.....	51
5265072	10 Inch Diamond Sharpening Steel-Black.....	52
5271192	3Pc Knife Set-Black.....	52
5274195	3Pc Knife Set-White.....	52
5254237	2-Sided Floor Display (Rack Only).....	52

HIGH-TEMPERATURE SILICONE SPATULAS

5302556	10 Inch High Temp Silicone Spatula.....	53
5302558	13.5 Inch High Temp Silicone Spatula.....	53
5302560	16.5 Inch High Temp Silicone Spatula.....	53
5302557	10 Inch High Temp Silicone Spoon Spatula.....	53
5302559	13.5 Inch High Temp Silicone Spoon Spatula.....	53
5302561	16.5 Inch High Temp Silicone Spoon Spatula.....	53

KITCHEN TOOLS & GADGETS CHEF'N

102-138-005	Stem Gem® Strawberry Huller.....	54
102-159-017	Freshforce™ Citrus Juicer.....	55
102-205-017	Banza® Banana Slicer.....	54
102-238-001	Freshforce™ Garlic Press.....	54

Model	Description	Page
102-241-005	Quickpit® Cherry Pitter.....	54
102-408-008	Freshforce™ Orange Juicer.....	55
102-415-011	Freshforce™ Lime Juicer.....	55
102-575-205	Hullster™ Tomato Corer.....	54
102-734-062	Looseleaf™ Kale & Greens Stripper.....	54

SWING-A-WAY COMMERCIAL OPENERS

407FS	Portable Can Opener.....	56
407BKFS	Portable Can Opener.....	56
407RDFS	Portable Can Opener.....	56
407WHFS	Portable Can Opener.....	56
1507FS	Ergo Silicone Can Opener.....	57
107BKFS	Compact Can Opener.....	57
6080FS	Extra Easy Can Opener.....	57
6090FS	Crank Turn Handle Can Opener.....	57
609WHFS	Wall Can Opener Magnetic.....	57

WINE & BAR ACCESSORIES

W5575N	Wine Preserver with Stopper.....	59
5262463	Wine Bottle Stoppers.....	59
W4030FS	Pocket Corkscrew.....	58
W5614N	2-Step Waiters' Corkscrew-Stainless Steel/Black.....	58
W5624N	Walnut Zippity Two-Step.....	58
W6004N	Original Rabbit-Black.....	58
W6113N	Foil Cutter.....	59
W6615N	Wine/Champagne Sealer.....	59
W6119N	Stopper/Pourers-Colors.....	59
W6127N	Super Aerator.....	59
W6128N	Stainless Steel Wine Pourers/Stoppers.....	59
R1-06301	Vertical Rabbit.....	58
W9955T	Mojito Muddler.....	59

HOTEL & RESORT SCALES

70844171M	Digital Talking Scale.....	60
74074102	Glass Digital Scale.....	60
75064192	Digital Glass Scale.....	61
75624072	Digital Glass Scale.....	61
76044192	Glass Digital Scale.....	60
5283423	Digital Glass Scale.....	61
752840133	Digital Glass Scale.....	61
916WHSVLKR	Professional Large Dial Scale.....	60

REPLACEMENT PARTS & ACCESSORIES

9400BG	Replacement Battery Gasket for 9405.....	62
9405BC	Replacement Battery Cover for 9405-9400.....	62
9405RH	Replacement Handle for 9405.....	62
97S35J	Wick for 5522, 5523 Hygrometers.....	62
TEADPT3	120V Adapter for Models: TE150, TE400, TE21P, TE50, TE250.....	62
TEADPT3L	120V 90° Angle Adapter for Models: 5265117, TE10, TE10R, TE10T, TE10PZR, TE32WDAR.....	62
TEADPT5	120V Adapter for Models: TE10C, TE10CSW, TE32C.....	62
TEADPT11FT	120V Adapter for Models: TE10SSW, TE20SSW.....	62
TEADPT12L	120V 90° angle adapter for Models: TE10FT, TE11FT, TE2FT, TE22FT, TE22OS, TE32FT, TE33OS, TE66OS, TE11FTP.....	62
TEADPT13FT	220V Adapter for Models: TE10FT, TE11FT, TE22FT, TE32FT.....	62
TEADPT3AR	Adapter for TE32WDAR.....	62
TERBAT	Replacement Battery for TE10R.....	62
TERBAT10SSWFT	Replacement Battery for TE10SSW, TE20SSW.....	62
TERTS10PZR	External Tare Switch for TE10PZR.....	62
TERBAT10PZR	Rechargeable Battery for TE10PZR.....	62
5265264	Stainless Steel Platform with Plastic Sub-Platform For Model TE11FTP.....	62
5265910	Wireless Meter Head For Model TE30WD.....	62

TEMPERATURE GUIDE & ICE BATH CALIBRATION PROCESS


Temperature Guide.....	66
Ice Bath Calibration Process.....	67

TAYLOR®

GUIDE FOR TEMPERATURE SAFETY

Temperature Zones

Fahrenheit



Danger Zone
41°-135°F

Handling Guidelines



Maintain cold foods at or below 41°F.
Maintain hot foods at or above 135°F.



Potentially hazardous hot food should be cooled rapidly. 135°F cooled to 70°F within 2 hours. 70°F cooled to 41°F within 4 hours. Using shallow pans with a product depth of no greater than 2 inches, the food should be placed in a refrigerator uncovered or loosely covered during the cooling process.



Never defrost food at room temperature. Use a refrigerator, continuously running cold water, a microwave or cook from frozen state. Frozen food that has been thawed should be cooked or otherwise processed before it may be refrozen.



Cook foods to the proper internal temperature. Use a metal probe thermometer to ensure food is cooked properly.



Wash your hands thoroughly with hot soapy water (before and after handling food) for a minimum of 20 seconds.



Avoid handling food when: ill, have a skin infection, or have cuts on the hands.



Never cross contaminate from raw to cooked products.



Wash, rinse and sanitize cutting boards and knives between every use.



Reheat leftovers to 165°F internal temperature or higher, stirring constantly to cook evenly or microwave to 195°F. Never reheat leftovers more than once.



Keep kitchens, dining areas and storage rooms free from insects and rodents. Store chemicals away from food.

Taylor® Food Service Thermometers make food safety easy in your cooking environment. For more information on Taylor, visit our website: www.taylorusa.com.

ICE BATH CALIBRATION PROCESS

STEP

1



FILL CONTAINER ALL THE WAY TO THE TOP WITH ICE

Crushed ice works best, because of the smaller spaces between the ice crystals.

STEP

2



CAUTION:
Water below the ice
WILL NOT be at 32°F (0°C)

FILL CUP WITH WATER TO ABOUT ½" BELOW THE TOP OF THE ICE

Ice should not be floating off the bottom of the container. IF the ice is floating, pour off some water and add more ice.

STEP

3



INSERT PROBE, SLOWLY STIR, CALIBRATE

Stir the thermometer probe in the center of the ice bath. Allow some time for the sensor to stabilize for an accurate temperature reading. KEEP THE PROBE TIP AWAY FROM THE SIDES AND BOTTOM OF THE CUP FOR BETTER ACCURACY.

YOUR THERMOMETER SHOULD READ 32°F (0°C) in the ice bath. Adjust your thermometer as directed by the thermometer's instruction manual; HOWEVER before you adjust any thermometer check that the readings are within the manufacturer's accuracy specifications. IF it's within the specified tolerance, don't adjust the thermometer's temperature reading!

OTHER CALIBRATABLE ITEMS

8018



5982



9842FDA-YELLOW



9840 RED





All orders and customer service
inquires please contact:

Taylor Precision Products
Customer Service & Distribution
Phone: 575-526-0944
Toll Free: 800-289-0944
Fax: 575-526-3913
Email: foodserviceUSA@lifetimebrands.com
Email orders to: orderentry@lifetimebrands.com
Oak Brook, IL 60523
www.taylorusa.com

A Division of:
Lifetime Brands
1000 Stewart Avenue
Garden City, NY 11530



© 2024 Taylor Precision Products and its affiliated companies, all rights reserved. Taylor® is a registered trademark and Cal-Max™ and Accu-Glo™ are trademarks of Taylor Precision Products and its affiliated companies. All rights reserved.

CAT-TAY-FS-24

TOOLS THE PROS TRUST