

TAYLOR®

2025 PROFESSIONAL PRODUCTS



TOOLS THE PROS TRUST



The Taylor Advantage

Best Quality:

Precision measurement has been the exclusive focus of our business for 170 years. Our ability to fulfill the professional market's exacting standards for accuracy, durability, and design is built on a legacy of technical expertise, quality materials and a constant awareness of changing industry needs.

Best Selection:

The diversity of our product line reflects an ongoing commitment to provide the best solutions to the food service and professional community at every level, with ever-expanding choices in specialized temperature and weight measurement instruments, high-performance cutlery and high-temperature spatulas that promote food safety, enhanced productivity and user convenience.

One Source:

We're the Food Service and Professional industry's most complete source for both thermometers and scales. So to simplify your purchasing process, plus improve your choices, quality and value... We've got everything you need. Taylor... Tools the Pros Trust in thermometers, timers, scales, professional cutlery, and kitchen gadgets.





Contents

New for 2025	4-5
Temperature Safety Guide	6
Ice Bath Calibration Process	7
Scales	8-17
Digital Scales	8
Digital Portion Control Scales	9-11
Digital Keg Scale	12
Analog Portion Control Scales	13-14
Heavy Duty Mechanical Scales	13
Receiving Scales	15
Scale Comparison Guide	16-17
Thermometers	18-45
Instant Read Dial Thermometers 1" and 1 ¾" Standard Grade	18-20
Hand Held Thermocouple Thermometers	21-23
Non-Contact Infrared Thermometers	24
Pocket Digital Thermometers	24-26
Allergen Thermometers	26
Roast/Meat Thermometers	27
Wired Probe Thermometers	28
Candy & Deep Fry Thermometers	29
Oven/Grill Thermometers	30
Refrigerator/Freezer Thermometers	31-33
HACCP Food Safety Products and Probe Wipes	34
Special Use Thermometers	35
Temperature Strips/Dishwasher Thermometer & Storage Bracket	36
Dial Thermometers/Clocks	37
Dial HACCP Thermometers	38
Window/Wall Thermometers	39-41
Indoor Tabletop Thermometers	42
Max/Min Thermometers	43
Thermometer Comparison Guide	44-45
Timers	46-51
Mechanical	46
Digital	47-49
Digital Timer Comparison Guide	50-51
Kitchen Tools & Gadgets	52-56
High Temperature Silicone Spatulas	52
Swing-A-Way Commercial Openers	53-54
Chef'n Kitchen Tools and Gadgets	55-56
Wine & Bar Accessories	57-59
Manual Corkscrews	57
Preservers	58
Other Accessories	59
Hotel & Resort	60-61
Taylor Signage	62
Miscellaneous Replacement Parts & Accessories	63
Terms and Conditions	63
Index	64-67



5328695 11 lb Waterproof Digital Scale ★



TARE



WEIGHS LIQUID



WATER PROOF



AAA BATTERY INCLUDED



- ▶ Dry Capacity: 11lb x 0.1oz 5000g x 1g
- ▶ Liquid Capacity: 176 fl.oz x 0.1 fl.oz 5000 mL x 1mL
- ▶ 8.78" x 7.32" platform size
- ▶ Durable tempered glass platform
- ▶ Tare and hold functions
- ▶ Auto-off feature
- ▶ IPX7 rated
- ▶ 3 – AAA batteries included
- ▶ Pack Qty.: 1



5330590 Stainless Steel Digital Scale ★



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



AC ADAPTER



- ▶ Dry Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Liquid Capacity: 175 fl.oz x 0.1 fl.oz / 5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Removable, dishwasher-safe stainless steel platform
- ▶ Add & weigh Tare function
- ▶ Auto and manual shut-off
- ▶ 2 – AAA batteries not included
- ▶ Pack Qty.: 1



5282002PR 30 lb Waterproof Digital Scale ★



TARE



WEIGHS LIQUID



WATER PROOF



AAA BATTERY INCLUDED



- ▶ Dry Capacity: 30 lb x 0.1 oz / 13600 g x 1 g
- ▶ Liquid Capacity: 477 fl.oz. x 0.1 fl.oz / 13,600 mL x 1 mL
- ▶ 10.71" x 8.93" platform size
- ▶ Durable tempered glass platform
- ▶ Tare and hold functions
- ▶ Auto-off feature
- ▶ IPX7 rated
- ▶ 3 – AAA batteries included
- ▶ Pack Qty.: 1



▶ Purple color for allergen awareness



9405N High Accuracy Waterproof K-Type Thermocouple Thermometer ★



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ With a 2-second response probe and a 2.72 ft. cord
- ▶ Recalibratable using front buttons
- ▶ Auto-off feature
- ▶ IPX5 rated
- ▶ Twist off probe attachment
- ▶ 2-AAA batteries included
- ▶ Pack Qty.: 1



5296652RP K-Type Thermocouple Replacement Probe ★

- ▶ 1.5mm step-down probe diameter
- ▶ Pack Qty.: 1



5296652ASP K-Type Thermocouple Angled Surface Probe ★

- ▶ 1" diameter plate
- ▶ Pack Qty.: 1



5296652LSP K-Type Thermocouple Long Shielded Air/Gas Probe ★

- ▶ 8" probe length
- ▶ Pack Qty.: 1



52966526C K-Type Thermocouple Gator Clip w-Air/Gas Probe ★

- ▶ 8" lead
- ▶ Pack Qty.: 1



5329438 8-Event Digital Timer ★

99:59:59:59



- ▶ Each timer counts up to 99 hours; 59 minutes or 59 minutes; 59 seconds
- ▶ Times 8 events simultaneously
- ▶ Adjustable volume control buttons
- ▶ Stand or wall mount
- ▶ Power adapter included
- ▶ Pack Qty.: 1




TAYLOR®

GUIDE FOR TEMPERATURE SAFETY

Temperature Zones

Fahrenheit



Danger Zone
41°-135°F

Handling Guidelines



Maintain cold foods at or below 41°F.
Maintain hot foods at or above 135°F.



Potentially hazardous hot food should be cooled rapidly. 135°F cooled to 70°F within 2 hours. 70°F cooled to 41°F within 4 hours. Using shallow pans with a product depth of no greater than 2 inches, the food should be placed in a refrigerator uncovered or loosely covered during the cooling process.



Never defrost food at room temperature. Use a refrigerator, continuously running cold water, a microwave or cook from frozen state. Frozen food that has been thawed should be cooked or otherwise processed before it may be refrozen.



Cook foods to the proper internal temperature. Use a metal probe thermometer to ensure food is cooked properly.



Wash your hands thoroughly with hot soapy water (before and after handling food) for a minimum of 20 seconds.



Avoid handling food when: ill, have a skin infection, or have cuts on the hands.



Never cross contaminate from raw to cooked products.



Wash, rinse and sanitize cutting boards and knives between every use.



Reheat leftovers to 165°F internal temperature or higher, stirring constantly to cook evenly or microwave to 195°F. Never reheat leftovers more than once.



Keep kitchens, dining areas and storage rooms free from insects and rodents. Store chemicals away from food.

Taylor® Food Service Thermometers make food safety easy in your cooking environment. For more information on Taylor, visit our website: www.taylorusa.com.

ICE BATH CALIBRATION PROCESS

STEP

1



FILL CONTAINER ALL THE WAY TO THE TOP WITH ICE

Crushed ice works best, because of the smaller spaces between the ice crystals.

STEP

2



CAUTION:
Water below the ice
WILL NOT be at 32°F (0°C)

FILL CUP WITH WATER TO ABOUT ½" BELOW THE TOP OF THE ICE

Ice should not be floating off the bottom of the container. IF the ice is floating, pour off some water and add more ice.

STEP

3



INSERT PROBE, SLOWLY STIR, CALIBRATE

Stir the thermometer probe in the center of the ice bath. Allow some time for the sensor to stabilize for an accurate temperature reading. KEEP THE PROBE TIP AWAY FROM THE SIDES AND BOTTOM OF THE CUP FOR BETTER ACCURACY.

YOUR THERMOMETER SHOULD READ 32°F (0°C) in the ice bath. Adjust your thermometer as directed by the thermometer's instruction manual; HOWEVER before you adjust any thermometer check that the readings are within the manufacturer's accuracy specifications. IF it's within the specified tolerance, don't adjust the thermometer's temperature reading!



OTHER CALIBRATABLE ITEMS

8018



5989



9842FDA-YELLOW



9840 RED



SCALES

▶ Digital



1020NFS Digital Kitchen Scale



- ▶ Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- ▶ Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Stainless steel platform on black base
- ▶ Add & weigh feature
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



1020PRNFS Digital Kitchen Scale



- ▶ Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- ▶ Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Stainless steel platform on purple base
- ▶ Add & weigh feature
- ▶ For use in allergy programs
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



3817R Compact Digital Kitchen Scale



- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Small size for easy storage and portability
- ▶ Auto-shut off & tare features
- ▶ Color in red
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 1

3817

- ▶ Available in White



1250BKT21 Compact Digital Kitchen Scale



- ▶ Capacity: 16 oz x 0.001 oz / 500 g x 0.01 g
- ▶ Ultra fine 0.005 oz / 0.01 g increments
- ▶ Stainless steel platform
- ▶ Weighing cover inverts for use as a tray
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 3



5282002 High Capacity Waterproof Digital Scale



- ▶ Dry Capacity: 30 lb x 0.1 oz / 13600 g x 1 g
- ▶ Liquid Capacity: 477 fl.oz. x 0.1 fl.oz / 13,600 mL x 1 mL
- ▶ 10.71" x 8.93" platform size
- ▶ Durable tempered glass platform
- ▶ Auto-off feature
- ▶ IP 67 rated
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1

5282002PR ★

- ▶ Available in Purple (Allergen)



3907 Large Platform High Capacity Kitchen Scale



- ▶ Capacity: 22 lb x 0.01 oz / 10000 g x 0.1 g
- ▶ Food-grade stainless steel platform is naturally antimicrobial
- ▶ Ultra-thin design for a high-capacity scale
- ▶ 1.1" LCD readout with reverse readout blue backlight
- ▶ Touch control buttons won't collect dust/food
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1



5328695 11 lb Waterproof Digital Scale ★



- ▶ Dry Capacity: 11lb x 0.1oz 5000g x 1g
- ▶ Liquid Capacity: 176 fl.oz x 0.1 fl.oz 5000 mL x 1mL
- ▶ 8.78" x 7.32" platform size
- ▶ Durable tempered glass platform
- ▶ Tare and hold functions
- ▶ Auto-off feature
- ▶ IPX7 rated
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 1



5330590 Stainless Steel Digital Scale ★



- ▶ Dry Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Liquid Capacity: 175 fl oz x 0.1 fl oz / 5000 ml x 1 ml
- ▶ Measures either dry or liquid ingredients
- ▶ Large 0.6" LCD readout
- ▶ Removable, dishwasher-safe stainless steel platform
- ▶ Auto and manual shut-off
- ▶ 2 - AAA batteries not included
- ▶ Pack Qty.: 1



5302554 4.4 lb Precision Portion Scale



- ▶ Capacity: 4.4 lb x 0.01 oz / 2000 g x 0.1 g 2000 mL x 0.1 mL / 68 fl.oz x 0.01 fl.oz
- ▶ Multiple uses: nutrition, spices, coffee, crafts
- ▶ Small and compact, portable for an on the go lifestyle
- ▶ Includes storage case that also can be used as weighing trays
- ▶ Pack Qty.: 3

▶ Digital Portion Control



TE11FT 11 lb Digital Scale

- TARE
 - 0.9" DIGITAL DISPLAY
 - CAPACITY
 - BATTERY INCLUDED
 -
- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
 - ▶ 5.25" x 5.25" removable stainless steel platform
 - ▶ Tare and hold function
 - ▶ Auto-off and disable auto-off
 - ▶ AC adapter port included, adapter sold separately
 - ▶ 2-AAA batteries included
 - ▶ Pack Qty.: 1



TE11FTPBL 11 lb Digital Scale with Bowl

- TARE
 - 0.9" DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 - BATTERY NOT INCLUDED
 - AC ADAPTER
 -
- ▶ Capacity: 11 lb x 0.1 oz, 176oz x 0.05 oz, 5 kg x 1 g
 - ▶ 5.25" x 5.25" stainless steel platform
 - ▶ Weighs in 1oz increments
 - ▶ Tare and hold function
 - ▶ Calibration feature
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 2 - AAA batteries not included
 - ▶ Pack Qty.: 1



TE2FT 2 lb Digital Scale

- TARE
 - 0.9" DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 - BATTERY NOT INCLUDED
 - AC ADAPTER
 -
- ▶ Capacity: 2 lb x 0.1 oz / 1 kg x 1 g
 - ▶ 7.15" x 7.15" stainless steel platform
 - ▶ Extra large 0.9" LCD readout
 - ▶ Tare and hold function
 - ▶ Calibration feature
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 2 - AAA batteries not included
 - ▶ Pack Qty.: 1



TERPLCBL2 2 Piece Bowl Set

- ▶ Top rack dishwasher safe
- ▶ Pack Qty.: 2



TE11FT

- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Pack Qty.: 1

TE22FT

- ▶ Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
- ▶ Pack Qty.: 1

Digital Compact Scale

- TARE
 - 0.9" DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 - BATTERY NOT INCLUDED
 - AC ADAPTER
 -
- ▶ 5.38" x 5.38" stainless steel platform
 - ▶ Extra large 0.9" LCD readout
 - ▶ Tare and hold function
 - ▶ Calibration feature
 - ▶ Auto-off and disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 2 - AAA batteries not included

TE10FT

- ▶ Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- ▶ Pack Qty.: 1

TE32FT

- ▶ Dry Capacity: 2 lb (32 oz) x 0.01 oz / 1 kg x 0.5 g
- ▶ Pack Qty.: 1



SCALES

► Digital Portion Control



Digital Scale with Oversized Platform



TARE



DIGITAL DISPLAY



BATTERY NOT INCLUDED



AC ADAPTER



- ▶ 11.25" x 7.25" stainless steel removable, washable platform
- ▶ Tare and hold function
- ▶ Dual mode calibration feature
- ▶ Auto-off and disable auto-off features when powered by batteries
- ▶ AC adapter included
- ▶ 2 - AAA batteries not included

TE220S

- ▶ Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
352 oz x 0.1 oz / 352 oz x 1/8 oz / 10,000 g x 1 g
- ▶ Pack Qty.: 1

TE330S

- ▶ Capacity: 33 lb x 0.1 oz / 15 kg x 1 g
528 oz x 0.1 oz / 528 oz x 1/8 oz / 15,000 g x 1 g
- ▶ Dual mode calibration feature
- ▶ Pack Qty.: 1

TE660S

- ▶ Capacity: 66 lb x 0.1 oz / 30 kg x 2 g
1056 oz x 0.1 oz / 1056 oz x 1/8 oz / 30,000 g x 2 g
- ▶ Dual mode calibration feature
- ▶ Pack Qty.: 1



TE10PZR 10lb Precision Pizza Scale



TARE



DIGITAL DISPLAY



BACKLIGHT



CAPACITY



AC ADAPTER



- ▶ Capacity: 10 lb x 0.05 oz / 5 kg x 1 g / 5000 g x 1 g
- ▶ 13.5" x 11.6" platform size
- ▶ 1" LCD readout with blue backlight
- ▶ Tare and hold function
- ▶ External tare switch
- ▶ Auto-off with low battery indicator
- ▶ Overload indicator
- ▶ Rechargeable battery and AC adapter included
- ▶ Pack Qty.: 1



TE50 Digital Scale with Handle



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



AC ADAPTER



- ▶ Capacity: 50 lb x 0.5 oz / 22 kg x 0.01 kg
- ▶ 13.5" x 11.5" stainless steel platform
- ▶ Built-in handle for easy transportation
- ▶ Tare and hold functions
- ▶ Stable weight indicator
- ▶ Large easy-to-read 1" LCD readout
- ▶ Disable auto-off feature when powered by batteries
- ▶ AC adapter included
- ▶ Recalibratable
- ▶ 4 - AA batteries not included
- ▶ Pack Qty.: 1



TE10R 10 lb Rechargeable Scale



TARE



BACKLIGHT



RECALIBRATE



WEIGHS LIQUID



AC ADAPTER



- ▶ Capacity: 10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
- ▶ Removable 5" x 8" stainless steel platform
- ▶ Tare and hold function
- ▶ Auto-off and disable auto-off features when powered by batteries
- ▶ Rechargeable battery and AC adapter included
- ▶ Pack Qty.: 1



TE10T 10 lb Digital Scale with Tower Readout



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



AC ADAPTER



- ▶ Capacity: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg
Liquid Capacity: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
- ▶ 7" x 6.5" stainless steel platform
- ▶ Extra large 1.5" LCD readout with backlight
- ▶ Tare and hold function with auto-off feature and disable auto-off feature when powered by batteries
- ▶ Recalibratable
- ▶ Low battery indicator
- ▶ AC adapter included
- ▶ 4 - AA batteries not included
- ▶ Pack Qty.: 1

► Digital Portion Control



TE21P 21 oz Precision Measurement Digital Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - BATTERY NOT INCLUDED
 -
- Capacity: 21 oz x 0.01 oz / 0.0002 lb / 600 g x 0.1 g
 - 5" x 5.75" removable stainless steel platform
 - Large 1" LCD readout with blue backlight
 - Tare and hold functions
 - Counting feature for exact measurement
 - Recalibratable
 - Auto-off and disable auto-off feature when powered by batteries
 - AC adapter included
 - 4 - AA batteries not included
 - Pack Qty.: 1



TE10CSW 10 lb Water-Resistant Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - WATER PROOF
 - WEIGHS LIQUID
 -
- Dry Capacity: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g
 - Liquid Capacity: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
 - 4.75" x 5.9" stainless steel platform
 - Waterproof for easy cleaning
 - Tare function
 - Auto-off and disable auto-off features when powered by batteries
 - Low battery and overload indicators
 - Field recalibratable
 - IP 65 rated
 - AC adapter included
 - 1 - 9 volt battery not included
 - Pack Qty.: 1



Waterproof Digital Portion Control Scale

- TARE
 - BACKLIGHT
 - RECALIBRATE
 - WATER PROOF
 - WEIGHS LIQUID
 -
- 6.7" x 7" stainless steel platform and housing
 - Waterproof for easy cleaning
 - Large easy-to-read 1" LCD readout with backlight
 - Tare and hold with high/low weigh features
 - Field recalibratable
 - IP 67 rated
 - Rechargeable battery and AC adapter included

TE10SSW

- Dry Capacity: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz
- Liquid Capacity 160 oz x 0.005 oz / 160 oz x 1/8 oz / 5000 g x 1 g
- Pack Qty.: 1

TE20SSW

- Dry Capacity: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz
- Liquid Capacity: 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g
- Pack Qty.: 1



TE30WD Compact Digital Portion Control Scale with Wireless Display

- TARE
 - DIGITAL DISPLAY
 - RECALIBRATE
 - CAPACITY
 -
- Capacity: 0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) / 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5g)
 - Oversized 14" x 14" removable stainless steel platform
 - Wireless display head
 - Touchless tare feature
 - Disable auto-off feature when powered by batteries
 - AC adapter included for both base and remote
 - Recalibratable
 - Base: 6 - AA batteries (not included)
 - Remote: 4 - AA batteries (not included)
 - Pack Qty.: 1



TE32WDAR Wireless Digital Scale

- TARE
 - DIGITAL DISPLAY
 - 3 CHANNEL DISPLAY
 - AC ADAPTER
 -
- Capacity: 32 oz x 0.1 oz / 1 kg x 2 g
 - 7" x 6.7" Stainless steel platform
 - Tare and hold functions
 - 32 oz Calibration weight included
 - 2 - AC adapters included
 - Pack Qty.: 1



SCALES

► Digital Keg Scale

Taylor's digital keg scale is a valuable tool to take the guesswork out of how much beer is actually in the keg with instant, accurate weight measurements. With a weight capacity of 440lbs, Taylor's keg scale can measure a variety of kegs from a Cornelius Keg to an Import Keg.



KEG SIZE	HEIGHT	WIDTH (Diameter)	WEIGHT (Full)	WEIGHT (Empty)
Cornelius Keg	23"	9"	55 lbs.	9 lbs.
1/6 Barrel	23 3/8"	9 1/4"	58 lbs.	16.5 lbs.
1/4 Barrel or Pony Keg	13 7/8"	16 1/8"	87 lbs.	22 lbs.
1/2 Barrel	23 3/8"	16 1/8"	160 lbs.	30 lbs.
Import Keg	20.94"	16.06"	130 lbs.	28 lbs.

5265117 Keg Scale



TARE



DIGITAL DISPLAY



CAPACITY



BATTERY NOT INCLUDED



- Capacity: 440 lb x 0.2 lb/ 200 kg x 0.1 kg/ 440 lb x 5 oz
- 16" diameter stainless steel slim profile platform with 6' coiled cord
- Large easy-to-read 1" LCD readout
- Tare and hold function
- Auto-off feature and option to disable auto-off
- AC adapter included
- 6 - AA batteries not included
- IPX5 Rated
- Pack Qty.: 1



▶ Analog Portion Control



Analog Portion Control Scale



- ▶ Internal stop mechanism
- ▶ Angled dial design

TP16

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4" x 4.5" stainless steel NSF food grade platform
- ▶ Pack Qty.: 1

TP16FF

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4.5" x 2.5" stainless steel NSF food grade platform
- ▶ Includes fixed french fry / taco holder
- ▶ Pack Qty.: 1

TP32

- ▶ Capacity: 32 oz x 1/4 oz
- ▶ 4.5" x 4" stainless steel NSF food grade platform
- ▶ Pack Qty.: 1

▶ Heavy Duty Mechanical

Analog Portion Control Scale with Rotating Dial



- ▶ 9" x 9" stainless steel NSF food grade platform with internal stop mechanism
- ▶ Features corrosion-resistant weighing mechanism
- ▶ Dual measurement
- ▶ Shatterproof lens with bold dial

THD32

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Pack Qty.: 1

THD32D

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Adjustable dashpot with knob for tare feature
- ▶ Pack Qty.: 1

THD50

- ▶ Capacity: 50 lb x 2 oz / 22 kg x 100 g
- ▶ Pack Qty.: 1



SCALES

▶ Analog Portion Control



Analog Portion Control Scale



- ▶ Rugged stainless steel construction with angled dial design
- ▶ Protective shatterproof lens and removable 6" x 5.25" platform

TS5

- ▶ Rotating dial
- ▶ Capacity: 5 lb x 1/2 oz / 2.2 kg x 20 g
- ▶ Pack Qty.: 1



TS32

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Pack Qty.: 1

TS32D

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Adjustable dashpot knob
- ▶ Pack Qty.: 1



TS50

- ▶ Rotating dial
- ▶ Capacity: 50 lb x 4 oz / 22 kg x 113 g
- ▶ Pack Qty.: 1



TS10

- ▶ Rotating dial
- ▶ Capacity: 11 lb x 1 oz / 5 kg x 50 g
- ▶ Pack Qty.: 1

TS25KL

- ▶ Rotating dial
- ▶ Capacity: 25 lb x 2 oz / 11 kg x 50 g
- ▶ Pack Qty.: 1



TS32F

- ▶ Fixed dial
- ▶ Capacity: 32 oz x 1/4 oz
- ▶ Pack Qty.: 1

► Receiving



TE150 Receiving Scale with Stainless Steel Platform

- ±0 TARE
 - 1.0" DIGITAL DISPLAY
 - 150 LB / 68 KG CAPACITY
 - 4 AA BATTERY NOT INCLUDED
 - NSF
- ▶ Capacity: 150 lb x 1/4 lb / 68 kg x 0.1 kg
 - ▶ 12.25" x 12" stainless steel platform with 6' detachable coiled cord
 - ▶ Large easy-to-read 1" LCD readout
 - ▶ Tare and hold function
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 6 - AA batteries not included
 - ▶ Pack Qty.: 1



TE250 Receiving Scale with Handle

- ±0 TARE
 - 1.0" DIGITAL DISPLAY
 - 250 LB / 113 KG CAPACITY
 - 4 AA BATTERY NOT INCLUDED
 - NSF
- ▶ Capacity: 250 lb x 0.2 lb / 120 kg x 100 g
 - ▶ 13.5" x 11.5" stainless steel platform
 - ▶ Built-in handle for easy transportation
 - ▶ Tare and hold functions
 - ▶ Stable weight indicator
 - ▶ Large easy-to-read 1" LCD readout
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 4 - AA batteries not included
 - ▶ Pack Qty.: 1



TE220FT High-Capacity Receiving Scale

- 0.6" DIGITAL DISPLAY
 - 9V BATTERY INCLUDED
 - NSF
- ▶ Capacity: 220 lb x 2 oz / 100 kg x 0.05 kg
 - ▶ Stainless steel slim platform size: 10.94" x 11.45"
 - ▶ Large 0.6" LCD readout
 - ▶ Add and weigh tare feature
 - ▶ Auto-off and disable auto-off
 - ▶ AC adapter included
 - ▶ 1 - 9 volt battery included
 - ▶ Pack Qty.: 1



TE400 Receiving Scale with Steel Tread Plate Platform

- 1.0" DIGITAL DISPLAY
 - 400 LB / 181 KG CAPACITY
 - 4 AA BATTERY NOT INCLUDED
- ▶ Capacity: 400 lb x 1/2 lb / 181 kg x 0.2 kg
 - ▶ 12.25" x 12" steel tread plate platform with 6' detachable coiled cord
 - ▶ Large easy-to-read 1" LCD readout
 - ▶ Tare and hold function
 - ▶ Disable auto-off feature when powered by batteries
 - ▶ AC adapter included
 - ▶ 6 - AA batteries not included
 - ▶ Pack Qty.: 1



TR250 Mechanical Receiving Scale with Handle

- 250 LB / 113 KG CAPACITY
- ▶ Capacity: 250 lb x 1 lb
 - ▶ Heavy duty powder coated metal with press lock feature
 - ▶ Pack Qty.: 1



SCALES - COMPARISON GUIDE



1020NFS



TE10FT



TE2FT



TE220S



1020PRNFS



TE32FT



TE11FT



TE330S



TE22FT



TE660S



Product Specifications	1020NFS 1020PRNFS	TE10FT TE32FT	TE2FT - TE11FT TE22FT	TE220S -TE330S TE660S	TE10R
Capacity:	Dry: 11 lb x 0.1 oz / 5 kg x 1 g Liquid: 175 fl. oz x 0.1 fl. oz / 5000 ml x 1 ml	TE10FT: 10 lb x 0.1 oz / 4.5 kg x 1 g TE32FT: 2 lb x 0.01 oz / 1 kg x 0.5 g	TE2FT: 2 lb x 0.1 oz / 1 kg x 1 g TE11FT: 11 lb x 0.1 oz / 5 kg x 1 g TE22FT: 22 lb x 0.1 oz / 10 kg x 1 g	TE220S: 22 lb x 0.1 oz / 10 kg x 1 g TE330S: 33 lb x 0.1 oz / 15 kg x 1 g TE660S: 66 lb x 0.1 oz / 30 kg x 2 g	10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
Certifications:					
Stainless Steel Platform Size:	6" (removable)	5.38"x5.38" (removable)	7.15"x7.15" (removable)	11.25"x7.25" (removable)	5"x8" (removable)
Scale Dimensions:	6.5"x8"x1.25"	7.4"x10.5"x2.5"	8.5"x12.0"x2.5"	12.5"x12.5"x2.5"	8.25"x10.0"x2.75"
Features:					
• Measures Dry & Liquid	✓				
• Tare	✓	✓	✓	✓	✓
• Hold	✓	✓	✓	✓	✓
• Auto-Off	✓	✓	✓	✓	✓
• Disable Auto-Off		✓	✓	✓	✓
• Low Battery Indicator		✓	✓	✓	✓
• Over/Under					✓
• Waterproof Rating					
• Field Recalibratable	✓	✓	✓	✓	✓
• A/C Adapter Included		✓	✓	✓	✓
Housing Material:	ABS	ABS	ABS	ABS	ABS
Battery Type:	2 AA (included)	2 AAA	2 AAA	3 AAA	Rechargeable (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



TE10T	TE10CSW	TE10SSW TE20SSW	TE30WD	TE32WDAR	TE50
Dry: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg Liquid: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	Dry: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g Liquid: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	TE10SSW: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz / 160 oz x 0.05 oz / 160 oz x 1/8 oz / 5000 g x 1 g TE20SSW: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz / 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g	0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)	32 oz x 0.1 oz / 1 kg x 2 g	50 lb x 0.5 oz / 22 kg x 0.01 kg
7.0"x6.5" (removable)	4.75"x5.9" (removable)	6.7"x7.0" (removable)	14"x14" (removable)	7"x6.7"	13.5"x11.5" (removable)
7"x7.75"x9.5"	9.61"x7.40"x2.24"	6.0"x6.75"x1.875"	15.25"x15.10"x3.00"	7"x6.7"x2"	17.25"x14.50"x2.75"
✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ (touchless tare) ✓ ✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓
✓ ✓	IP 65 ✓ ✓	IP 67 ✓ ✓	✓ ✓ (1 for base and 1 for remote)	✓ (1 for base and 1 for remote)	✓ ✓
ABS	ABS	Stainless Steel	Stainless Steel	Stainless Steel	ABS
4 AA	9 Volt	Rechargeable (included)	Base: 6 AA Remote: 4 AA	Base: 4 AA Remote: 2 AA	4 AA
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited

THERMOMETERS

► Instant Read Dials - 1" Standard Grade



Exclusive Safe-T-Set Calibration System
Most 1" models have a protective pocket case which doubles as a calibration tool



Analog Calibration



- ▶ 5" stem
- ▶ Recalibratable
- ▶ Accuracy +/- 2°F/1°C at dial midpoint
- ▶ Patented recalibration wrench built into pocket case
- ▶ Shatterproof Lexan® plastic lens
- ▶ High visibility dial graphics
- ▶ Convenient, protective case
- ▶ Durable stainless steel
- ▶ Superior shock protection
- ▶ Individual cartons with hang tabs (except 3621N, 5988N, 5989NFS which are on a blister card)

3621N

- ▶ Temperature range: 0°F / 220°F
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Pack Qty.: 6

5988N - High Temperature

- ▶ Temperature range: 50°F / 550°F
- ▶ Pack Qty.: 6

5989NFS

- ▶ Temperature range: 0°F / 220°F and -14°C / 105°C
- ▶ Pack Qty.: 6

6065N

- ▶ Temperature range: -40°C / 70°C
- ▶ Pack Qty.: 12

6091N

- ▶ Temperature range: -40°F / 120°F
- ▶ Pack Qty.: 12

6092N

- ▶ Temperature range: 0°F / 220°F
- ▶ Pack Qty.: 12

6093N - High Temperature

- ▶ Temperature range: 50°F / 550°F
- ▶ Pack Qty.: 12

6094N

- ▶ Temperature range: -40°C / 50°C
- ▶ Pack Qty.: 12

6096N

- ▶ Temperature range: -40°F / 160°F
- ▶ Pack Qty.: 12

6099N

- ▶ Temperature range: -10°C / 110°C
- ▶ Pack Qty.: 12



Pocket Test Thermometer



- ▶ 1" magnified lens
- ▶ Protective pocket sleeve
- ▶ Pack Qty.: 6



3512FS

- ▶ Temperature range: 0°F / 220°F



3517 - High Temperature

- ▶ Temperature range: 50°F / 550°F



► Instant Read Dials - 1 3/4" Standard Grade



- 5" stem and 1 3/4" dial
- Recalibratable
- Standard grade with 1 point calibration
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case

8018N

- Temperature range: 0°F/220°F and -17°C/104°C
- Pack Qty.: 6

► Instant Read Dials - 1" Superior Grade



- 5" stem
- Recalibratable
- Accuracy +/- 2°F/1°C of entire range
- 3 point calibration
- Patented recalibration wrench built into pocket case
- Shatterproof Lexan® plastic lens
- High visibility dial graphics
- Convenient protective case
- Durable stainless steel
- Superior shock protection
- Individual cartons with hang tabs

6072N

- Temperature range: 0°F/220°F
- Pack Qty.: 12

6073J - High Temperature

- Temperature range: 50°F /550°F
- Pack Qty.: 12

6075

- Temperature range: 25°F /125°F
- Pack Qty.: 12

6076J

- Temperature range: -40°F /160°F
- Pack Qty.: 12

6079J

- Temperature range: -10°C /110°C
- Pack Qty.: 12

THERMOMETERS

► Bi-Therm® Dials - 2" Superior Grade



6211J

- Temperature range: -40°F /120°F
- Pack Qty.: 1

6212J

- Temperature range: 25°F /125°F
- Pack Qty.: 1

6215J

- Temperature range: 0°F /220°F
- Pack Qty.: 1

6220J - High Temperature

- Temperature range: 50°F /550°F
- Pack Qty.: 1

6235J

- Temperature range: -10°C /110°C
- Pack Qty.: 1



- 8" stem length
- Recalibratable
- 3 point calibration
- Accuracy +/- 2°F/1°C of entire range
- Stainless steel external parts
- High visibility dial graphics
- Extended scale design
- Packed in individual boxes

► Bi-Therm® Dials - 1¾" Superior Grade



8212J

- Temperature range: 25°F /125°F
- Pack Qty.: 1

8215N

- Temperature range: 0°F /220°F and -10°C/110°C
- Vessel clip included
- Pack Qty.: 6

8220J - High Temperature

- Temperature range: 50°F /550°F
- Pack Qty.: 1

8238J

- Temperature range: 0°C /250°C
- 2°C divisions
- Pack Qty.: 1



- 8" stem length
- Recalibratable
- 3 point calibration
- Accuracy +/- 2°F/1°C of entire range
- Stainless steel external parts
- High visibility dial graphics
- Extended scale design
- Superior shock protection
- Packed in individual boxes (except 8215N is on blister card)

▶ Handheld Thermocouples



9306N Splash-Proof Dual Temp Infrared Thermometer with Fold Out Thermocouple



- ▶ Thermocouple range: -67°/626°F and -55°C/330°C with accuracy from 14° to 149°F (-10° to 65°C) +/- 1°F (0.6°C)
- ▶ Infrared range: -67°/482°F and -55°C/250°C with accuracy from 32°F to 149°F (0°C to 65°C) +/- 2°F (1°C)
- ▶ Resolution: 0.5°F or 0.2°C
- ▶ HACCP pass/fail light system
- ▶ Min/max/hold features
- ▶ Adjustable emissivity
- ▶ D:S=3:1
- ▶ Auto shut off
- ▶ IP65 rated
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



9867FDA Digital Folding Probe Thermocouple



- ▶ Temperature range: -40°F /572°F and -40°C/300°C
- ▶ 1.5mm step-down probe diameter, FDA recommended
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Recalibration system
- ▶ Thermocouple
- ▶ Stabilized reading in 5 seconds or less
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



5302445 High-Precision Waterproof Digital Thermocouple



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Resolution: 0.1°F or °C
- ▶ Stabilized reading in 6 seconds with 1 second updates
- ▶ 1.5mm step-down probe diameter, FDA recommended
- ▶ Min/max features
- ▶ Recalibratable with auto off and hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case and sleeve
- ▶ Waterproof IP67 rated
- ▶ 2 - CR2032 batteries included
- ▶ Pack Qty.: 3



5296650 Rapid Response Pocket Thermocouple



- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Resolution: 0.1°F or °C
- ▶ Stabilized reading in 6 seconds with 1 second updates
- ▶ 1.5mm step-down probe diameter, FDA recommended
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case and sleeve
- ▶ Min/max/temperature recall
- ▶ Recalibratable with auto off and hold features
- ▶ Waterproof IP67 rated
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6



9868FDA Waterproof Folding Thermocouple (Yellow)



- ▶ Temperature range: -40°F /572°F and -40°C/300°C
- ▶ 1.5mm step-down probe diameter, FDA recommended
- ▶ Pivoting probe of 270°
- ▶ Large 180° rotating display with white backlight
- ▶ Recalibratable with auto off and hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Black nylon storage case
- ▶ Waterproof IP67 rated
- ▶ Pack Qty.: 2



5256860
▶ Available in Red



5293167
▶ Available in Purple (Allergen)

THERMOMETERS

► Handheld K-Type Thermocouples



9405N High Accuracy Waterproof K-Type Thermocouple Thermometer ★



- Temperature range: -40°F /500°F and -40°C/260°C
- With a 2-second response probe and a 2.72 ft. cord
- Recalibratable using front buttons
- Auto-off feature
- IP65 rated
- Twist off probe attachment
- 2-AAA batteries included
- Pack Qty.: 1



5296652 Thermocouple Thermometer with K-Type Probe




- Temperature range: -40°F /500°F and -40°C/260°C
- Resolution: 0.1°F or °C
- 1.5mm step-down probe diameter, FDA recommended
- Pivoting probe of 270°
- Rotating display
- Easily toggle between °F and °C
- Twist off probe attachment
- Waterproof IP67 rated
- 2 - AAA batteries included
- Pack Qty.: 2




5296652RP K-Type Thermocouple Replacement Probe

- 1.5mm step-down probe diameter
- Pack Qty.: 1



5296652ASP K-Type Thermocouple Angled Surface Probe

- 1" diameter plate
- Pack Qty.: 1



5296652LSP K-Type Thermocouple Long Shielded Air/Gas Probe

- 8" probe length
- Pack Qty.: 1



5296652GC K-Type Thermocouple Gator Clip w-Air/Gas

- 8' lead
- Pack Qty.: 1

5296652KIT K-Type Probe Kit

- Includes: 5296652, 5296652ASP, 5296652LSP, 5296652GC
- Pack Qty.: 1



► Handheld K-Type Thermocouples



5286498 Compact Thermocouple with K-Type Probe



BACKLIGHT



RECALIBRATE



BATTERY INCLUDED



FAHRENHEIT/CELSIUS



HOLD



- ▶ Temperature range: -58°F /662°F and -50°C/350°C
- ▶ 1.5mm step-down probe diameter, FDA recommended
- ▶ Resolution: 0.1°F (0.1°C)
- ▶ Response time: 5 seconds
- ▶ Compact size
- ▶ Oversized 1.1" LCD readout
- ▶ Recalibratable for HACCP Programs
- ▶ Hold, Auto-off and Disable Auto-off features
- ▶ IP65 water resistant
- ▶ 3 - AAA batteries included
- ▶ Pack Qty.: 3



9818 Step-Down Probe with 3' Lead ★

- ▶ 1.50 mm tip diameter with 3' lead
- ▶ Pack Qty.: 1



98102 Hamburger/Filet Probe ★

- ▶ 3/16" tip with 5' lead
- ▶ Pack Qty.: 1



9806 Clip-on Probe ★

- ▶ Clip-on oven probe includes 4' lead
- ▶ Pack Qty.: 1



9812 Angled Surface Probe ★

- ▶ Includes 5' lead
- ▶ Pack Qty.: 1



THERMOMETERS

► Non-Contact Infrareds



9523 Infrared Thermometer

- ▶ AAA BATTERY INCLUDED
- ▶ Temperature range: -49°F /752°F and -45°C/400°C
- ▶ Scan and hold features
- ▶ Emissivity fixed at 0.95 and resolution at 0.1°F/0.1°C
- ▶ Spot to distance ratio is 6:1
- ▶ Includes nylon storage case
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1

°F/°C
FAHRENHEIT/
CELSIUS



9527 Compact IR Thermometer

- ▶ CR2032 BATTERY INCLUDED
- ▶ Temperature range: -67°F /428°F and -55°C/220°C with accuracy of +/- 1.1°F (0.6°C)
- ▶ Resolution: 0.1°F/C
- ▶ Min/max/lock modes
- ▶ Auto-off after 15 seconds
- ▶ Emissivity range is 0.95 (default) and adjustable to 0.005 to 1 (step 0.1)
- ▶ Quick response at 1 second
- ▶ Low battery indicator
- ▶ Protective rubber boot and lanyard included
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 1

°F/°C
FAHRENHEIT/
CELSIUS



5315470 Infrared Thermometer

- ▶ BACKLIGHT
- ▶ AAA BATTERIES INCLUDED
- ▶ Temperature range: -58°F/716° and -50°C/380°C
- ▶ Scan and hold features
- ▶ Emissivity fixed at 0.95 and resolution at 0.1°F/0.1°C
- ▶ Spot to distance ratio is 12:1
- ▶ Backlight feature
- ▶ Wrist lanyard included
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2

°F/°C
FAHRENHEIT/
CELSIUS



► Pocket Digitals



1476FDA Compact Folding Thermometer

- ▶ LR44 BATTERY INCLUDED
- ▶ MAGNETIC
- ▶ NSF
- ▶ Temperature range: -58°F /392°F and -50°C/200°C
- ▶ FDA recommended step down probe
- ▶ Auto-off feature
- ▶ Magnet on the back
- ▶ Lanyard included
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6

°F/°C
FAHRENHEIT/
CELSIUS



3516FS Instant Read Thermometer

- ▶ MULTIUSE
- ▶ LR44 BATTERY INCLUDED
- ▶ INSTANT READ
- ▶ NSF
- ▶ 0.4" DIGITAL DISPLAY
- ▶ VALUE
- ▶ Temperature range: -40°F /302°F
- ▶ Auto-off feature
- ▶ Protective pocket sleeve included
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6

°F/°C
FAHRENHEIT/
CELSIUS



3519FDA Waterproof Instant Read Thermometer with Step-down Probe

- ▶ LR44 BATTERY INCLUDED
- ▶ VALUE
- ▶ NSF
- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Resolution: 0.1°F/C
- ▶ Easy to grip, pen style design
- ▶ 1.5mm step-down probe as recommended by the FDA
- ▶ Waterproof design with instant read and hold feature
- ▶ Auto-shut off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3

°F/°C
FAHRENHEIT/
CELSIUS

► Pocket Digitals



9836 Adjustable Head Digital Thermometer



- Temperature range: -40°F /450°F and -40°C/230°C
- Supersized 1.0" readout
- Head pivots in multiple positions for easier reading
- Durable stainless steel 5" stem with step-down tip
- Storage sleeve
- Auto-shut off feature
- 1 - LR44 battery included
- Pack Qty.: 6



9840RB Digital Thermometer



- Temperature range: -40°F /302°F and -40°C/150°C
- Protective rubber boot included to withstand drops
- Stainless steel step-down probe
- Auto-off feature
- Protective sleeve included
- 2 - LR44 batteries included
- Pack Qty.: 6



9841RB High Temp Digital Thermometer



- Temperature range: -40°F /500°F and -40°C/260°C
- Protective rubber boot included to withstand drops
- Stainless steel step-down probe
- Auto-off feature
- Protective sleeve included
- 2 - LR44 batteries included
- Pack Qty.: 6



9842FDA Waterproof Digital Thermometer



- Temperature range: -40°F /450°F and -40°C/232°C
- Auto-off feature
- Recalibratable and C/F switch
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- 1 - LR44 battery included
- Pack Qty.: 6



9848EFDA Waterproof Thermometer with Backlight



- Temperature range: -40°F /450°F and -40°C/232°C
- Waterproof and dishwasher safe
- Min/max/hold features
- Recalibratable
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- Blue backlit LCD
- Lanyard included
- 1 - CR2032 battery included
- Pack Qty.: 6



5296651 Digital Pivoting Display Thermometer



- Temperature range: -40°F /392°F and -40°C/200°C
- 1.5mm step-down probe, FDA recommended
- Pivoting display rotates 180 degrees for enhanced viewing
- Wire-free battery replacement
- Display updates every 1 second, auto-off after 40 minutes
- 1 - LR44 battery included
- Pack Qty.: 6

THERMOMETERS

► Pocket Digitals



9877FDA Compact Waterproof Thermometer

CR1225
BATTERY INCLUDED
°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -40°F /450°F and -40°C/232°C
- Waterproof and dishwasher safe
- 1.5mm step-down probe diameter, FDA recommended
- Response time less than 6 seconds with 1 second updates
- Min/max/hold features
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- Auto-off feature
- 1 - CR1225 battery included
- Pack Qty.: 6

9877FDARD

- Red



9877FDAYL

- Yellow



9878E High-Precision Waterproof Thermometer

BACKLIGHT
CR2032
BATTERY INCLUDED
°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -40°F /500°F and -40°C/260°C
- Waterproof and dishwasher safe
- 1.5 mm step-down probe diameter, FDA recommended
- Min/max/hold features
- Recalibratable
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- Auto-off and disable auto-off functions
- Amber backlit LCD
- 1 - CR2032 battery included
- Pack Qty.: 3



5302142 Waterproof Rotating Display Thermometer ★

BACKLIGHT
CR2032
BATTERY INCLUDED
°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -58°F /572°F and -50°C/300°C
- 1.5 mm step-down probe diameter, FDA recommended
- Rotating display rotates 360 degrees for enhanced viewing
- Auto-off feature
- 1 - CR2032 battery included
- Pack Qty.: 3

5302142RD

- Red



5302142BLU

- Blue



► Allergen



3519PRFDA Waterproof Instant Read Allergen Thermometer

LR44
BATTERY INCLUDED
°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -40°F /450°F and -40°C/230°C
- Resolution: 0.1°F/C
- Easy to grip, pen style design
- 1.5mm step-down probe as recommended by the FDA
- Waterproof design with hold feature
- Auto-shut off feature
- Helps support allergy safety
- 1 - LR44 battery included
- Pack Qty.: 3



9840PRN Digital Allergen Thermometer

LR44
BATTERY INCLUDED
°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -40°F /302°F and -40°C/150°C
- Reduces the risk of cross-contamination
- Helps support allergy safety
- Stainless steel step-down probe
- Auto-off feature
- Protective sleeve included
- 1 - LR44 battery included
- Pack Qty.: 6



9878EPR Waterproof Digital Allergen Thermometer

BACKLIGHT
CR2032
BATTERY INCLUDED
°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -40°F /500°F and -40°C/260°C
- Waterproof and dishwasher safe
- Helps support allergy safety
- 1.5mm step-down probe diameter, FDA recommended
- Min/max/hold features
- Recalibratable
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- Auto-off and disable auto-off functions
- Amber backlit LCD
- 1 - CR2032 battery included
- Pack Qty.: 3

See Thermocouple 5293167 on Page 21

► Roast/Meat



3504FS Meat Thermometer



- ▶ Temperature range: 120°F to 210°F / 50°C to 90°C
- ▶ 2" dial with USDA guidelines
- ▶ Adjustable temperature indicator
- ▶ Stainless steel 4½" stem
- ▶ Pack Qty.: 6



5937N Multi-Purpose Thermometer



- ▶ Temperature range: 105°F to 185°F
- ▶ Armored sabre-tipped tube for easy piercing
- ▶ Meat and yeast temperature guides
- ▶ Dishwasher safe
- ▶ Pack Qty.: 6



5939N Meat Thermometer



- ▶ Temperature range: 120°F to 200°F
- ▶ Large 3" dial
- ▶ Adjustable temperature indicator
- ▶ Meat guidelines on dial
- ▶ Pack Qty.: 6



61054J Meat Thermometer



- ▶ Temperature range: 0°F to 220°F
- ▶ Easy to read 2" dial
- ▶ 4" stainless steel stem with glass crystal
- ▶ Packed in individual carton
- ▶ Pack Qty.: 1



5984J Instant Read Meat Thermometer



- ▶ Temperature range: 0°F / 220°F
- ▶ 1½" dial with 5" stem
- ▶ Recalibratable
- ▶ Pack Qty.: 1



THERMOMETERS

► Wired Probes



1470FS Digital Thermometer and Timer



- ▶ Temperature range: 32°F /392°F and 0°C/200°C
- ▶ Sealed stainless steel probe with 4' cord
- ▶ Temperature alarm signals when food is done
- ▶ Non-slip nylon clip on probe to prevent moisture from entering the probe
- ▶ On/off switch to preserve battery life
- ▶ Folds down for compact storage
- ▶ Magnet on back for mounting to stove
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 6



1470FSRP Replacement Probe for Model 1470FS

- ▶ Replacement Probe for Model 1470FS
- ▶ Sealed stainless steel probe with 4' cord
- ▶ Pack Qty.: 1



3518N Digital Cooking Thermometer



- ▶ Temperature range: 32°F / 392°F and 0°C / 200°C
- ▶ Stainless steel probe with 4" silicone cord
- ▶ F/C switch
- ▶ Stand or use with magnet on back for mounting to stove
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5294302 Programmable Digital Wired Probe Thermometer ★



- ▶ Monitor temperature inside the oven without opening the door
- ▶ Choose from preset temperature settings or customize to any temp
- ▶ Bright blue backlit display
- ▶ 2- AA batteries included
- ▶ Pack Qty.: 6



5309295 Digital Wireless Thermometer with Charging case ★



- ▶ Temperature range: Internal Meat 14°F/212 °F and -10°C/100°C. Ambient Air: 122°F/572 °F and 50°C/300°C.
- ▶ App available in Apple Store or Google Play
- ▶ Flame resistant ceramic cap
- ▶ IPX7 waterproof
- ▶ USB rechargeable charging case
- ▶ Pack Qty.: 3



► Candy & Deep Fry



3505 Candy/Deep Fry Thermometer



- ▶ Temperature range: 100°F / 380°F
- ▶ 2" dial with candy zones
- ▶ Adjustable pan/kettle clip
- ▶ Slide temperature indicator
- ▶ 6" stem
- ▶ Pack Qty.: 6



3522FS Deep Fry Thermometer



- ▶ Temperature range: 50°F / 550°F and 50°C / 285°C
- ▶ 1 1/2" dial
- ▶ Durable 12" stainless steel stem with adjustable pan clip
- ▶ Slide temperature indicator
- ▶ Pack Qty.: 6



5911N Candy/Deep Fry Thermometer



- ▶ Temperature range: 100°F / 400°F and 40°C / 200°C
- ▶ Large 3" dial
- ▶ Slide temperature indicator
- ▶ Durable rounded tip
- ▶ 6" stainless steel stem
- ▶ Candy zones on dial
- ▶ Pack Qty.: 6



5983N Paddle with Clip Thermometer



- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Insulated handle with built in pan clip
- ▶ Large printing for easy to read temperature zones
- ▶ Classic stainless steel design
- ▶ 12" in length
- ▶ Pack Qty.: 6



5978N Glass Tube with Sleeve Thermometer




- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Glass tube with adjustable pan clip
- ▶ Protective storage sleeve is printed with convenient cooking chart
- ▶ 8" in length
- ▶ Pack Qty.: 6



6084J8 Professional Candy/Deep Fry Thermometer



- ▶ Temperature range: 50°F / 550°F
- ▶ 2" dial with 8" stem
- ▶ Pack Qty.: 1



5305741 Premium Programmable Candy/Deep Fry Thermometer



- ▶ Temperature range: -40°F / 500°F and -40°C / 260°C
- ▶ Programmable to alert user when desired temperature is reached
- ▶ Heat Shield protects angled displayer
- ▶ Pan clip has silicone cover to protect pans
- ▶ Oversized, 0.75" backlit display is easy-to-read
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3



5280826 Programmable Candy/Deep Fry Thermometer



- ▶ Temperature range: -40°F / 500°F and -40°C / 260°C
- ▶ Angled display for best visibility
- ▶ Oversized 0.76" backlit display
- ▶ Programmable to alert user when desired temperature is reached
- ▶ 9" stainless steel stem with adjustable pan clip
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3

6084J12 Professional Candy/Deep Fry Thermometer with 12 inch Stem



983915 Adjustable Head Digital Candy/Deep Fry Thermometer



- ▶ Temperature range: -40°F / 450°F and -40°C / 230°C
- ▶ Multi-position pivoting head
- ▶ Large 1" LCD readout
- ▶ Adjustable pan clip
- ▶ Durable stainless steel 9" stem
- ▶ Auto-off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3

THERMOMETERS

► Oven/Grill



3506FS Oven Thermometer




F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 100°F / 600°F and 50°C / 300°C
- ▶ 2 1/2" dial
- ▶ Durable stainless steel
- ▶ Hangs or stands in oven
- ▶ Pack Qty.: 6



VALUE



5921N Oven Guide Thermometer



- ▶ Temperature range: 100°F / 600°F
- ▶ Easy-to-read zone guide references
- ▶ Durable stainless steel
- ▶ Hangs or stands
- ▶ Pack Qty.: 6



5932 Large Oven Thermometer



F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 100°F / 600°F and 50°C / 300°C
- ▶ 3" dial
- ▶ Durable stainless steel
- ▶ Hangs or stands
- ▶ Pack Qty.: 6



5980N Hot Holding Thermometer



F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 100°F / 180°F and 38°C / 82°C
- ▶ Dial includes HACCP guidelines
- ▶ Pack Qty.: 6



5986N Proofing Thermometer



F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 70°F / 130°F 20°C / 54°C
- ▶ Dial includes proofing zone indicator
- ▶ Pack Qty.: 6



6021 Surface Temperature Thermometer



- ▶ Temperature range: 100°F / 700°F and 50°C / 350°C
- ▶ Monitor grill or any surface temperatures
- ▶ Easy-to-read 2" dial
- ▶ Enclosed design protects coil
- ▶ Pack Qty.: 6



6246J CharBroiler Thermometer



- ▶ Temperature range: 200°F / 1000°F
- ▶ Hermetically sealed
- ▶ Holder for use on the grill
- ▶ Includes heat deflection sheet for use on CharBroiler
- ▶ Pack Qty.: 4



8146W Smoker Thermometer

- ▶ Temperature range: 100°F / 475°F
- ▶ Mounts directly onto smoker
- ▶ Luminescent ink for easy low-light viewing
- ▶ Pack Qty.: 6



► Refrigerator/Freezer

OPTIMAL TEMPERATURES		
Proper storage temperatures are critical to food safety. Using a thermometer to measure temperatures will ensure refrigerators and freezers are operating within food safety guidelines and that food is being stored safely.		
	SAFE ZONES	DANGER ZONES
Refrigerator	32°F-40°F	42°F +
Freezer	-10°F-0°F	10°F +



5262798 Large Display Refrigerator/Freezer Thermometer

- MULTIUSE
 - FOOD SAFETY
 - F/C FAHRENHEIT/CELSIUS
 - CR2032 BATTERY INCLUDED
- ▶ Large 2" LCD readout with min/max temperature tracking
 - ▶ Temperature range: -4°F to 140°F/-20°C to 60°C
 - ▶ Attaches with suction cup or adjustable clip
 - ▶ Safe zones printed on front panel for easy reference
 - ▶ 1 - CR2032 battery included
 - ▶ Pack Qty.: 6



1443 Compact Refrigerator/Freezer Thermometer

- 0.6" DIGITAL DISPLAY
 - MEMORY
 - CR2025 BATTERY INCLUDED
- ▶ Temperature range: -4°F / 140°F and -20°C / 60°C
 - ▶ Large LCD readout with min/max feature
 - ▶ Hangs, stands or attaches with magnet
 - ▶ F/C switchable
 - ▶ 1 - CR2025 battery included
 - ▶ Pack Qty.: 6



1445 Safety Zone Refrigerator/Freezer Thermometer

- 23:59:59 TIMER RANGE
 - 0.6" DIGITAL DISPLAY
 - FOOD SAFETY
 - CR2025 BATTERY INCLUDED
- ▶ Temperature range: -4°F / 140°F and -20°C / 60°C
 - ▶ Track internal temperature of fridge or freezer
 - ▶ Programmed with safety zone temperatures
 - ▶ Alerts to potential food safety concern
 - ▶ Pack Qty.: 6



9940N Panel Mount Digital Thermometer

- 0.6" DIGITAL DISPLAY
 - AAA BATTERY INCLUDED
 - WATER PROOF
 - F/C FAHRENHEIT/CELSIUS
- ▶ Temperature range: -40°F / 300°F and -40°C / 150°C
 - ▶ Flush and flange mounting options
 - ▶ Waterproof housing and probe
 - ▶ 10' cable for both air and liquid immersion
 - ▶ 1 - AAA battery included
 - ▶ Pack Qty.: 4



3503FS Refrigerator/Freezer Tube Thermometer

- FOOD SAFETY
 - F/C FAHRENHEIT/CELSIUS
 - NSF
- ▶ Temperature range: -20°F / 70°F and -30°C / 30°C
 - ▶ Safe temperature zone indicators
 - ▶ Hangs or attaches with suction cups
 - ▶ Pack Qty.: 4



3507FS Refrigerator/Freezer Thermometer

- FOOD SAFETY
 - F/C FAHRENHEIT/CELSIUS
 - NSF
- ▶ Temperature range: -20°F / 80°F and -30°C / 30°C
 - ▶ 2 1/2" dial
 - ▶ Hangs or stands in the fridge/freezer
 - ▶ Safe temperature zone indicators
 - ▶ Pack Qty.: 6



THERMOMETERS

► Refrigerator/Freezer



Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Compact size ▶ Clips to rack or attaches with suction cup ▶ Safe temperature zone indicators 	 VALUE
	<p>3509FS</p> <ul style="list-style-type: none"> ▶ Blister carded ▶ Pack Qty.: 6 <p>5926</p> <ul style="list-style-type: none"> ▶ Bulk pack of 50 per box 	



5924 Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ 3" dial ▶ Safe temperature zone indicators ▶ Hangs or stands ▶ Pack Qty.: 6
--------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



5925NFS Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Magnified face with shatterproof clear plastic lens ▶ Safe temperature zone indicators ▶ Hangs or attaches with suction cups ▶ Pack Qty.: 6
--------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



5927 Glycol Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 60°F and -30°C / 30°C ▶ Polypropylene glycol simulates food product temperatures for a more accurate reading ▶ Not affected by ambient air changes due to door openings or cold and warm spots ▶ Reduces energy costs by mimicking food temperatures ▶ Hangs/stands/sits ▶ Pack Qty.: 6
--------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



5977N Refrigerator/Freezer Thermometer

 MULTIUSE FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	<ul style="list-style-type: none"> ▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Magnified lens and shatterproof design ▶ Safe temperature zone indicators ▶ Pack Qty.: 6
--------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

► Refrigerator/Freezer



5981N Professional Refrigerator/Freezer Thermometer

°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -30°F / 70°F and -34°C / 20°C
- Includes HACCP guidelines for safe temperature measurement
- Pack Qty.: 6



5982N Milk/Beverage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F / 120°F and -40°C / 50°C
- Includes adhesive and magnetic backing
- Pack Qty.: 12



5994 Refrigeration Thermometer



STAINLESS
STEEL



3"
DIAL

°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: -30°F / 70°F and -34°C / 20°C
- Professional quality and accuracy
- Easy to read 3" dial with safe temperature one guide
- Durable stainless steel
- Includes adhesive backing
- Pack Qty.: 6



THERMOMETERS

▶ HACCP Food Safety



- ▶ 1" dial with 5" stem
- ▶ Stainless steel construction with shatterproof lens
- ▶ Pocket sleeve with patented built-in calibration feature



1" Dial Instant Read Reduce Cross Contamination Thermometers

6092NBLBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Blue - Fish
- ▶ Pack Qty.: 6



6092NBRBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Brown - Cooked Meat
- ▶ Pack Qty.: 6



6092NPRBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Purple - Allergy
- ▶ Pack Qty.: 6



6092NRDBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Red - Raw Meat
- ▶ Pack Qty.: 6



6092NYLBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Yellow - Poultry
- ▶ Pack Qty.: 6



▶ HACCP Probe Wipes



9999N

- ▶ 70% isopropyl alcohol
- ▶ Wipe dimensions: 2.5" x 1.25"
- ▶ Pack Qty.:
 - 100 single use wipes per box
 - 10 boxes per case



► Special Use



5416J Cup Case Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F /130°F and -40°C/55°C
- ▶ F&C cup case with ring top
- ▶ Brass casing
- ▶ Permacolor® filled
- ▶ Pack Qty.: 4



5976N Soil Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 20°F /180°F and 0°C/80°C
- ▶ F&C scales
- ▶ Color coded zone for min, max & optimal soil temperatures
- ▶ Pack Qty.: 6



8215N 1 3/4" Hot Beverage Thermometer

RECALIBRATE

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ 8" stem with vessel clip
- ▶ Recalibratable
- ▶ Blister carded
- ▶ Pack Qty.: 6



5499J Orchard or Minimum Registering Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 10°F /100°F in 1° increments
- ▶ Register present and minimum temperature reached
- ▶ Pack Qty.: 12



5985N Hot Beverage Thermometer

RECALIBRATE



- ▶ Temperature range: 70°F /190°F
- ▶ 1" dial with 5" stem
- ▶ Pan clip and sleeve included with built-in calibration wrench
- ▶ Pack Qty.: 4



5286344 Coffee Thermocouple Thermometer

RECALIBRATE

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Resolution: +/- 1°F
- ▶ Response time: 1 second
- ▶ 1.5mm step-down probe diameter, FDA recommended
- ▶ Visual alert when temperature exceeds safe zone
- ▶ Large LCD readout
- ▶ Hold feature with auto off after 20 seconds
- ▶ Waterproof IP67 rated
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6



5948N Tobacco Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 10°F /200°F and -10°C/95°C
- ▶ F&C scales
- ▶ Green color zones for curing process
- ▶ Pack Qty.: 12



5997E Cappuccino Frothing Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 120°F /180°F and 50°C/80°C
- ▶ Easy to read zoned dial for optimal frothing temperatures
- ▶ Sealed dial design to prevent fogging
- ▶ Pack Qty.: 4





THERMOMETERS

► Temperature Strips/Dishwasher Thermometers





8750 TempRite® Temperature Test Labels

-  WATER PROOF
-  °F/°C FAHRENHEIT/CELSIUS
- Temperature range: 180°F /82°C with accuracy of +/- 2°F (1°C)
- Adhesive dishwasher safe and waterproof
- One time use
- Made in USA
- 1 pack of 24 labels
- Pack Qty.: 12





8751 TempRite® Temperature Test Labels

-  WATER PROOF
-  °F/°C FAHRENHEIT/CELSIUS
- Temperature range: 160°F /71°C with accuracy of +/- 2°F (1°C)
- Adhesive dishwasher safe and waterproof
- One time use
- Made in USA
- 1 pack of 24 labels
- Pack Qty.: 12





8752 TempRite® Temperature Test Labels

-  WATER PROOF
-  °F/°C FAHRENHEIT/CELSIUS
- Temperature range: 170°F /76°C with accuracy of +/- 2°F (1°C)
- Adhesive dishwasher safe and waterproof
- One time use
- Made in USA
- 1 pack of 24 labels
- Pack Qty.: 12





8766J TempRite® Temperature Test Strips

-  WATER PROOF
-  °F/°C FAHRENHEIT/CELSIUS
- Temperature range: 160°F /71°C
- Made in USA
- 1 pack of 25 test strips
- Pack Qty.: 12





8767J TempRite® Temperature Test Strips

-  WATER PROOF
-  °F/°C FAHRENHEIT/CELSIUS
- Temperature range: 180°F /82°C
- Made in USA
- 1 pack of 25 test strips
- Pack Qty.: 12







8769 TempRite® Temperature 3 in 1 Test Labels

-  WATER PROOF
-  °F/°C FAHRENHEIT/CELSIUS
- Temperature range: 160°F / 71°C , 170°F / 77°C and 180°F / 82°C with accuracy of +/- 2°F (1°C)
- Adhesive dishwasher safe and waterproof
- One time use
- Made in USA
- 1 pack of 24 labels
- Pack Qty.: 12




8791 Plate-Simulating Dishwasher Thermometer

-  WATER PROOF
-  TEMP RANGE
-  CR2032 BATTERY INCLUDED
- 
- Temperature range: 32°F/194°F and 0°C/90°C
- Accuracy to ±1.8°F (±1°C)
- Accurately measures plate surface temperature during wash cycle
- FDA Food Code compliant for sanitization
- Designed for use in commercial dishwashers
- IP67 rated and NIST-Traceable Certificate included
- Pack Qty.: 1



5265263 Dishwasher Thermometer Storage Bracket

-  STAINLESS STEEL
- For use with Taylor's Model 8791
- Stores thermometer in close proximity when not in use
- Durable stainless-steel construction
- Designed with multiple options for wall mounting
- Easy to clean
- Pack Qty.: 1



214621J Dishwasher Test Thermometer

- Temperature range: 0°F /220°F
- Mercury filled
- Tube sealed in open face armor case made of high temperature MINLON® plastic
- Maximum registering
- Individually packaged
- Pack Qty.: 1

► Dial Thermometers/Clocks



166 Patio Clock

AA
BATTERY
NOT
INCLUDED

- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Weather resistant and clock movement cover
- ▶ 12" diameter
- ▶ 1 - AA battery required (not included)
- ▶ Pack Qty.: 5



497J Humidiguide Dial Thermometer

MULTIUSE
°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ Humidity range: 20% to 90%
- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Large, easy-to-read face
- ▶ Includes a relative humidity scale
- ▶ 12" diameter
- ▶ Pack Qty.: 5



681T Extra Large Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Large, easy-to-read face
- ▶ Weather resistant construction
- ▶ 18" diameter
- ▶ Pack Qty.: 3



6714 Indoor/Outdoor
13.25" Dial Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ ColorTrak design features bright and colorful numbers
- ▶ Framed in a glossy white bezel
- ▶ Weather resistant construction
- ▶ 13.25" diameter
- ▶ Pack Qty.: 4



6760 13.25" Big & Bold Clock

AA
BATTERY
NOT
INCLUDED

- ▶ Large, bold easy-to-read graphics
- ▶ Attractively framed in a white bezel
- ▶ Quartz clock movements for accurate time measurement
- ▶ Pack Qty.: 4



5630 6" Black and White
Bi-Metal Thermometer

°F
FAHRENHEIT

- ▶ Temperature range: -60°F/120°F
- ▶ Bold and vibrant silk-screened graphics
- ▶ °F scale only
- ▶ Easy-to-read numerals with clear bezel
- ▶ Wall bracket included for mounting
- ▶ Pack Qty.: 6



5265191 Digital Clock/Thermometer

AA
BATTERY
INCLUDED

MULTIUSE

3.63"
DIGITAL
DISPLAY

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: 14°F/140°F and -10°C/60°C
- ▶ Time displayed in either 12 or 24 hour format
- ▶ Calendar with month, date and day
- ▶ Wall mountable or flip out stand
- ▶ 2 - AA batteries included
- ▶ Pack Qty.: 4



THERMOMETERS

► Dial HACCP



**5636 6" Bi-Metal Thermometer
HACCP Cooler/Freezer**

- FOOD SAFETY**
°F/°C
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: 0°F/80°F and -17°C/26°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with clear bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Wall bracket included for mounting
 - ▶ Pack Qty.: 6



**5637 6" Bi-Metal Thermometer
HACCP Prep/Dry Storage**

- FOOD SAFETY**
°F/°C
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: 0°F/100°F and -17°C/37°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with clear bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Wall bracket included for mounting
 - ▶ Pack Qty.: 6



**5680 13.25" Thermometer
HACCP Cooler/Freezer**

- FOOD SAFETY**
°F/°C
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: 0°F/80°F and -17°C/26°C
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with clear bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Pack Qty.: 4



**5279297 13.25" Thermometer
HACCP Prep/Dry Storage ★**

- FOOD SAFETY**
°F/°C
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: 0°F/100°F and -17°C/37°C
 - ▶ Humidity Range: 40 - 90%
 - ▶ Bold and vibrant silk-screened graphics
 - ▶ Easy-to-read numerals with white bezel
 - ▶ Includes color temperature zones for proper food temperature storage
 - ▶ Pack Qty.: 4




► Window/Wall



1105J 12" x 2" Dry Storage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -30°F/120°F and -35°C/50°C
- Easy-to-read in poor lighting
- Packed in individual carton
- Permacolor® filled solution with red color
- Pack Qty.: 1



1106J 12" x 2" Cold/Dry Storage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -50°F/70°F and -40°C/20°C
- Easy-to-read
- Packed in individual carton
- Permacolor® filled solution with red color
- Pack Qty.: 1



5109 14½" x 3¼" Jumbo Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- Bright red reading tube with extra large colorful numbers
- Weather resistant and rustproof for quick, accurate temperature checks inside or outside
- Permacolor® filled solution with red color
- Pack Qty.: 6



THERMOMETERS

► Window/Wall



5132N 8¹/₈" x 2¹/₂" Utility Wall Thermometer

- °F/°C**
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: -30°F/120°F and -35°C/50°C
 - ▶ White aluminum back with plastic end caps for secure mounting
 - ▶ Large, easy-to-read face
 - ▶ Weather resistant and rustproof
 - ▶ Permacolor® filled solution with red color
 - ▶ Pack Qty.: 6



5135N 8⁷/₈" x 2¹/₄" Wall Thermometer

- °F/°C**
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: -60°F/120°F and -50°C/50°C
 - ▶ White aluminum for indoor or outdoor use
 - ▶ Large, easy-to-read face
 - ▶ Weather resistant and rustproof
 - ▶ Permacolor® filled solution with red color
 - ▶ Pack Qty.: 6



5153 7⁵/₈" x 2³/₈" Window Thermometer

- °F/°C**
FAHRENHEIT/
CELSIUS
- ▶ Temperature range: -30°F /120°F and -35°C/50°C
 - ▶ Curved look with large, easy-to-read numerals in bright blue & green
 - ▶ Includes aluminum bracket for mounting
 - ▶ Weather resistant and rustproof
 - ▶ Permacolor® filled solution with red color
 - ▶ Pack Qty.: 6



► Window/Wall



5154 7⁵/₈" x 2³/₈" Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS


- Temperature range: -40°F/120°F and -40°C/50°C
- Curved look with large, easy-to-read numerals in bright red & blue
- Includes aluminum bracket for mounting
- Weather resistant and rustproof
- Permacolor® filled solution with red color
- Pack Qty.: 6



5316N 8" x 2¹/₂" Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- White aluminum back with large, easy-to-read numerals
- Rustproof bracket with adjustable design for multi-directional viewing
- Permacolor® filled solution with red color
- Pack Qty.: 6



5321N 3¹/₂" Dial Stick-on Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- Read outside temperature from inside
- Easy to apply suction cup mount
- Weather resistant and rustproof
- Pack Qty.: 6



5327 9³/₄" x 1¹/₄" Indoor/Outdoor Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/100°F and -40°C/40°C
- Read indoor and outdoor temperatures from inside
- Bold numerals in bright blue and red
- Permacolor® filled solution with red (indoor) and blue (outdoor) colors
- Pack Qty.: 6



5329 9³/₄" x 1⁷/₈" Indoor/Outdoor Thermometer

MULTIUSE
°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/40°C
- Humidity range: 10% to 80%
- Dial to read indoor humidity
- Large, easy-to-read face
- Permacolor® filled solution with red (indoor) and blue (outdoor) colors
- Pack Qty.: 4



5380N 1³/₄" Dial Stick-on Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- Indoor/outdoor multi-purpose thermometer easily mounts with double-faced adhesive
- Weather resistant and rustproof
- Pack Qty.: 12



THERMOMETERS

► Indoor Tabletop



5504 Indoor Humidiguide and Thermometer



- Temperature range: 20°F/100°F
- Humidity range: 10% to 100%
- Displays relative humidity and temperature
- 4" square case hangs or stands
- Pack Qty.: 6



1745BK Indoor Thermometer with Hygrometer



- Indoor Temperature Range: 14°F/122°F and -10°C/50°C
- Humidity Range: 20-90%
- Read and record indoor temperature and humidity
- Clock function
- 2 - LR44 batteries included
- Pack Qty.: 6



5306103 Indoor Digital Humidiguide Thermometer with Hygrometer ★



- Indoor Temperature Range: -40°F/158°F and -40°C/70°C
- Humidity Range: 10-95%
- Min/Max feature
- Large, easy-to-read LCD wall mount or table top
- 300 days of continuous reading battery life
- 2 - AAA batteries (not included)
- Pack Qty.: 6



► Max/Min



1441E Digital Max/Min Thermometer

°F/C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -20°F/120°F and -29°C/50°C
- ▶ Records temperature readings for 7 days at a time
- ▶ Dual 3 meter probes for independent readings
- ▶ 2 - AA batteries included
- ▶ Pack Qty.: 4



1442 Critical Care Thermometer

°F/C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -40°F/221°F and -40°C/105°C
- ▶ For monitoring temperature critical materials
- ▶ Programmable high and low limit alarms
- ▶ 96 hour memory of high and low temperatures
- ▶ Stores history of alarm breaches including time of day and duration
- ▶ Dual 6' glycol-tolerant probes
- ▶ Password protected
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



5460 Max/Min Thermometer

°F/C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Push button reset and magnet reset
- ▶ Permacolor® filled
- ▶ Pack Qty.: 4



DIGITAL THERMOMETERS - COMPARISON GUIDE



Product Specifications	3516FS	9840RB	9840PRN	9841RB	1476FDA	3519FDA
Temperature range:	-40°/302°F	-40°/302°F -40°/150°C	-40°/302°F -40°/150°C	-40°/500°F -40°/260°C	-40°/392°F -40°/200°C	-40°/450°F -40°/232°C
Accuracy:	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F
Certifications:						
Dimensions: • Stem Length • Probe Diameter	4.75" 3.8mm	4.69" 1.5mm	4.69" 1.5mm	4.69" 1.5mm	3.43" 1.5mm	3.19" 1.5mm
Features: • Safe-T-Guard™* Case • °F & °C Selectable • On/Off • Hold • Auto Shut Off • Protective Rubber Boot • 1.5mm Step-down Probe • Calibration • Max/Min Memory	✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓ ✓	✓ ✓ ✓
LCD Size:	0.3"	0.4"	0.4"	0.4"	0.6"	0.5"
Battery Type:	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)
Warranty:	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year



3519PRFDA	9842FDA	9848EFDA	9877FDA	9878E	9878EPR	5302142
-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/500°F -40°/260°C	-40°/500°F -40°/260°C	-58°F/572°F -50°C/300°C
+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 1°F	+/- 1°F	+/- 2°F
3.19" 1.5mm	4.81" 1.5mm	3.00" 1.5mm	2.81" 1.5mm	5.11" 1.5mm	5.11" 1.5mm	4.50" 1.5mm
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓ (max)	✓	✓	✓	✓
0.5"	0.5"	0.5"	0.3"	0.4"	0.4"	1.375"
LR44 (included)	LR44 (included)	CR2032 (included)	CR1225 (included)	CR2032 (included)	CR2032 (included)	CR2032 (included)
1 Year	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year

TIMERS

► Mechanical



5830 Stainless Steel Timer



- ▶ Timer range: 60 minutes
- ▶ Stainless steel housing
- ▶ Rubberized turn knob and slip proof base
- ▶ Long ring
- ▶ Pack Qty.: 6



5831N Easy-Read Timer



- ▶ Timer range: 60 minutes
- ▶ Large easy to read numbers
- ▶ Long ring
- ▶ Pack Qty.: 6



5832 Compact Timer



- ▶ Timer range: 60 minutes
- ▶ Small compact size
- ▶ Long ring
- ▶ Pack Qty.: 6



Digital



5806 Digital Multi-Purpose Timer

- 99:59
TIMER RANGE
- 0.5"
DIGITAL DISPLAY
- MAGNETIC
- AAA
BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Small and compact design
- ▶ Counts up and counts down
- ▶ Clip/magnet/stand positioning
- ▶ Splash resistant
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5822 Memory Digital Timer

- 99:59
TIMER RANGE
- 0.8"
DIGITAL DISPLAY
- MEMORY
- AAA
BATTERY INCLUDED
- ▶ Counts up to 99 minutes, 59 seconds
- ▶ Recalls last timing event for easy programming
- ▶ 0.8" LCD readout
- ▶ Count up and countdown feature
- ▶ Clip/magnet/stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5828 Dual Event Digital Timer/Clock

- MULTIUSE
- VARIETY OF RINGS
- 23:59:59
TIMER RANGE
- 2 EVENTS SAME TIME
- 1.5"
DIGITAL DISPLAY
- AAA
BATTERY INCLUDED
- ▶ Each timer counts up to 23 hours, 59 minutes, 59 seconds
- ▶ Times two events simultaneously
- ▶ 1.5" LCD readout
- ▶ Clock feature
- ▶ Clip/magnet/stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5839N 4-Event Digital Timer

- MULTIUSE
- VARIETY OF RINGS
- 9:59:59
TIMER RANGE
- 4 EVENTS SAME TIME
- AA
BATTERY INCLUDED
- ▶ Each timer counts up to 9 hours, 59 minutes, 59 seconds
- ▶ Times 4 events simultaneously
- ▶ 100 decibel alarms with a distinctive ring for each timer
- ▶ Adjustable volume control knob
- ▶ Lights flash when timer reaches zero
- ▶ Stand or wall mount
- ▶ 4 - AA batteries included
- ▶ Pack Qty.: 2



5862 Compact 4-Event Digital Timer

- MULTIUSE
- VARIETY OF RINGS
- 99:59
TIMER RANGE
- 4 EVENTS SAME TIME
- LR44
BATTERY INCLUDED
- ▶ Each timer counts up to 99 minutes, 59 seconds
- ▶ Times 4 events simultaneously
- ▶ Extra large LCD readout
- ▶ 4 distinct beep tones
- ▶ Count up and down features
- ▶ 12/24 hour clock
- ▶ Self standing/magnetic mounting feature
- ▶ 2 - LR44 batteries included
- ▶ Pack Qty.: 6



5863 Water & Impact Resistant Timer

- MULTIUSE
- MEMORY
- WATER PROOF
- BACKLIGHT
- 4 EVENTS SAME TIME
- AAA
BATTERY INCLUDED
- ▶ Times up to 24 hours, 59 minutes, 59 seconds
- ▶ Dust and water resistant
- ▶ IP65 rated
- ▶ Impact resistant up to 4 feet
- ▶ 4 level adjustable volume
- ▶ High temp LED readout
- ▶ Counts up and counts down with memory recall
- ▶ Backlight and clock features
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 6

TIMERS

▶ Digital



5896 Jumbo Readout Digital Timer

99:59
TIMER RANGE

1.375"
DIGITAL DISPLAY

MAGNETIC

LR44
BATTERY INCLUDED

- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Memory function to recall last timing event
- ▶ Extra loud alarm
- ▶ Magnet/stand positioning
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



5816N Chef's Timer & Stopwatch

99:59
TIMER RANGE

MAGNETIC

LR44
BATTERY INCLUDED

- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Includes lanyard for convenience
- ▶ Counts up and counts down
- ▶ Magnet positioning
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3



5817FS Digital Continuous Ring Timer

99:59
TIMER RANGE

MAGNETIC

AAA
BATTERY INCLUDED

- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Continuous ring with no automatic shut off
- ▶ 95 decibels with volume control button
- ▶ Red LED light for alert
- ▶ Magnet/stand positioning
- ▶ 2-AAA batteries included
- ▶ Pack Qty.: 4



582721 Digital Timer

99:59
TIMER RANGE

0.7"
DIGITAL DISPLAY

AAA
BATTERY INCLUDED

- ▶ Times up to 99 minutes, 59 seconds
- ▶ 0.7" LCD readout
- ▶ Clip/magnet/stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 4



584721 Digital Timer

MULTIUSE

23:59:59
TIMER RANGE

MEMORY

AAA
BATTERY INCLUDED

- ▶ Times up to 23 hours, 59 minutes, 59 seconds
- ▶ Memory and clock function
- ▶ Count up and down features
- ▶ Extra large LCD for easy readout
- ▶ Magnet or stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 3



5873 Continuous Ring Digital Timer/Clock

23:59:59
TIMER RANGE

0.625"
DIGITAL DISPLAY

MAGNETIC

AAA
BATTERY INCLUDED

- ▶ Timer range: 23 hours, 59 minutes, 59 seconds
- ▶ Super loud timer up to 95 decibels
- ▶ Timer continues to ring until the user turns it off
- ▶ Features a clock and count up/count down
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 4

► Digital



5849 4-Event Timer with Whiteboard

- MULTIUSE
 - MEMORY
 - 4 EVENTS SAME TIME
 - DIGITAL DISPLAY
 - AAA BATTERY INCLUDED
- ▶ Each timer counts up to 24 hours, 59 minutes
 - ▶ 1.1" LCD readout
 - ▶ Times up to 4 events simultaneously
 - ▶ Different tone for each event
 - ▶ Convenient whiteboard plus dry-erase pen with eraser for notes
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 6



5879 Flashing Light Timer

- 99:59 TIMER RANGE
 - 0.5" DIGITAL DISPLAY
 - MAGNETIC
 - AAA BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Get alerted with sound, light and/or vibration
 - ▶ Position with magnet, stand or clip
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 4



5842N21 Mini Timer

- 99:59 TIMER RANGE
 - 0.7" DIGITAL DISPLAY
 - MAGNETIC
 - LR1130 BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Count up and countdown features
 - ▶ Slim, compact design
 - ▶ Magnetic positioning
 - ▶ 1 - LR1130 battery included
 - ▶ Pack Qty.: 4



5282798 24-Hour Digital Timer

- 23:59:59 TIMER RANGE
 - 0.6" DIGITAL DISPLAY
 - AA BATTERY INCLUDED
- ▶ Timer range: 23 hours, 59 minutes, 59 seconds
 - ▶ Continuous ring with no automatic shut off
 - ▶ Red LED light for alert with 95 decibels
 - ▶ 4 Volume settings
 - ▶ Stand or wall mount
 - ▶ 3 - AA batteries included
 - ▶ Pack Qty.: 4



5305743 Touch Screen Digital Timer ★

- 99:59 TIMER RANGE
 - TOUCH SENSOR BUTTON
 - MAGNETIC
 - BACKLIGHT
 - AAA BATTERY INCLUDED
- ▶ Timer range: 99 minutes, 59 seconds
 - ▶ Count up and down features
 - ▶ Continuous ring with no automatic shut off
 - ▶ 95 decibels with volume control button
 - ▶ Backlight feature
 - ▶ Magnet/stand positioning
 - ▶ 2 - AAA batteries included
 - ▶ Pack Qty.: 4



5329438 8-Event Digital Timer ★

- 99:59:59:59 TIMER RANGE
 - MULTIUSE
 - 8 EVENTS SAME TIME
 - MEMORY
 - AC ADAPTER
- ▶ Each timer counts up to 99 hours; 59 minutes or 59 minutes; 59 seconds
 - ▶ Times 8 events simultaneously
 - ▶ Adjustable volume control buttons
 - ▶ Stand or wall mount
 - ▶ Power adapter included
 - ▶ Pack Qty.: 2

DIGITAL TIMERS - COMPARISON GUIDE

5806



5822



5896



5817FS



5828



5816N

582721



5842N21



5879



584721



Product Specifications	5806	5816N	5822	582721	5828	5842N21	5879	5896
Timer Range:	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	23 hours 59 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds
Digital Display:	0.5"	0.6"	0.8"	0.7"	1.5"	0.7"	0.5"	1.375"
Counts up and Counts Down:	X	X	X	X		X	X	X
Memory:			X					X
Multiple Events:					2 Events			
Adjustable Volume:								
Decibel Level:	70 decibels	70 decibels	70 decibels	75 decibels	75 decibels	65 decibels	75 decibels	75 decibels
Clock Feature:					X			
Splash/Water Resistant:	X							
Flashing Lights/ Visual Alert:							X	
Magnet:	X	X	X	X	X	X	X	X
Clip:	X		X	X	X		X	
Stand:	X		X	X	X		X	X
Battery Type:	1 AAA (included)	1 LR44 (included)	1 AAA (included)	1 AAA (included)	1 AAA (included)	1 LR1130 (included)	2 AAA (included)	1 LR44 (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



5817FS	584721	5849	5873	5839N	5862	5863	5282798	5305743
99 minutes 59 seconds	23 hours 59 minutes 59 seconds	24 hours 59 minutes 59 seconds	23 hours 59 minutes 59 seconds	9 hours 59 minutes 59 seconds	99 minutes 59 seconds	24 hours 59 minutes 59 seconds	23 hours 59 minutes 59 seconds	99 minutes 59 seconds
0.7"	1.0"	1.1"	0.625"	1.0"	0.75"	1.0"	0.6"	2.0"
	X	X	X		X	X	X	X
	X	X	X		X	X		
		4 Events		4 Events	4 Events			
X				X		X	X	X
95 decibels	70 decibels	70 decibels	95 decibels	95 decibels	70 decibels	up to 85 decibels	95 decibels	95 decibels
	X		X		X	X		
						X (IP65 Rated)	X (IP65 Rated)	
X				X	X		X	X
X	X	X			X	X		X
X	X	X	X	X	X	X	X	X
2 AAA (included)	1 AAA (included)	2 AAA (included)	2 AAA (included)	4 AA (included)	2 LR44 (included)	2 AAA (included)	3 AA (included)	2 AAA (included)
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



High-Temperature Silicone Spatulas

Durable, ergonomic design is the perfect combination of flexibility and rigidity. Featuring a heavy-duty, silicone blade and a nylon handle that is heat resistant up to 500°F / 260°C.

- ▶ Heat resistant up to 500°F / 260°C
- ▶ Blade resists most stains
- ▶ Dishwasher safe
- ▶ Hang hole for easy storage



BLADE SPATULA

5302556 10 INCH PACK QTY. 3



5302558 13.5 INCH PACK QTY. 3



5302560 16.5 INCH PACK QTY. 3



SPOON SPATULA

5302557 10 INCH PACK QTY. 3



5302559 13.5 INCH PACK QTY. 3



5302561 16.5 INCH PACK QTY. 3



SWING-A-WAY® Commercial Openers

Combining classic, time-tested design with modern innovation, Swing-A-Way® is the most trusted name in dependable, high-quality gadgets.

Since 1938, Swing-A-Way® has created the highest quality, most dependable can openers on the market. Thanks to a patented gear-driven cutting wheel, each opener requires less elbow grease to turn the crank, and the rubberized handles cushion your hands from what little work they're doing. Simple, classic, and well designed!



407FS PORTABLE CAN OPENER



WHITE



RED



BLACK

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Assorted inner pack includes: 2 white, 2 red, 2 black
- ▶ Pack Qty.: 6



407RDFS PORTABLE CAN OPENER



RED

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



407BKFS PORTABLE CAN OPENER



BLACK

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



407WHFS PORTABLE CAN OPENER



WHITE

- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



KITCHEN TOOLS & GADGETS

SWING-A-WAY® Commercial Openers



1507FS ERGO SILICONE CAN OPENER ★



RED

- ▶ Extremely durable with an all-steel construction
- ▶ Silicone ergonomic handles for comfortable operation and will fit any-sized hand and ensure comfortable handling
- ▶ High-carbon, gear-driven cutting wheel and skip-proof feed for smooth and easy usage
- ▶ Integrated magnet lifts lids off can for safe and easy disposal
- ▶ Easy turn knob makes manual operation a breeze - doesn't require much effort and won't cause hand fatigue
- ▶ Pack Qty.: 6



107BKFS COMPACT CAN OPENER ★



BLACK

- ▶ Extremely durable with an all-steel construction
- ▶ Soft cushion-grips for comfortable handling; ergonomic handles fit any size hands
- ▶ High-carbon, gear-driven cutting wheel and skip-proof feed for smooth and easy usage
- ▶ Features a built-in bottle opener
- ▶ Hand wash with warm water and a mild detergent, rinse and dry immediately
- ▶ Pack Qty.: 6



6080FS EXTRA EASY CAN OPENER



BLACK

- ▶ Constructed of durable steel that withstands frequent use
- ▶ Long crank handle that makes it easier to open cans by providing a more secure grip; knob also folds down for easy storage
- ▶ Extra-long, soft-cushion grip handles for maximum comfort and control while handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



6090FS CRANK TURN HANDLE CAN OPENER



BLACK

- ▶ Constructed of durable steel that withstands frequent use
- ▶ Long crank handle makes it easier to open cans by providing a more secure grip
- ▶ Extra-long, soft-cushion grip handles for maximum comfort and control while handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



609WHFS WALL CAN OPENER MAGNETIC



WHITE

- ▶ Cuts cans quickly and easily
- ▶ Mounts to the wall
- ▶ Features a magnet for safe lid removal
- ▶ Durable metal construction
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6

KITCHEN TOOLS & GADGETS

chef'n Fruit & Veg Prep



COLOR
CHERRY

102-138-005 STEM GEM® STRAWBERRY HULLER

- ▶ Push green button, insert, twist and remove stem
- ▶ Stainless steel construction
- ▶ Pack Qty.: 6



COLOR
CHERRY

102-241-005 QUICKPIT® CHERRY PITTER

- ▶ Removes pits from cherries and olives
- ▶ Pack Qty.: 6



COLOR
BANANA

102-205-017 BANANZA® BANANA SLICER

- ▶ Perfectly slices bananas in seconds
- ▶ Stainless steel blades
- ▶ Pack Qty.: 6



COLOR
WASABI

102-734-062 LOOSELEAF™ KALE & GREENS STRIPPER

- ▶ Strip leaves from stems in seconds
- ▶ Works on everything from kale to thyme
- ▶ Pack Qty.: 6



COLOR
ROMA

102-575-205 HULLSTER™ TOMATO CORER

- ▶ Core tomatoes quickly and easily
- ▶ Release button and twist to remove core
- ▶ Pack Qty.: 6



COLOR
BLACK

102-238-001 FRESHFORCE™ GARLIC PRESS

- ▶ Dual-gear mechanism
- ▶ Swing-out stainless steel plate for easy cleaning
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
BLACK

5307258 FRESHFORCE™ POTATO RICER ★

- ▶ Makes perfect mashed potatoes
- ▶ Removable stainless steel basket
- ▶ Pack Qty.: 4



COLOR
CHERRY

5296024 APPLE CORER ★

- ▶ Core apples quickly and easily
- ▶ Comfortable grip for easy coring, simply push, pull, and release
- ▶ Pack Qty.: 4



KITCHEN TOOLS & GADGETS

chef'n Fruit & Veg Prep



COLOR
LEMON

102-159-017 FRESHFORCE™ CITRUS JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
ARUGULA

102-415-011 FRESHFORCE™ LIME JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
APRICOT

102-408-008 FRESHFORCE™ ORANGE JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 4



COLOR
BAKING WHITE

5312709 FRESHFORCE™ JUICER ★

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
PERSIMMON

5312710 FRESHFORCE™ JUICER ★

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 4



COLOR
COLLARD GREEN

5312711 FRESHFORCE™ JUICER ★

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



rabbit™ Manual Corkscrews



W5622N 2-STEP WAITERS' CORKSCREW

- ▶ 2-step operation removes all corks
- ▶ Built-in foil cutter
- ▶ Pack Qty.: 12



W5624N WALNUT ZIPPITY TWO-STEP

- ▶ Non-stick spiral easily rotates into the cork
- ▶ Built-in foil cutter
- ▶ Pack Qty.: 12



5289259 THE RABBIT CORKSCREW

- ▶ Pulls & ejects cork in seconds
- ▶ Integrated foil cutter with 4 steel blades
- ▶ Non-stick spiral (includes extra spiral)
- ▶ Improved mechanical core for added leverage
- ▶ Comfort Grip: TPE grip
- ▶ Solid metal lever
- ▶ Works on all cork types
- ▶ Built-in coil cutter and extra spiral included
- ▶ Pack Qty.: 4



5308664 THE VERTICAL RABBIT CORKSCREW

- ▶ Foil cutter and extra spiral included
- ▶ Pulls a cork in 3 seconds
- ▶ Ejects cork in 2 smooth motions
- ▶ Ergonomic handles allows for comfort and control
- ▶ Works on all bottle sizes and cork types
- ▶ Pack Qty.: 4



W4030FS POCKET CORKSCREW

- ▶ Compact and lightweight
- ▶ Two piece construction with safety case easily converts into corkscrew handle
- ▶ A 5-turn rotation allows for smooth cork removal
- ▶ Pack Qty.: 12



WINE & BAR ACCESSORIES

rabbit Preservers / Other Accessories



COLOR
BLACK

5316612 SILICONE WINE BOTTLE STOPPERS | 2 PACK ★

- ▶ Slows down the oxidation process
- ▶ Silicone base fits securely into any wine bottle
- ▶ Provides an air-tight seal
- ▶ Made of rubber and stainless steel
- ▶ Dishwasher safe
- ▶ Pack Qty.: 12



COLOR
VELVET BLACK

W6115N WINE/CHAMPAGNE SEALER

- ▶ 12 pieces - Easy grip velvet finish
- ▶ Seals wine air-tight
- ▶ Pack Qty.: 12



5268411 2-IN-1 MUDDLER & CITRUS REAMER ★

- ▶ Removable cap
- ▶ Optimal muddling with rounded base
- ▶ Reaming tool for citrus fruits
- ▶ Made of solid oiled beech wood
- ▶ Pack Qty.: 6



COLOR
BLACK

W6128N STAINLESS STEEL WINE POURERS/STOPPERS

- ▶ Set of 2 - Stainless accents
- ▶ Flip to open & pour wine - Flip to close and seal wine bottle
- ▶ Pack Qty.: 6



COLOR
VELVET BLACK

W6127N SUPER AERATOR

- ▶ Stainless accents
- ▶ Aerates red wine to improve flavor and bouquet
- ▶ Pack Qty.: 8



W6113N FOIL CUTTER

- ▶ 12 pieces - Easy grip velvet finish
- ▶ Removes foil quickly and neatly
- ▶ Pack Qty.: 12



COLOR
BLACK

5313190 VACUUM WINE PUMP & STOPPERS ★

- ▶ Fits most wine bottles
- ▶ Includes 2 stoppers
- ▶ Preserves wine
- ▶ Easy-to-use
- ▶ Compact and portable
- ▶ Durable materials
- ▶ Pack Qty.: 6



COLOR
BLACK

5313189 WINE/CHAMPAGNE SEALER ★

- ▶ Preserves the flavor of champagne, sparkling, and still wine for up to 2 weeks
- ▶ Designed to fit a variety of sizes, even seals wide mouth bottles
- ▶ Sealer expands to seal bottle air tight
- ▶ Fits all bottle sizes
- ▶ Pack Qty.: 6



rabbit Accessories



COLOR
BLACK

5300381 LIQUOR INFUSING DECANTER ★

- ▶ Made with high-quality borosilicate glass and a stainless steel infusing basket
- ▶ Allows you to infuse your liquor with a variety of fruits, herbs, and spices
- ▶ Durable, safe for everyday use, and easy to clean
- ▶ Includes infusion and cocktail recipes for inspiration
- ▶ Perfect for infusing a variety of spirits including whiskey, vodka, gin, and more
- ▶ Removable infusing basket allows for customization of flavors
- ▶ Thoughtful gift for anyone who enjoys making cocktails
- ▶ Easy-to-clean, dishwasher safe decanter, lid, and strainer
- ▶ Pack Qty.: 4



COLOR
BLACK

5283979 18 OZ STAINLESS STEEL SHAKER ★

- ▶ Leak-proof double-walled stainless steel
- ▶ 1.5 oz jigger cap
- ▶ Slotted strainer makes for perfect pouring
- ▶ Fits comfortably for a one-handed shake
- ▶ Silicone band for easy grip
- ▶ Removable gasket for easy cleaning
- ▶ Top rack dishwasher safe
- ▶ Pack Qty.: 4



COLOR
BLACK

5268409 COCKTAIL SPIN SPOON ★

- ▶ Rotating handle for ideal mixing of cocktails
- ▶ Effortlessly mix spirit-based drinks
- ▶ Mimic a bartender's technique for stirring craft cocktails
- ▶ Minimize dilution, ice chips, and frothing
- ▶ Stainless Steel construction for long-lasting durability
- ▶ Resistance to corrosion over time
- ▶ Hand Wash
- ▶ Pack Qty.: 6





916WHSVLKR Professional Large Dial Scale

- ▶ Extra-large dial for easy reading
- ▶ Easy to clean, durable vinyl platform
- ▶ Large, stable platform
- ▶ Capacity: 400 lb/180 kg
- ▶ Pack Qty.: 1



70844191M Digital Talking Scale

- ▶ Talking scale announces weight reading in your choice of English, Spanish, Greek, German or Croatian
- ▶ Brushed stainless steel accents
- ▶ Large 2.8" x 1.2" readout
- ▶ Large 12.2" x 12.2" durable, tempered glass platform
- ▶ EXTRA HIGH Capacity: 440 lb/200 kg
- ▶ Pack Qty.: 4



75244192 Glass Digital Scale

- ▶ Mirror finish and chrome accents with Accu-Glo™ blue backlight
- ▶ Large 12.4" x 12.4" durable, tempered glass platform
- ▶ Large 3.5" x 1.5" display
- ▶ EXTRA HIGH Capacity: 440 lb/200 kg
- ▶ Pack Qty.: 2



76044192 Glass Digital Scale

- ▶ Brushed stainless steel accents with Accu-Glo™ blue backlight
- ▶ Large 12.2" x 12.2" durable, tempered glass platform
- ▶ Large 3.21" x 1.56" display
- ▶ Capacity: 400 lb/180 kg
- ▶ Pack Qty.: 2





75064192 Digital Glass Scale

- ▶ Clear curved with chrome accents
- ▶ 13.0" x 11.7" durable tempered glass platform
- ▶ 3.2" x 1.5" readout
- ▶ Capacity: 400 lb/180 kg
- ▶ Pack Qty.: 2



INSTANT READ BATTERIES INCLUDED 5 YEAR LTD WARRANTY



75624072 Digital Glass Scale

- ▶ Black tempered glass platform with brushed stainless steel accents
- ▶ 11.8" x 11.8" durable, tempered glass platform
- ▶ 3.2" x 1.4" LCD readout with reversed red digits
- ▶ Capacity: 400 lb/180 kg
- ▶ Pack Qty.: 2



LCD READOUT INSTANT READ BATTERIES INCLUDED 5 YEAR LTD WARRANTY



752840133 Digital Glass Scale

- ▶ Bright white finish with mirror oil paint accent
- ▶ Extra large 12.25" x 13.5" durable, tempered glass platform
- ▶ 3.2" x 2" readout with blue backlight
- ▶ EXTRA HIGH Capacity: 440 lb/200 kg
- ▶ Pack Qty.: 3



INSTANT READ BATTERIES INCLUDED 5 YEAR LTD WARRANTY



5283423 Digital Glass Scale

- ▶ Clear glass with stainless steel accents
- ▶ Large 12.4" x 12.2" curved, durable tempered glass platform
- ▶ Extra large 4.0" x 2.0" display with Accu-Glo™ blue backlight
- ▶ EXTRA HIGH Capacity: 500 lb/200 kg
- ▶ LIMITED AVAILABILITY
- ▶ Pack Qty.: 2



INSTANT READ BATTERIES INCLUDED 5 YEAR LTD WARRANTY



SIGNAGE



TAY-FS-AB-A 12x36 IN



TAY-FS-SPB-B 24x72 IN



TAY-FS-VB-B 24x96 IN



TAY-FS-PB-C 20x30IN

PLEASE CONTACT YOUR REP FOR MORE INFORMATION ON HOW TO ORDER BANNERS.

TAY-FS-VB-A	TAYLOR Vinyl Banner 2'x6' (24"x72")	Water resistant, perfect for indoor and outdoor use. Made from tear-resistant, flexible PVC material. Non-glare finish with excellent light-blocking capabilities. Equipped with grommets reinforced with sturdy plastic.
TAY-FS-VB-B	TAYLOR Vinyl Banner 2'x8' (24"x96")	
TAY-FS-AB-A	TAYLOR Adhesive Banner 1'x3' (12"x36")	Self-adhesive backing lets you display your banners anywhere, then simply peel off and re-apply as many times as you like. Easy as that.
TAY-FS-AB-B	TAYLOR Adhesive Banner 2'x6' (24"x72")	
TAY-FS-AB-C	TAYLOR Adhesive Banner 2'x8' (24"x96")	
TAY-FS-SPB-A	TAYLOR Satin Paper Banner 1'x3' (12"x36")	Printed on 36lb. bond paper with fade-resistant inks. Rolled up and delivered in a protective tube for easy transport.
TAY-FS-SPB-B	TAYLOR Satin Paper Banner 2'x6' (24"x72")	
TAY-FS-SPB-C	TAYLOR Satin Paper Banner 2'x8' (24"x96")	
TAY-FS-PB-A	TAYLOR Poster Board Sign 11"x14"	Printed on 1.3mm paperboard with semi-gloss finish.
TAY-FS-PB-B	TAYLOR Poster Board Sign 16"x20"	
TAY-FS-PB-C	TAYLOR Poster Board Sign 20"x30"	

Adapters



TEADPT3L

TEADPT3

Replacement Parts for Model #9405N

5296652RP	Replacement Probe for 9405N
5296652LSP	Long Shielded Replacement Probe for 9405N
5296652ASP	Angled Surface Replacement Probe for 9405N
5296652GC	Gator Clip Replacement Probe for 9405N

Miscellaneous Parts and Supplies

97S35J	Wick for 5522, 5523 hygrometers
TEADPT3	120V adapter for model: TE30WD, TE150, TE400, TE21P, TE50, TE250
TEADPT3L	90° angle adapter, 120V adapter for model: TE10, TE10T, TE10R, TE10PZR, 5265117
TEADPT5	120V adapter for models: TE10C, TE10CSW, TE32C
TEADPT11FT	120V adapter for TE10SSW, TE20SSW
TEADPT12L	120V adapter for TE2FT, TE10FT, TE11FT, TE22FT, TE22OS, TE32FT, TE33OS, TE66OS, TE11FTP
TEADPT3AR	Alternative to TEADPT3L with high temp cord and more durable wire
TERBAT	Replacement battery for TE10R
TERBAT10SSWFT	Replacement battery for TE10SSW, TE20SSW
TERTS10PZR	External tare switch for TE10PZR
TERBAT10PZR	Rechargeable battery for TE10PZR
TERPLCCBL	Replacement Cable for TE150 & TE400
5265264	Stainless platform with plastic sub-platform for model TE11FTP
5265910	Wireless meter head for TE30WD
5314445	Replacement Scale Plastic Platform for TE32FT & TE10FT
TE32WDARDH	Replacement wireless Display for TE32WDAR
TE32WDARSB	Replacement stainless steel platform cover
TE32WDARSP	Replacement scale base with stainless steel platform cover
TEADPT7	220V adapter for TE10R, TE10T
TEADPT11	AC adapter for TE10SSW
TERPLCB	2 piece bowl set for TE11FTPBL
TEADPT14	Replacement adapter for 5329438



Terms & Conditions

1. Pricing - Please contact your sales representative for pricing.
2. Minimum Order - Product orders under \$100 net will be charged a \$30 processing fee per order.
3. Freight - All product is shipped FOB Rialto, CA. Routing at vendor discretion.
4. Terms - Net 30 days. Interest of 1 1/2% per month may be assessed on outstanding balances past agreed account terms.
5. Standard Packaging - Product must be ordered in minimum quantities of shelf packs only.
6. Lead Time - Taylor requires up to 10 working days to ship orders from the day the order is received via mail, fax or EDI at Customer Service.
7. Back Orders - Back orders will be shipped as soon as possible after prior authorization from customer.
8. Returns - A "Returned Authorization" (RA) must be obtained from Taylor before a return for any reason will be accepted. Shipments without an RA will be refused. Contact Returns Department at: ra@lifetimebrands.com.
9. EDI - Taylor is fully prepared to receive your orders via EDI. For information about Taylor's EDI capabilities, please contact Customer Service at edi@lifetimebrands.com.
10. Claims - Taylor is not responsible for damage, loss or pilferage in transit. Goods are carefully packed to prevent damage. If damage or loss is found on receipt of goods, notify Taylor at foodserviceUSA@lifetimebrands.com within 5 days of receipt. Failure to notify Taylor immediately of such issues could result in the denial of any recompense requested.
11. Orders should be submitted to orderentry@lifetimebrands.com. This is for order submission only. All order follow-up and any other inquiries should be sent to foodserviceUSA@lifetimebrands.com.

Due to continuous product improvements, pictures in catalog may differ slightly from the actual product

★ Antimicrobial Sleeve Protection:

The sleeve of this thermometer incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the sleeve. It is important to thoroughly clean and disinfect your thermometer after each use.

Model	Description	Page
NEW FOR 2025		4,5
TEMPERATURE SAFETY GUIDE		6
ICE BATH CALIBRATION PROCESS		7

SCALES

Digital Scales

1020NFS	Digital Kitchen Scale	8, 16
1020PRNFS	Digital Kitchen Scale	8, 16
3817R	Compact Digital Kitchen Scale	8
3817	Compact Digital Kitchen Scale	8
1250BKT21	Compact Digital Kitchen Scale	8
3907	Large Platform High Capacity Kitchen Scale	8
5282002	High Capacity Waterproof Digital Scale	8
5282002PR	High Capacity Waterproof Digital Scale	4, 8
5328695	11 lb Waterproof Digital Scale	4, 8
5330590	Stainless Steel Digital Scale	4, 8
5302554	4.4 Precision Portion Scale	8

Digital Portion Control Scales

TE11FTP	11 lb Digital Portion Control Scale	9
TE11FTPBL	11 lb Digital Scale with Bowl	9
TE2FT	2 lb Digital Scale	9, 16
TE11FT	Digital Portion Control Scale	9, 16
TE22FT	Digital Portion Control Scale	9, 16
TE10FT	Digital Compact Scale	9, 16
TE32FT	Compact Digital Portion Control Scale	9, 16
TE22OS	Digital Portion Control Scale with Oversized Platform	10, 16
TE33OS	Digital Portion Control Scale with Oversized Platform	10, 16
TE66OS	Digital Portion Control Scale with Oversized Platform	10, 16
TE10PZR	10 lb Precision Pizza Scale	10
TE50	Digital Portion Control Scale with Handle	10, 17
TE10R	11 lb Rechargeable Scale	10, 16
TE10T	10 lb Digital Portion Control Scale with Tower Readout	10, 17
TE21P	21 oz Precision Measurement Digital Scale	11
TE10CSW	10 lb Water-Resistant Scale	11, 17
TE10SSW	Waterproof Digital Portion Control Scale	11, 17
TE20SSW	Waterproof Digital Portion Control Scale	11, 17
TE30WD	Digital Portion Control Scale with Wireless Display	11, 17
TE32WDAR	Wireless Digital Scale	11, 17
5265117	Digital Keg Scale	12

Analog Portion Control Scale

TP16	Compact Analog Portion Control Scale	13
TP16FF	French Fry / Taco Holder Scale	13
TP32	Ice Cream Scale	13
TS5	Analog Portion Control Scale with Rotating Dial	14
TS32F	Analog Portion Control Scale with Fixed Dial	14
TS10	Analog Portion Control Scale with Rotating Dial	14
TS25KL	Analog Portion Control Scale with Rotating Dial	14
TS32	Analog Portion Control Scale with Rotating Dial	14
TS32D	Analog Portion Control Scale with Dashpot	14
TS50	Analog Portion Control Scale with Rotating Dial	14

Heavy Duty Mechanical Scales

THD32	Heavy Duty Mechanical Scale	13
THD32D	Heavy Duty Mechanical Scale with Dashpot	13
THD50	Heavy Duty Mechanical Scale	13

Model	Description	Page
-------	-------------	------

Receiving Scales

TE150	Receiving Scale with Stainless Steel Platform	15
TE250	Receiving Scale with Handle	15
TE220FT	Digital Receiving Scale	15
TE400	Receiving Scale with Steel Tread Plate Platform	15
TR250	Mechanical Receiving Scale with Handle	15

THERMOMETERS

Instant Read Thermometers

3621N	1" Standard Grade Instant Read Thermometer	18
5988N	1" Standard Grade Instant Read Thermometer - High Temp	18
5988NFS	1" Standard Grade Instant Read Thermometer	18
6065N	1" Superior Grade Instant Read Thermometer	18
6091N	1" Standard Grade Instant Read Thermometer	18
6092N	1" Standard Grade Instant Read Thermometer	18
6093N	1" Standard Grade Instant Read Thermometer - High Temp	18
6094N	1" Standard Grade Instant Read Thermometer	18
6096N	1" Standard Grade Instant Read Thermometer	18
6099N	1" Standard Grade Instant Read Thermometer	18
3512FS	Pocket Test Thermometer	18
3517	Pocket Test Thermometer - High Temp	18
8018N	1 3/4" Standard Grade Instant Read Thermometer	19
6072N	1" Superior Grade Instant Read Thermometer	19
6073J	1" Superior Grade Instant Read Thermometer - High Temp	19
6075	1" Superior Grade Instant Read Thermometer	19
6076J	1" Superior Grade Instant Read Thermometer	19
6079J	1" Superior Grade Instant Read Thermometer	19
6211J	2" Superior Grade BiTherm® Thermometer	20
6212J	2" Superior Grade BiTherm® Thermometer	20
6215J	2" Superior Grade BiTherm® Thermometer	20
6220J	2" Superior Grade BiTherm® Thermometer - High Temp	20
6235J	2" Superior Grade BiTherm® Thermometer	20
8212J	1 3/4" Superior Grade BiTherm® Thermometer	20
8215N	1 3/4" Superior Grade BiTherm® Thermometer	20
8220J	1 3/4" Superior Grade BiTherm® Thermometer - High Temp	20
8238J	1 3/4" Superior Grade BiTherm® Thermometer	20

Handheld Thermocouple Thermometers

9306N	Dual Temp Infrared Thermometer with Fold Out Thermocouple	21
9867FDA	Digital Folding Probe Thermocouple	21
5302445	High-Precision Waterproof Digital Thermocouple	21
5296650	Rapid Response Pocket Thermocouple	21
9868FDA	Waterproof Folding Thermocouple, Yellow	21
5256860	Waterproof Folding Thermocouple, Red	21
5293167	Waterproof Folding Thermocouple, Purple	21
9405N	High Accuracy Waterproof K-Type Thermocouple Thermometer	5, 22
5296652RP	K-Type Thermocouple Replacement Probe	5, 22
5296652ASP	K-Type Thermocouple Angled Surface Probe	5, 22
5296652LSP	K-Type Thermocouple Replacement Long Shielded Probe	5, 22
5296652GC	K-Type Thermocouple Gator Clip w-Air/Gas	5, 22
5296652KIT	Folding Thermocouple Thermometer with K-Type Probe	22
5296652	Thermocouple Thermometer with K-Type Probe	22
5286498	Compact Thermocouple with K-Type Probe	23
9818	Step-Down Probe with 3' Lead	23
98102	Hamburger/Filet Probe	23
9806	Clip-On Probe	23
9812	Angled Surface Probe	23

Model	Description	Page	Model	Description	Page
THERMOMETERS					
Non-Contact Infrared Thermometers					
9523	Infrared Thermometer	24	3506FS	Oven Dial Thermometer	30
9527	Infrared Thermometer.....	24	5921N	Oven Guide Thermometer.....	30
5315470	Infrared Thermometer.....	24	5932	Oven Large Thermometer	30
Pocket Digital Thermometers					
1476FDA	Compact Folding Thermometer	24, 44	5980N	Hot Holding Thermometer	30
3516FS	Instant Read Thermometer	24, 44	5986N	Proofing Thermometer	30
3519FDA	Waterproof Instant Read Thermometer with Step Down Probe	24, 44	6021	Surface Temperature Thermometer.....	30
9836	Adjustable Head Digital Thermometer	25	6246J	CharBroiler Thermometer	30
9840RB	Digital Thermometer	25, 44	814GWSmoker	Thermometer	30
9841RB	High Temp Digital Thermometer	25, 44	Oven/Grill Thermometers		
9842FDA	Waterproof Digital Thermometer.....	25, 45	Refrigerator/Freezer Thermometers		
9848EFDA	Waterproof Digital Thermometer with Backlight.....	25, 45	5262798	Safety Zone Refrigerator/Freezer Thermometer	31
5296651	Digital Pivoting Display Thermometer	25	1443	Compact Refrigerator/Freezer Thermometer.....	31
9877FDA	Compact Waterproof Digital Thermometer, Blue	26, 45	1445	Safety Zone Refrigerator/Freezer Digital Thermometer	31
9877FDARD	Compact Waterproof Digital Thermometer, Red	26	9940N	Panel Mount Digital Thermometer	31
9877FDAYL	Compact Waterproof Digital Thermometer, Yellow	26	3503FS	Refrigerator/Freezer Tube Thermometer	31
9878E	High Precision Waterproof Digital Thermometer	26, 45	3507FS	Refrigerator/Freezer Dial Thermometer.....	31
5302142	Digital Waterproof Rotating Display Thermometer, Yellow.....	26, 45	3509FS	Refrigerator/Freezer Thermometer	32
5302142RD	Digital Waterproof Rotating Display Thermometer, Red.....	26	5926	Economy Hanging Refrigerator/Freezer Thermometer	32
5302142BL	Digital Waterproof Rotating Display Thermometer, Blue	26	5924	Refrigerator/Freezer Thermometer	32
Allergen					
3519PRFDA	Waterproof Digital Instant Read AllergenThermometer.....	26, 45	5925NFS	Refrigerator/Freezer Thermometer	32
9840PRN	Digital Allergen Thermometer.....	26, 44	5927	Glycol Refrigerator/Freezer Thermometer	32
9878EPR	Waterproof Digital Allergen Pocket Thermometer	26, 45	5977N	Refrigerator/Freezer Thermometer	32
Roast/Meat Thermometers					
3504FS	Meat Dial Thermometer	27	5981N	Professional Refrigerator/Freezer Thermometer	33
5937N	Multi-Purpose Thermometer.....	27	5982N	Milk/Beverage Thermometer.....	33
5939N	Meat Thermometer	27	5994	Refrigeration Thermometer.....	33
61054J	Meat Thermometer	27	HACCP Food Safety Thermometers		
5984J	Instant Read Meat Thermometer.....	27	6092NBLBC	1" Dial Instant Read Reduce Cross Contamination Thermometer: Color Coded Blue - Fish.....	34
Wired Probe Thermometers					
1470FS	Digital Thermometer and Timer	28	6092NBRBC	1" Dial Instant Read Reduce Cross Contamination Thermometer	34
3518N	Digital Cooking Thermometer.....	28	Color Coded: Brown - Cooked Meat		34
1470FSRP	Replacement Probe for Model 1470FS	28	6092NPRBC	1" Dial Instant Read Reduce Cross Contamination Thermometer	34
5309295	Digital Wireless Thermometer with Charging Case.....	28	Color Coded: Purple - Allergy		34
5294302	Programmable Digital Wired Probe Thermometer	28	6092NRDBC	1" Dial Instant Read Reduce Cross Contamination Thermometer	34
Candy & Deep Fry Thermometers					
3505	Candy/Deep Fry Thermometer	29	Color Coded: Red - Raw Meat.....		34
3522FS	Deep Fry Thermometer	29	6092NYLBC	1" Dial Instant Read Reduce Cross Contamination Thermometer	34
5911N	Candy/Deep Fry Thermometer	29	Color Coded: Yellow - Poultry.....		34
5983N	Candy/Deep Fry Thermometer	29	9999N	HACCP Probe Wipes.....	34
5978N	Candy/Deep Fry Thermometer	29	Special Use Thermometers		
6084J8	Professional Candy/ Deep Fry Thermometer.....	29	15416J	Cup Case Thermometer	35
6084J12	Professional Candy/ Deep Fry Thermometer.....	29	5499J	Orchard or Minimum Registering Thermometer.....	35
5305741	Premium Programmable Candy/Deep Fry Thermometer.....	29	5948N	Tobacco Thermometer.....	35
5280826	Programmable Candy/Deep Fry Thermometer	29	5976N	Soil Thermometer.....	35
983915	Adjustable Head Digital Candy/Deep Fry Thermometer	29	5985N	Hot Beverage Thermometer	35
			5997E	Cappuccino Frothing Thermometer	35
			8215N	1 3/4" Hot Beverage Thermometer	35
			5286344	Coffee Thermocouple Thermometer.....	35

Model	Description	Page
THERMOMETERS		
Temperature Strips/Dishwasher Thermometers		
8750	TempRite® Temperature Test Labels	36
8751	TempRite® Temperature Test Labels	36
8752	TempRite® Temperature Test Labels	36
8766J	TempRite® Temperature Test Strips	36
8767J	TempRite® Temperature Test Strips	36
8769	TempRite® Temperature 3 in 1 Test Labels	36
8791	TempRite® Digital Dishwasher Thermometer	36
5265263	Dishwasher Thermometer Storage Bracket	36
214621J	Dishwasher Test Thermometer	36
Dial Thermometers/Clocks		
166	Patio Clock	37
497J	Humidiguide Dial Thermometer	37
681T	Extra Large Thermometer	37
6714	Indoor/Outdoor 13.25" Dial Thermometer	37
6760	13.25" Big & Bold Clock	37
5630	6" Black and White Bi-metal Thermometer	37
5265191	Digital Clock/Thermometer	37
Dial HACCP Thermometers		
5636	6" Bi-Metal Thermometer-HACCP Cooler/Freezer	38
5637	6" Bi-Metal Thermometer-HACCP Prep/Dry Storage	38
5680	13.25" Thermometer-HACCP Cooler/Freezer	38
5279297	13.25" Thermometer-HACCP Prep/Dry Storage	38
Window/Wall Thermometers		
1105J	Dry Storage Thermometer	39
1106J	Cold/Dry Storage Thermometer	39
5109	Jumbo Wall Thermometer	39
5132N	Utility Wall Thermometer	40
5135N	Wall Thermometer	40
5153	Window Thermometer	40
5154	Wall Thermometer	41
5316N	Window Thermometer	41
5321N	3 1/2" Dial Stick-On Window Thermometer	41
5327	Indoor/Outdoor Thermometer	41
5329	Indoor/Outdoor Thermometer	41
5308N	1 3/4" Dial Stick-On Window Thermometer	41
Indoor Tabletop Thermometers		
5504	Indoor Humidiguide and Thermometer	42
1745BK	Indoor Thermometer with Hygrometer	42
5306103	Indoor Humidiguide Thermometer with Hygrometer	42
Max/Min Thermometers		
1441E	Digital Max/Min Thermometer	43
1442	Critical Care Thermometer	43
5460	Max/Min Thermometer	43

Model	Description	Page
TIMERS		
Mechanical Timers		
5830	Stainless Steel Timer	46
5831N	Easy-Read Timer	46
5832	Compact Timer	46
Digital Timers		
5806	Digital Multi-Purpose Timer	47, 50
5822	Memory Digital Timer	47, 50
5828	Dual Event Digital Timer/Clock	47, 50
5839N	4-Event Digital Timer	47, 51
5862	Compact 4-Event Digital Timer	47, 51
5863	Water & Impact Resistant Timer	47, 51
5896	Jumbo Readout Digital Timer	48, 50
5816N	Chefs Timer & Stopwatch	48, 50
5817FS	Digital Continuous Ring Timer	48, 51
582721	Digital Timer	48, 50
584721	Digital Timer	48, 50
5873	Continuous Ring Digital Timer/Clock	48, 51
5849	4-Event Timer with Whiteboard	49, 51
5879	Flashing Light Timer	49, 50
5842N21	Mini Timer	49, 50
5282798	24-Hour Digital Timer	49, 51
5305743	Touch Screen Digital Timer	49, 51
5329438	8-Event Timer	5, 49

HIGH-TEMPERATURE SILICONE SPATUALS

5302556	10 Inch Blade Spatula	52
5302558	13.5 Inch Blade Spatula	52
5302560	16.5 Inch Blade Spatula	52
5302557	10 Inch Spoon Spatula	52
5302559	13.5 Inch Spoon Spatula	52
5302561	16.5 Inch Spoon Spatula	52

SWING-A-WAY COMMERCIAL OPENERS

407FS	Portable Can Opener	53
407BKFS	Portable Can Opener	53
407RDFS	Portable Can Opener	53
407WHFS	Portable Can Opener	53
1507FS	Ergo Silicone Can Opener	54
107BKFS	Compact Can Opener	54
6080FS	Extra Easy Can Opener	54
6090FS	Crank Turn Handle Can Opener	54
609WHFS	Wall Can Opener Magnetic	54

Model	Description	Page
CHEF'N KITCHEN TOOLS & GADGETS		
102-135-005	Stem Gem® Strawberry Huller.....	55
102-241-005	Quickpit® Cherry Pitter.....	55
102-205-017	Banza® Banana Slicer.....	55
102-735-062	Looseleaf™ Kale & Greens Stripper.....	55
102-575-205	Hullster™ Tomato Corer.....	55
102-235-001	Freshforce™ Garlic Press.....	55
5307258	Freshforce™ Potato Ricer.....	55
5296024	Apple Corer.....	55
102-155-017	Freshforce™ Citrus Juicer.....	56
102-415-011	Freshforce™ Lime Juicer.....	56
102-405-008	Freshforce™ Orange Juicer.....	56
5312709	Freshforce™ Juicer.....	56
5312710	Freshforce™ Juicer.....	56
5312711	Freshforce™ Juicer.....	56

WINE & BAR ACCESSORIES

W5622N	2-Step Waiters' Corkscrew-Stainless Steel/Black.....	57
W5624N	Walnut Zippy Two-Step.....	57
5289259	The Rabbit Corkscrew.....	57
5308664	The Vertical Rabbit Corkscrew.....	57
W4030FS	Pocket Corkscrew.....	57
5316612	Silicone Wine Bottle Stoppers/2 Pack.....	58
W6115N	Wine/Champagne Sealer.....	58
5268411	2-In-1 Muddler & Citrus Reamer.....	58
W6128N	Stainless Steel Wine Pourers/Stoppers.....	58
W6127N	Super Aerator.....	58
W6113N	Foil Cutter.....	58
5313190	Vacuum Wine Pump & Stoppers.....	58
5313189	Wine/Champagne Sealer.....	58
5300381	Liquor Infusing Decanter.....	59
52839791	8 Oz Stainless Steel Shaker.....	59
5268409	Cocktail Spin Spoon.....	59

HOTEL & RESORT SCALES

916WHSVLR	Professional Large Dial Scale.....	60
70844191M	Digital Talking Scale.....	60
75244192	Glass Digital Scale.....	60
76044192	Glass Digital Scale.....	60
75064192	Glass Digital Scale.....	61
75624072	Glass Digital Scale.....	61
752840133	Glass Digital Scale.....	61
5283423	Glass Digital Scale.....	61

TAYLOR SIGNAGE

TAY-FS-VB-A	TAYLOR Vinyl Banner 2'x6' (24"x72").....	62
TAY-FS-VB-B	TAYLOR Vinyl Banner 2'x8' (24"x96").....	62
TAY-FS-AB-A	TAYLOR Adhesive Banner 1'x3' (12"x36").....	62
TAY-FS-AB-B	TAYLOR Adhesive Banner 2'x6' (24"x72").....	62
TAY-FS-AB-C	TAYLOR Adhesive Banner 2'x8' (24"x96").....	62
TAY-FS-SPB-A	TAYLOR Satin Paper Banner 1'x3' (12"x36").....	62
TAY-FS-SPB-B	TAYLOR Satin Paper Banner 2'x6' (24"x72").....	62
TAY-FS-SPB-C	TAYLOR Satin Paper Banner 2'x8' (24"x96").....	62
TAY-FS-PB-A	TAYLOR Poster Board Sign 11"x14".....	62
TAY-FS-PB-B	TAYLOR Poster Board Sign 16"x20".....	62
TAY-FS-PB-C	TAYLOR Poster Board Sign 20"x30".....	62

Model	Description	Page
REPLACEMENT PARTS & ACCESSORIES		
5296652RP	Replacement Probe for 9405N.....	63
5296652LSP	Long Shielded Replacement Probe for 9405N.....	63
5296652ASP	Angled Surface Replacement Probe for 9405N.....	63
5296652GC	Gator Clip Replacement Probe for 9405N.....	63
97S35J	Wick for 5522, 5523 hygrometers.....	63
TEADPT3	120V adapter for model: TE30WD, TE150, TE400, TE21P, TE50, TE250.....	63
TEADPT3L	90° angle adapter, 120V adapter for model: TE10, TE10T, TE10R, TE10PZR, 5265117.....	63
TEADPT5	120V adapter for models: TE10C, TE10CSW, TE32C.....	63
TEADPT11FT	120V adapter for TE10SSW, TE20SSW.....	63
TEADPT12L	120V adapter for TE2FT, TE10FT, TE11FT, TE22FT, TE22OS, TE32FT,..... TE33OS, TE66OS, TE11FTP.....	63
TEADPT3AR	Alternative to TEADPT3L with high temp cord and more durable wire.....	63
TERBAT	Replacement battery for TE10R.....	63
TERBAT10SSWFT	Replacement battery for TE10SSW, TE20SSW.....	63
TERTS10PZR	External tare switch for TE10PZR.....	63
TERBAT10PZR	Rechargeable battery for TE10PZR.....	63
TERPLCCBL	Replacement Cable for TE150 & TE400.....	63
5265264	Stainless platform with plastic sub-platform for model TE11FTP.....	63
5265910	Wireless meter head for TE30WD.....	63
5314445	Replacement Scale Plastic Platform for TE32FT & TE10FT.....	63
TE32WDARDH	Replacement wireless Display for TE32WDAR.....	63
TE32WDARSB	Replacement stainless steel platform cover.....	63
TE32WDARSP	Replacement scale base with stainless steel platform cover.....	63
TEADPT7	220V adapter for TE10R, TE10T.....	63
TEADPT11	AC adapter for TE10SSW.....	63
TERPLCB L	2 piece bowl set for TE11FTP.....	63
TEADPT14	Replacement adapter for 5329438.....	63



All orders and customer service
inquires please contact:

Taylor Precision Products
Customer Service & Distribution
Phone: 575-526-0944
Toll Free: 800-289-0944
Fax: 575-526-3913
Email: foodserviceUSA@lifetimebrands.com
Email orders to: orderentry@lifetimebrands.com
Oak Brook, IL 60523
www.taylorusa.com

A Division of:
Lifetime Brands
1000 Stewart Avenue
Garden City, NY 11530



© 2025 Taylor Precision Products and its affiliated companies, all rights reserved. Taylor® is a registered trademark and Cal-Max™ and Accu-Glo™ are trademarks of Taylor Precision Products and its affiliated companies. All rights reserved.