


MISSISSAUGA  
QUICK SHIP  
2020

# TAYLOR®

Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

**Prices effective: October 1st, 2019**



Total Tabletop Plus  
3330 Ridgeway Drive., Unit 15.16  
Mississauga, ON  
L5L 5Z9  
Phone: 905-607-4893  
Fax: 905-607-9836  
Website: [www.totaltabletopplus.com](http://www.totaltabletopplus.com)










*Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.*






## Contents

<b>1" INSTANT READ DIAL THERMOMETERS</b>	<b>3</b>
<b>2" INSTANT READ DIAL THERMOMETERS</b>	<b>3</b>
<b>PANEL MOUNT THERMOMETERS</b>	<b>4</b>
<b>WINDOW AND WALL THERMOMETERS</b>	<b>4</b>
<b>HAND HELD THERMOCOUPLE THERMOMETERS</b>	<b>4</b>
<b>PARTS</b>	<b>4</b>
<b>INFRARED AND THERMOCOUPLE THERMOMETERS</b>	<b>4</b>
<b>POCKET DIGITAL THERMOMETERS</b>	<b>5</b>
<b>ROAST/MEAT THERMOMETERS</b>	<b>6</b>
<b>COOKING THERMOMETERS</b>	<b>6</b>
<b>PARTS</b>	<b>6</b>
<b>CANDY/DEEP FRY THERMOMETERS</b>	<b>7</b>
<b>OVEN/GRILL THERMOMETERS</b>	<b>7</b>
<b>REFRIGERATOR/FREEZER THERMOMETERS</b>	<b>8</b>
<b>SPECIAL USE THERMOMETERS</b>	<b>9</b>
<b>DIGITAL TIMERS</b>	<b>9</b>
<b>MECHANICAL TIMERS</b>	<b>10</b>
<b>SALTER PRODUCTS</b>	<b>10</b>
<b>ELECTRONIC PORTION CONTROL SCALES</b>	<b>10</b>
<b>RECEIVING SCALES</b>	<b>12</b>
<b>ANALOG PORTION CONTROL SCALES</b>	<b>12</b>
<b>COMPACT ANALOG PORTION CONTROL SCALES</b>	<b>12</b>













Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
<b>1" Instant Read Dial Thermometers</b>				
<b>5989NFS</b>	Range 0°F to 220°F or 14° to 105°C dual temp. Stainless steel 5" stem. Safe-T-Set™ recalibration feature. Storage sleeve with built-in recalibration wrench. Food Service.		6	\$10.60
<b>6099N</b>	Temperature range -10° to 110°C with a degree division of 2°C. Unbreakable polycarbonate crystal lens. Stainless steel 5" stem. Exclusive Safe-T-Set™ recalibration feature.		12	\$10.20
<b>6092N</b>	Temperature range 0-220°F (only)		12	\$10.20
<b>6092N-FSA</b>	Color Coded Food Safety Thermometer Set. Reduce risk of cross contamination with color coded thermometers. For use in food safety and allergy programs. Five Food Product Categories. Yellow-Poultry, Red-Raw Meat, Purple-Allergen, Blue-Seafood, Brown-Cooked Meat. 1" Dial with 5" stem. Temperature range: 0/220°F/-10/100°C. Pocket Sleeve with patented built-in calibration feature		3	\$57.40
<b>6092NBLBC</b>	1" dial with 5" stem. Stainless steel construction with shatter-proof lens. Pocket sleeve with patented built-in calibration feature. Temperature range: 0°F to 220°F/-10°C to 100°C. NSF listed. Color coded: Blue - FISH		12	\$10.20
<b>6092NPRBC</b>	1" dial with 5" stem. Stainless steel construction with shatter-proof lens. Pocket sleeve with patented built-in calibration feature. Temperature range: 0°F to 220°F/-10°C to 100°C. NSF listed. Color coded: Purples - ALLERGY		12	\$10.20
<b>6092NBRBC</b>	1" dial with 5" stem. Stainless steel construction with shatter-proof lens. Pocket sleeve with patented built-in calibration feature. Temperature range: 0°F to 220°F/-10°C to 100°C. NSF listed. Color coded: Brown - COOKED MEAT		12	\$10.20
<b>6092NRDBC</b>	1" dial with 5" stem. Stainless steel construction with shatter-proof lens. Pocket sleeve with patented built-in calibration feature. Temperature range: 0°F to 220°F/-10°C to 100°C. NSF listed. Color coded: Red - RAW MEAT		12	\$10.20
<b>2" Instant Read Dial Thermometers</b>				
<b>6220J</b>	Temperature range 0° to 550°F with a degree division of 5°F. 3 point calibration for +/- 2° accuracy of entire range. Stainless steel 8" stem. Red pointer. Recalibratable.		6	\$54.20











Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
<b>Panel Mount Thermometers</b>				
<b>9940N</b>	Flush mount or panel mount. Temperature range -40°F to 300°F / -40°C to 150°C. Resolution 0.1°F / 0.1°C. Accuracy +/-1.8°F (1°C) between 14°F and 212°F and +/- 3.6°F above or below range. Sampling rate of 10 seconds. 10 foot probe for both air and liquid immersion.		4	\$45.20
<b>Window and Wall Thermometers</b>				
<b>5132N</b>	Adjustable offset bracket for multi-directional viewing. Temperature range -40°F to 120°F and -40°C to 50°C. Weather resistant and rustproof.		6	\$11.60
<b>Hand Held Thermocouple Thermometers</b>				
<b>9405</b>	High accuracy waterproof type K thermocouple thermometer with a 2 second response probe on a 4' cord. Temperature range -40°F to 500°F or -40°C to 260°C. +/- 1 over HACCP range. Recalibratable by front panel switches. Auto off feature.		1	\$999.60
<b>Parts</b>				
<b>9405RP</b>	1.575mm tip diameter probe. For use with model 9405		1	\$131.60
<b>9405RH</b>	Replacement handle/wire. For use with model 9405.		1	\$158.80
<b>9806</b>	Clip -on oven probe with 4' lead.		1	\$163.40
<b>Infrared and Thermocouple Thermometers</b>				
<b>9306N</b>	-67° to 626°F/-55° to 330°C. Thermocouple temperature range -67° to 572°F/-55° to 250°C with one second response time. Accuracy +/- 1°F/0.6°C, resolution 0.5°F / 0.2°C. HACCP check warning light system. Infrared scan specification: distance to spot ratio=2.5 to 1; emissivity=0.1~1 step .01; wave length=8um-14um. Waterproof		1	\$243.40
<b>9523</b>	Temperature Range:-49° to 750°F, -45° to 399°C. Accuracy: +/- 2°F, +/- 1.5°C Response Time: 0.5 seconds D:S = 6:1, Emissivity Fixed 0.95 Scan, Hold & Max Memory features Low Battery Indicator & Auto/Off , 2 AAA Batteries included, Large Back Lighted Display, Nylon Case, One Year Warranty		1	\$186.80
<b>9526</b>	Mini Infrared Thermometer Temperature range: -27°F/390°F In F° scale only, compact and easy to scan, auto-off feature, spot to distance ratio is 1:1, resolution 0.5° 1—CR2032 battery included		6	\$89.80










Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
<b>9527</b>	Model 9527 IR Thermometer w Protective Rubber Boot. Temperature Range -67° to 428°F (-55° to 220°C) Operating Range: 14° to 122°F (-10° to 50°C), Resolution 0.1°F, Accuracy: ± 1.1°F (±0.6°C) Distance: Spot 1:1 optic ratio, Emissivity range: 0.95 default, adjustable 0.05 to 1 step .01, Min/Max and Lock Features. Low Battery Indicator, Battery Life 40hrs, min 30hrs, (auto power off after 15 seconds), Battery: CR2032, Rubber Protective boot and neck lanyard included. One year warranty		1	\$130.80
<b>9867FDA</b>	From -40°F to 572°F / -40°C to 300°C., Stabilized reading in 5 seconds or less. Accuracy: 0.5°F in HACCP temperature ranges. Resolution: 0.1°F / 0.1°C., 4" stainless steel probe folds into thermometer casing for storage. Self Set calibration system. Hold and auto off features.		1	\$91.80
<b>5256881</b>	Compact Infrared Thermometer. Temperature range		2	\$98.60
<b>Pocket Digital Thermometers</b>				
<b>1476FDA</b>	Digital Thermometer, folding probe		6	\$27.80
<b>5261500</b> (formerly 5872-9)	Jumbo Dual Event Digital Timer. Time up to two events simultaneously. Memory recall and clock function. Count up and down feature. Ex-large LCD for easy readout. Magnet & standing positioning. Each event times up to 23 hours, 59 minutes, 59 seconds. 1AAA battery included		6	\$38.40
<b>6093N</b>	1" Dial Thermometer Temp range: 0° to 550°F		12	\$9.40
<b>6580</b>	Digital PH and Water Temperature Meter.		5	\$160.20
<b>6580RP</b>	Replacement Probe Tip and Cover		1	\$72.80
<b>9841RB</b>	0.3" LCD readout. High temperature range of -58°F to 500°F or -50°C to 260°C. On/off switch to prolong battery life. Stainless steel 5" stem		6	\$24.80
<b>9842FDA</b>	From -40°F to 450°F or -40°C and 230°C On/Off switch and auto shut off to conserve battery Z32 life. One-second updates. Water resistant and Recalibratable		6	\$32.00
<b>9877FDA</b>	Waterproof and dishwasher safe. 1.5mm FDA recommended step down probe. Response time less than 6 seconds with 1 second updates. Min/max/hold features. Safe-T-Guard™ antimicrobial case and sleeve. Auto-off to conserve battery. From -40°F to 450°F or -40°C and 232°C		6	\$41.20
<b>9878E</b>	From -58°F to 500°F / -50°C to 260°C. Two-stage off button with timer. Auto off feature to conserve battery. 4.5" stainless steel stem. Waterproof and recalibratable.		6	\$50.40












Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
9848EFDA	From -40°F to 450°F / -40°C to 230°C. Hold and Maximum temperature features. On/Off switch and auto shut off. One-second updates. 2.75" stainless steel stem. Anti-microbial plastic storage case. Waterproof and recalibratable.		6	\$44.00
9836	From -40°F to 450°F / -40°C to 230°C. Adjustable head digital head. 1" LCD readout, adjustable head, ultra-thin tip.		6	\$33.80
9840PRN	Allergen Digital Pocket Thermometer, Easy-to-read 0.3" LCD readout, Temperature range -58°F to 302°F/ -50°C to 150°C		6	\$21.80
9878EPR	Allergen Waterproof Digital Pocket Thermometer Reduces the risk of cross-contamination. Helps support allergy safety. Temperature range -40°F to 500°F/ -40°C to 260°C		6	\$50.40
8791	Dishwasher Thermometer. Temp range: 32°F to 194°F/0°C to 90°C. Accurately measures surface temperature of water. FDA Food Code complaint for sanitization. Designed for use in commercial dishwashers.		6	\$71.00
<b>Roast/Meat Thermometers</b>				
3504FS	Meat Thermometer. Range 130°F to 190°F. 2" Dial .Red pointer. Adjustable temperature indicator. 4 1/2" Stem		6	\$12.60
5939N	2 3/4 " dial. Range 120°F to 212°F. Adjustable temperature indicator. Stainless steel 5 1/2 " stem. Glass lens.		6	\$14.80
<b>Cooking Thermometers</b>				
1470FS	Combination thermometer/timer. Monitor cooking temperatures of food without opening the oven door. Range 32°F to 392°F/ 0°C to 200°C. Stainless steel probe has a 5' silicone cord. Temperature alarm signals when food is done cooking. On/off switch to prolong battery life. Folds down or compact storage.		6	\$60.00
1479-21	Digital thermometer with wireless remote for monitoring cooking temperatures for up to 200' away. Measures temperature ranges from 32-450°F or 0-232°C. 39 hour, 59 minute, 59 second timer.		1	\$96.40
5933	Floating thermometer monitors the temperature of food products that need to reach or be held at specific temperature range to maintain food quality of food safety. The 120° to 185°F temperature range and indicators allows the operator to be aware of specific temperatures for poach, scale, simmer and boil.		1	\$16.80
<b>Parts</b>				
1470FSRP	Replacement probe and cord for 1470N		1	\$14.80
1479RP	Replacement probe and cord for 1479-44		1	\$20.40

Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
<b>Candy/Deep Fry Thermometers</b>				
<b>3505</b>	2" dial. Range 100°F to 380°F. Common candy temperatures printed on dial. Red pointer. Adjustable temperature indicator. Stainless steel 6" stem with adjustable pan clip.		6	\$12.20
<b>3522FS</b>	2" dial. Range 50°F to 550°F and 50°C to 285°C. Common deep fry temperatures printed on dial. Red pointer. Adjustable temperature indicator. Stainless steel 12" stem with adjustable pan clip.		6	\$16.20
<b>5911N</b>	2 ¾ " dial. Range 100°F to 400°F and 50°C to 200°C. Red pointer. Glass lens. Stainless steel 6" stem with adjustable pan clip. Dishwasher safe.		6	\$14.60
<b>5978N</b>	Range 100°F to 400°F and 50°C to 200°C. Non-mercury filled glass tube with adjustable pan clip and safety cap. Protective storage sleeve is printed with a convenient cooking chart. 8" long		6	\$8.40
<b>5983N</b>	Range 100°F to 400°F and 40°C to 200°C. Spirit filled glass thermometer tube. Common candy temperatures etched into casing. Insulated handle with built-in pan clip. Durable stainless steel construction. 12" long		6	\$23.20
<b>9839-15</b>	40°F to 450°F or 40°C to 232°C. 9" stainless steel stem, adjustable pan clip		6	\$35.00
<b>Oven/Grill Thermometers</b>				
<b>1485 -</b> Discontinued (available while quantities last)	Smart Thermometer with SmarTemp App Technology. Bluetooth technology works with the free Taylor "SMARTEMP" app so you can leave the oven or grill and track cooking temperatures from your enabled device. Transfers data wirelessly to tablets/iPads or smart phones, IOS and Android products with Bluetooth 4.0 or higher. Monitors two temperatures at the same time. 9 meat preset temperatures. 7 candy preset temperatures		2	\$131.75
<b>3506FS</b>	2 ¼ " dial. Range 100°F to 600°F and 50°C to 300°C. Red pointer. Durable stainless steel. Hangs or stands		6	\$11.40
<b>5921N</b>	Range 100°F to 600°F. Hangs or stands for secure placement in oven. Durable stainless steel construction. Dishwasher safe. Measures 4 7/8" x 2 3/8"		6	\$12.00

Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
5932	3 ¼ " dial. Range 100°F to 600°F and 50°C to 300°C.Red pointer. Glass lens. Durable stainless steel casing. Hangs or stands		6	\$14.40
6021	Range 100°F to 600°F.Magnet attaches thermometer directly to grill grates. Includes stainless steel coil for lifting thermometer with a spatula. Large 2" dial face.		6	\$15.60
<b>Refrigerator/Freezer Thermometers</b>				
1443	Large 1.0" LCD with 0.8" digits, -4°F – 140°F; -20°C - 60°C, Converts between F and C, Foldable hanger can be used as a stand or hang from a rack, Magnets on the back, Operates on one lithium battery, included.		4	\$23.80
3507FS	2 ¼ " dial. Range -20°F to 80°F and -20°C to 20°C.Safe temperature zone indicators. Red pointer. Durable stainless steel. Hangs or stands		6	\$11.40
3509FS	Compact size thermometer clips to rack or attaches with suction cup. Range -20°F to 80°F and -20°C to 30°C. Safe temperature zone indicators.		6	\$6.40
5924	3 1/4" dial. Range -20°F to 80°F and -20°C to 20°C.Hangs or stands.		6	\$14.40
5926	Bulk pack of 50 per box. Range -20°F to 80°F and -30°C to 30°C.		50	\$5.60
5927	Propylene glycol filled tube simulates food temperature for more accurate and stable readings, Not affected by changes in ambient air temperature, Temperature Range, -20° to 60°F - 30° to 30°C, NSF Listed, Stands or Hangs		6	\$18.40
5980N	Commercial Hot Holding Thermometer. Temperature range 100°F to 180°F/40°C to 80°C. For use in hot holding cabinets where proper holding temperature is critical to food safety and quality. Hangs or stands. NSF listed.		6	\$10.00
5925-44	From -20°F to 60°F and -20°C to 20°C. Shatterproof clear plastic lens protects the glass thermometer tube, Which is filled with non-toxic fluid. Measures 4 7/8" x 1 1/4"		6	\$9.20
5994	Professional quality and accuracy. Easy-to-read 3" dial with safe temperature zone guide. Durable S/S. Includes adhesive backing. NSF listed. Temperature range: -30°F/70°F and -34°C/20°C		6	\$13.00



Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
<b>Special Use Thermometers</b>				
<b>5985N</b>	1" dial beverage thermometer. Range 70°F to 190°F. Zoned from 150°F-170°F for optimal beverage temperatures. Exclusive Safe-T-Set™ recalibration feature		4	\$11.20
<b>5997E</b>	Range 120°F to 180°F. Sealed dial design to prevent fogging. 5" stainless steel stem with adjustable pan clip.		4	\$11.00
<b>8215N</b>	Superior Grade 1 3/4" Dial Bi-Therm® 1.75" dial thermometer. Temperature range 0° to 220°F with a degree division of 2°F. 3 point calibration for +/- 2° accuracy of entire range. Superior shock protection. Stainless steel 8" stem with pan clip. Red pointer. Recalibratable.		6	\$12.80
<b>8750</b>	TempRite Dishwasher Test Labels Strips can be applied to a dry item, such as a plate, and placed in a dishwasher. Strip can then be removed, signed, dated and saved in a dishwasher temperature log. 180°F / 82°C. 24 labels per pack.		12	\$40.20
<b>8767J</b>	TempRite Dishwasher Temperature Strips can then be signed, dated and saved in a dishwasher temperature log. 180°F / 82°C test strips. 25 strips per pack		12	\$38.40
<b>9999N - 100 wipes x 10 packs</b>	Probe wipes for use in sterilizing thermometers between each use. 70% isopropyl alcohol wipes. 100 single use wipes per box. 10 boxes per case.		10	\$17.80
<b>51P432J1</b>	Stainless steel pan clip accessory. For use with 1 3/4" and 2" BiTherms		12	\$7.40
<b>Digital Timers</b>				
<b>5806</b>	Minute/second timing. 0.7" LCD readout. Counts up or counts down. Clip/magnet/stand positioning.		6	\$17.20
<b>5816N</b>	3/8" LCD readout shows minutes/seconds. 2 foot cord for easy handling. Recall feature remembers last display when alarm stops.		3	\$16.60
<b>5817FS</b>	Digital Continuous Ring Timer. Timer range: 99 minutes 59 seconds		4	\$45.50
<b>5822</b>	Recalls last timing event. 0.8" LCD readout. Counts up or counts down. Clip/magnet/stand positioning.		6	\$22.20
<b>5828</b>	Hour/minute timing. 1.5" LCD readout. Clock and date feature. Clip/magnet/stand positioning.		6	\$24.40
<b>5829</b>	10 numeric buttons makes it easy to input time. Minute/second timing. 0.75" LCD readout. Clock feature. Clip/magnet/stand positioning.		6	\$21.60
<b>5839N</b>	Digital timer times up to four events simultaneously. Each timer counts up to 9 hours, 59 minutes and 59 seconds. Loud 100 decibel alarms with a distinctive ring for each timer. Visual alerts - individual lights flash when each timer reaches zero. 0.9" LCD readout. Water resistant. Stand or wall mount		2	\$166.40

Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
5862	Compact 4 Event Digital Timer. Hour/minute timing. Times up to 99 hours 59 minutes. Counts up or counts down. Stainless steel faceplate. 0.8" LCD readout. 12 hour clock feature. Hang/magnet/stand positioning		6	\$21.20
5879	Flashing light timer. Get alerted with sound, light or vibration. Position with magnet, stand or clip		6	\$29.80
5873	Continuous Ring Digital Timer/Clock Timer range: 23 hrs, 59 minutes and 59 seconds, super loud timer up to 95 decibels, timer continues to ring until the user turns it off, features a clock and count up/count down, 2 - AAA batteries included		4	\$34.00
5896	Extra-large Jumbo Readout Digital Timer Features large 1.5" high x 2.5" wide display. Times up to 99 minutes, 59 seconds. Counts up or counts down. Memory function recalls last set timing event. Stand or hang with magnet. Operates on 1 LR44 battery (included).		6	\$20.40
5863	IP 65 Waterproof, 95 Decibel Adjustable Alarm, Impact resistant up to 6 feet, Times: 23 hrs. 59 min, 59 sec, Counts up/down w Memory Recall, Memory recall, Backlight and clock feature, Stands or Magnetic back.		4	\$48.80
5847-21	Digital Chrome Timer with Memory and Clock. Times up to 23 hours, 59 minutes, 59 seconds. Counts up or down. Chrome accents. 0.8" LCD readout. Memory function recalls last set timing event. 12/24 hour clock feature. Stand or hang with magnet. Operates on 1 "AAA" battery (included).		3	\$23.20
<b>Mechanical Timers</b>				
5832	Extra thin Jumbo Digital Timer with Oversize 1.3" 99 min, 59 sec timing. Counts down with memory recall. Clock and alarm function. LR1130 battery included.		6	\$14.80
<b>Salter Products</b>				
1020NFS	Aquatronic Digital Scale. Dry Capacity, 11lbs x 1/8oz, 5kg x 1 g Black with Stainless Steel Platform. Liquid Measure: 175 fl.oz. x 1/8 fl.oz. 5000 ml x 1 ml, Add and Weigh Tare feature, 2 - AAA Batteries Included, NSF Listed		4	\$73.20
<b>Electronic Portion Control Scales</b>				
TE10FT	10 lb x 0.1 oz / 5 kg x 1 g capacity. 5" x 5" stainless steel platform cover. Tare and auto off features (auto off can be disabled). Low battery /overload indicators. Operates on AC adapter (included) or two AAA batteries (not included)		4	\$151.40
TE22FT	22 lb x 0.1 oz (0.2 oz over 11 lbs) / 10 kg x 2 g (5g over 5 kgs) capacity. 7" x 4.5" stainless steel platform. Tare and auto off features (auto off can be disabled.) Low battery and overload indicators. Operates on AC adapter (included) or two AAA batteries (not included)		4	\$185.00

Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
TE11FT	11 lb x 0.1 oz / 5 kg x 1 g capacity. 7 1/4" x 4 5/8" stainless steel platform. Tare and auto off features (auto off can be disabled). AC adapter (included) or two AAA batteries (not included)		4	\$186.60
TE11FTP	11lb Digital Portion Control Scale. Meant for retail. 176 oz x 0.05 oz / 5 kg x 1 g. 5.25" x 5.25" removable stainless. Steel platform. Tare and hold function. Auto-off and disable auto-off. Adapter sold separately. 2-AAA batteries included		4	\$84.60
TE32FT	2 lb x 0.1 oz / 1 kg x 0.5 g capacity. 5" x 5" stainless steel platform cover. Tare and auto off features (auto off can be disabled). Operates on AC adapter (included) or two AAA batteries (not included)		4	\$138.00
TE10T	10 lb x 0.005 lb / 160 oz x 0.1 oz / 5 kg x 0.002 kg capacity. 6.7" x 6.7" stainless steel platform. Tare, hold, calibration and auto off features (auto off cannot be disabled.) Low battery /overload indicators. Operates on AC adapter (included) or 6 AAA batteries (not included)		4	\$513.80
TE10R	10 lb x 1/8 oz (1/4 oz over 2 lbs) / 10 lb x 0.1 oz (0.2 oz over 2 lbs) / 5 kg x 5 g capacity. 8" x 5" stainless steel platform. 0.5" LCD readout. Tare and hold features.		4	\$570.40
TE50	50 lb x 0.5 oz/22kg x 0.01kg capacity. 13.5" x 11.5" stainless steel platform. 1" LCD digits in a 1.25" blue backlit display. Calibration feature allows for in-field adjustment. Counting feature for exact measurements. Tare and hold functions.		4	\$640.80
TE10SSW	Waterproof housing with stainless steel platform and base. Capacity 10 lbs x 1/8 oz or 0.1oz / 5 kg x 2g. Corrosion-resistant 6 1/2" x 7". Tare, auto off, hold and low battery indicator features. Dual powered -110V adaptor or rechargeable battery (both included)		4	\$746.80
TE21P	21 oz scale. Tare and backlight features. Recalibratable. Includes count feature. Auto-off and disable auto-off when powered by batteries. Large 1" LCD readout. Removable S/S platform. Operates on 4-AA batteries (not included) or AC adapter (included). NSF listed. Capacity: 21 oz x 0.01oz/0.0002lb/600g x 01g		6	\$369.20
TEADPT12	Adaptor for TE10FT, TE11FT, TE22FT, TE32FT, TE22OS, 120V		1	\$38.80
TE22OS	Model TE22OS 22LB. Digital Scale with Oversized Platform Capacity: 22lbs x 0.1oz, 10kg x 2 g 11.25" (L) x 7.5" (W) – Platform Size (S/S) Low Profile Design Tare, Auto/Off and Low Battery Indicator AC adapter (included) or two AAA batteries (not included) NSF Listed		1	\$328.80
TE33OS	Model TE33OS 33LB		1	\$343.40
TE66OS	Model TE66OS 66LB		1	\$351.00

Case pack represents minimum order. Prepaid freight to dealer dock for minimum orders of \$2000 NET, otherwise FOB Mississauga. Drop ship orders will only be arranged using dealer LTL or courier account. Pricing and availability are subject to change.

Code	Description		Case Pack	2020 LIST Each
<b>TE30WD</b>	Model TE30WD 30lb. Wireless Digital Utility Scale, Capacity: 30lb/15kg Increments:0-9lbs x 0.05oz 9-30lbs x 0.1oz, 0-5kg x 2g 5-15kg x 5g, 14" x 14" S/S Platform Wireless display head, Touch-less Tare Feature, Auto/Off and Auto-Disable and low battery features, 2 - AC adapter (included) or 6 AA batteries (not included) NSF Listed		1	\$1,142.20
<b>3817</b>	Compact White Digital Scale 11 lbs x 0.1 oz/ 5 kg x 1g		1	\$41.40
<b>3817R</b>	Compact Red Digital Scale 11 lbs x 0.1 oz/ 5 kg x 1g		1	\$41.40
<b>Receiving Scales</b>				
<b>TE220FT</b>	Capacity: 220lb x 2oz / 100kg x 0.05kg Platform size: 10.94"x11.45" stainless steel. AC adapter included		1	\$332.60
<b>TE400</b>	400 lb x 0.5 lb / 180 kg x 0.2 kg. 6' cord and mounting bracket. Tare, hold, & recalibration features. Dual-powered by 120V adaptor (included) or 6 AA batteries (not included).		1	\$479.60
<b>TR250</b>	250lbs x 1lb with press lock feature. Heavy Duty Steel Mechanical Receiving Scale.		1	\$323.60
<b>Analog Portion Control Scales</b>				
<b>TS25KL</b>	Dual Scale 25 lb x 2 oz 11 kg x 50 g capacity		4	\$181.00
<b>TS32</b>	Dual Scale 32 oz x ¼ oz 900 g x 5 g capacity		4	\$180.80
<b>TS32D</b>	Rugged S/S construction, angled Dial design, protective shatterproof lens and removable platform. Internal dashpot and adjustable knob for tare feature. NSF listed. Capacity: 32 oz x ¼ oz 900g x 5 g.		4	\$207.00
<b>TS50</b>	50 lb x 4 oz capacity		4	\$181.00
<b>TS5</b>	Dual Scale 5 lb x ½ oz 2.3 kg x 20 g capacity		4	\$180.60
<b>Compact Analog Portion Control Scales</b>				
<b>TP16</b>	16 oz x ¼ oz capacity. Corrosion-resistant stainless steel construction. Internal stop mechanism. Bold dial graphics improves reading accuracy and ease of use		4	\$72.00