

BOOS[®]

STEEL

SPRING 2025 RETAILER'S GUIDE

SINCE 1887

johnboos.com




PREMIUM QUALITY MODULAR UNDERBAR DIE WALL SYSTEM

FEATURES

- Designed and built to exact dimensions
- Die wall structure, 18/300 stainless steel construction standard
- All underbar equipment attaches to die wall to eliminate need for most legs
- Ships in pre-assembled modular sections that bolt together to reduce installation time
- Easily removable front panels for easy installation and access to plumbing, electric, soda and beer lines
- Optional 18/300 stainless steel front panels or millwork by others
- Custom wood bar top's available
- Built in chase ways to conceal plumbing, electric, soda and beer lines

GET A QUOTE TODAY



1. VENT LINE CHASE, 2. ELECTRICAL CHASE, 3. BEER CHASE,
4. SODA CHASE, 5. WATER LINE CHASE, 6. PLUMBING CHASE



UNDERBAR EQUIPMENT

UNDERBAR COMPARTMENT SINKS



- 18GA 300 Series Stainless Steel
- 10"x14"x10" Deep Bowls With Corner Drains
- 4" O.C. Splash Faucet Holes With Removable Mounting Faucet Plate
- Bowls Are Fabricated, Not Deep Drawn
- Drainboard With Removable Perforated Insert
- Raised Marine Edge On Front And Sides
- Channel Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Includes Overflow Stand Pipes (PB-OVF-BS)
- * **Requires Shallow Splash Mount Faucet (Sold Separately)**
- * **Flexible Water Line Connectors Recommended With Shallow Mount Faucets (Sold Separately)**



CORNER DRAINS



UBS3-1860-2D12-X

SLIM-LINE (18" WIDTH)

3 Compartment	Bowl Size (L x W x D)	Drainboard Size	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBS3-1836-X	3 - 10"x14"x10"	NONE	36"x18"			
UBS3-1860-2D12-X	3 - 10"x14"x10"	(2) - 12" (LH & RH)	60"x18"		PBF-W2-10LF-X (Sold Separately)	PBF-4SM2-10LF-X (Sold Separately)
UBS3-1872-2D18-X	3 - 10"x14"x10"	(2) - 18" (LH & RH)	72"x18"			
UBS3-1884-2D24-X	3 - 10"x14"x10"	(2) - 24" (LH & RH)	84"x18"			
4 Compartment	Bowl Size (L x W x D)	Drainboard Size	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBS4-1848-X	4 - 10"x14"x10"	NONE	48"x18"			
UBS4-1872-2D12-X	4 - 10"x14"x10"	(2) - 12" (LH & RH)	72"x18"		PBF-W2-10LF-X (Sold Separately)	PBF-4SM2-10LF-X (Sold Separately)
UBS4-1884-2D18-X	4 - 10"x14"x10"	(2) - 18" (LH & RH)	84"x18"			
UBS4-1896-2D24-X	4 - 10"x14"x10"	(2) - 24" (LH & RH)	96"x18"			

STANDARD (21" WIDTH)

3 Compartment	Bowl Size (L x W x D)	Drainboard Size	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBS3-2136-X	3 - 10"x14"x10"	NONE	36"x21"			
UBS3-2160-2D12-X	3 - 10"x14"x10"	(2) - 12" (LH & RH)	60"x21"		PBF-W2-10LF-X (Sold Separately)	PBF-4SM2-10LF-X (Sold Separately)
UBS3-2172-2D18-X	3 - 10"x14"x10"	(2) - 18" (LH & RH)	72"x21"			
UBS3-2184-2D24-X	3 - 10"x14"x10"	(2) - 24" (LH & RH)	84"x21"			
4 Compartment	Bowl Size (L x W x D)	Drainboard Size	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBS4-2148-X	4 - 10"x14"x10"	NONE	48"x21"			
UBS4-2172-2D12-X	4 - 10"x14"x10"	(2) - 12" (LH & RH)	72"x21"		PBF-W2-10LF-X (Sold Separately)	PBF-4SM2-10LF-X (Sold Separately)
UBS4-2184-2D18-X	4 - 10"x14"x10"	(2) - 18" (LH & RH)	84"x21"			
UBS4-2196-2D24-X	4 - 10"x14"x10"	(2) - 24" (LH & RH)	96"x21"			

UNDERBAR CORNER SINKS



- 18GA 300 Series Stainless Steel
- LH/RH Bowls: 10"x14"x10", Center Bowl: 14"x14"x10"- Deep Bowls With Corner Drains
- (2) 4" O.C. Splash Mount Faucet Holes With Removable Mounting Faucet Plate
- Bowls Are Fabricated, Not Deep Drawn
- Drainboard With Removable Perforated Insert
- Raised Marine Edge On Front And Sides
- Channel Mounted Stainless Steel Legs & Bracing W/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area.
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Includes Overflow Stand Pipes (PB-OVF-BS)
- * **Requires (2) Shallow Splash Mount Faucets (Sold Separately)**
- * **Flexible Water Line Connectors Recommended With Shallow Mount Faucets (Sold Separately)**



UBS3C-2148-2D18-X

SLIM-LINE (18" WIDTH)

3 Compartment	Bowl Size (L x W x D)	Drainboard Size	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBS3C-1848-2D18-X	Center - 14"x14"x10" LH & RH - 10"x14"x10"	(2) - 18"	48"x18"		PBF-W2-10LF-X (Sold Separately)	PBF-4SM2-10LF-X (Sold Separately)

STANDARD (21" WIDTH)

3 Compartment	Bowl Size (L x W x D)	Drainboard Size	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBS3C-2148-2D18-X	Center - 14"x14"x10" LH & RH - 10"x14"x10"	(2) - 18"	48"x21"		PBF-W2-10LF-X (Sold Separately)	PBF-4SM2-10LF-X (Sold Separately)

UNDERBAR EQUIPMENT



UBSC-2124-X

UNDERBAR STORAGE CABINET WITH DRAINBOARD



- 18GA 300 Series Stainless Steel
- Includes Drain Hose
- Drainboard With Removable Perforated Insert
- Right Hand Hinged Door With Lock
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Bolt-On Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Predrilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area

SLIM-LINE (18" WIDTH)

Model	Overall Size (L x W)	
UBSC-1818-R-X	18"x18"	
UBSC-1824-R-X	24"x18"	

STANDARD (21" WIDTH)

Model	Overall Size (L x W)	
UBSC-2118-R-X	18"x21"	
UBSC-2124-R-X	24"x21"	



UBGR-2124-X



ADJUSTABLE RACK SLIDES



ADD-ON INTERMEDIATE SHELF

UNDERBAR GLASS RACK STORAGE CABINET



- 18GA 300 Series Stainless Steel
- Includes Drain Hose
- Drainboard With Removable Perforated Insert
- Bolt-On Stainless Steel Legs & Bracing W/Adj. Bullet Feet
- Adjustable Rack Slides: Supports (2) 20"x20" Glass Racks With Tall Stemware Or (3) 20"x20" Glass Racks With Standard Height Glassware (Not Included)
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area

Model	Overall Size (L x W)	
UBGR-2124-X	24"x21"	

ADD-ON INTERMEDIATE SHELF

Model	Overall Size (L x W x H)	
UBGRS-2021-X	21"x19-3/4"x1"	



45° INSIDE CORNER DRAINBOARDS



- 18GA 300 Series Stainless Steel
- Standard Pre-Drilled Holes On Sides For Attaching Adjacent Units Together
- Inside Corner 45° Angle
- Legs Not Included

Model	Overall Size (L x W x H)	
UBDB-1812-45-IC-X	12"x18"x17"	
UBDB-2112-45-IC-X	12"x21"x17"	

UNDERBAR RECESSED DRAINBOARDS

- 18GA Stainless Steel Construction
- Type 300 Stainless Steel With #4 Polish, Satin Finish
- Standard Pre-Drilled Holes On Sides For Attaching Adjacent Units Together
- Top Drain With (2) Removable Perforated Inserts
- Adjustable Stainless Steel Bullet Feet

Model	Overall Size (L x W)	
UBDBR-2112-X	12"x21"	
UBDBR-2118-X	18"x21"	
UBDBR-2124-X	24"x21"	



UNDERBAR DRAINBOARDS

- 18 GA 300 Series Stainless Steel
- Channel Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Pre-Installed Threaded Inserts For Additional Accessory Options
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Drainboard With Removable Perforated Insert



PRE-INSTALLED THREADED INSERTS FOR ADDITIONAL ACCESSORY OPTIONS

SLIM-LINE (18" WIDTH)

Model	Overall Size (L x W)	
UBDB-1812-X	12"x18"	
UBDB-1818-X	18"x18"	
UBDB-1824-X	24"x18"	
UBDB-1830-X	30"x18"	
UBDB-1836-X	36"x18"	

STANDARD (21" WIDTH)

Model	Overall Size (L x W)	
UBDB-2112-X	12"x21"	
UBDB-2118-X	18"x21"	
UBDB-2124-X	24"x21"	
UBDB-2130-X	30"x21"	
UBDB-2136-X	36"x21"	



UBDB-1824-X

UNDERBAR CORNER DRAINBOARD

- 18GA 300 Series Stainless Steel
- Channel Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Drainboard With Removable Perforated Insert

SLIM-LINE (18" WIDTH)

Model	Overall Size (L x W)	
UBDB-1818-90-IC-X	18"x18"	

STANDARD (21" WIDTH)

Model	Overall Size (L x W)	
UBDB-2121-90-IC-X	21"x21"	



UBDB-1818-90-IC-X

UNDERBAR EQUIPMENT

UNDERBAR DROP-IN DRAIN PANS




- 18GA Stainless Steel Construction
- Type 300 Stainless Steel With #4 Polish, Stain Finish
- Removable Grate With Finger Holes For Easy Cleaning
- 1/4" MPT Drain

SINGLE GRATE - 12" WIDTH

Model	Overall Size (L x W x H)	
UBDP-1224-X	24"x12"x3/4"	
UBDP-1230-X	30"x12"x3/4"	
UBDP-1236-X	36"x12"x3/4"	
UBDP-1242-X	42"x12"x3/4"	
UBDP-1248-X	48"x12"x3/4"	

18" WIDTH

Model	Overall Size (L x W x H)	
UBDP-1824-X	24"x12"x3/4"	
UBDP-1830-X	30"x12"x3/4"	
UBDP-1836-X	36"x12"x3/4"	
UBDP-1842-X	42"x12"x3/4"	
UBDP-1848-X	48"x12"x3/4"	



UNDERBAR BAR DRAINS

- 18GA Type 300 Stainless Steel With #4 Polish, Satin Finish
- 4" Front To Back Trough
- 8" Front To Back Overall Depth
- 3/4" Deep Trough
- Removable Perforated Grate With Finger Holes
- Drainpipe 1" Long With 1/4" MPT Threads

BAR DRAINS

Model	Overall Size (L x W)	
UBDR-12-X	12"x8"	
UBDR-18-X	18"x8"	
UBDR-24-X	24"x8"	
UBDR-30-X	30"x8"	
UBDR-36-X	36"x8"	
UBDR-42-X	42"x8"	
UBDR-48-X	48"x8"	

CORNER FILLERS

Model	Description	
UBDR-90-IC-X	90° Inside Corner	
UBDR-90-OC-X	90° Outside Corner	
UBDR-45-IC-X	45° Inside Corner	
UBDR-45-OC-X	45° Outside Corner	



UNDERBAR TRASH RECEPTACLE COVER WITH WASTE CHUTE



- 18GA 300 Series Stainless Steel
- Includes Predrilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Removable Trash Chute
- Mounts Between Existing Equipment
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Accommodates Rubbermaid Slim Jim® 16 Gal Trash Can (22"x11"x25") Not Included

Model	Overall Size (L x W)	
UBWC-2412-X	12"x24"	



PRE-DRILLED ATTACHED HOLES TO SECURELY
ATTACH ADJACENT EQUIPMENT TOGETHER.

UNDERBAR EQUIPMENT

UNDERBAR LIQUOR DISPLAY



- 18GA 300 Series Stainless Steel
- 3 Or 4 Step Liquor Display
- Channel Mounted Stainless Steel Legs & Bracing W/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing
- 45° Angled Bottle Dividers For Easy Labeling

SLIM-LINE (18" WIDTH) - 3 STEP

Model	Overall Size (L x W)	Add-On Locking Cover
UBLD-1812-X	12"x18"	UBLDC-1812-X New
UBLD-1818-X	18"x18"	UBLDC-1818-X New
UBLD-1824-X	24"x18"	UBLDC-1824-X New

STANDARD (21" WIDTH) - 4 STEP

Model	Overall Size (L x W)	Add-On Locking Cover
UBLD-2112-X	12"x21"	UBLDC-2112-X New
UBLD-2118-X	18"x21"	UBLDC-2118-X New
UBLD-2124-X	24"x21"	UBLDC-2124-X New



UBLCD-1812-X



UBLD-2124-X

UNDERBAR POINT OF SALE CABINET



- 18GA 300 Series Stainless Steel
- 6" High Back And Side Splashes
- 2" Rubber Grommet In Top Back Center To Route Cables
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Bolt-On Stainless Steel Legs & Bracing W/Adj. Bullet Feet
- Right Hand Hinged Door With Lock
- Vented Door For Increased Air Circulation
- 14-1/4" Opening In Front Base To House CPU
- 12"x12" Cutout In Back Of Unit For Electrical Accessibility

SLIM-LINE (18" WIDTH)

Model	Overall Size (L x W x H)
UBPS-2418-R-X	18"x24"

STANDARD (21" WIDTH)

Model	Overall Size (L x W x H)
UBPS-2424-R-X	24"x24"



2" CABLE ROUTING HOLE

UBPS-2418-R-X

UNDERBAR SIDE SPLASH KIT



- 18GA Type 300 Stainless Steel
- Each Side Splash Sold Separately
- Fits 18" or 21" Width

Description	Slim-Line (18" Width)	Standard (21" Width)
LH - (3) Screws	UBSS-18-L-X	UBSS-21-L-X
RH - (3) Screws	UBSS-18-R-X	UBSS-21-R-X



UNDERBAR SODA GUN CHASE FILLER



- 18GA Type 300 Stainless Steel With Removable Cover
- Mounts To Adjacent Underbar Equipment
- Slotted Key Holes On Back For Additional Mounting Options

Model	Overall Size (L x W x H)
UBSMH-1804-X	4"x18"x17"
UBSMH-2104-X	4"x21"x17"



ADJUSTABLE MANIFOLD HOUSING



UNDERBAR EQUIPMENT



UBIB-1824-X



REMOVABLE SODA LINE ACCESS
PLATE
(COLD PLATE MODEL ONLY)

UNDERBAR INSULATED ICE BINS



UNDERBAR ICE BIN

- 18GA 300 Series Stainless Steel
- Insulated Ice Bin 12" Deep w/Drain
- Includes Removable Soda Line Access Plate On Cold Plate Models Only
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area.
- Gusset Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Pre-Installed Threaded Inserts For Additional Accessory Options
- 29-1/2" Working Height
- Ice Bin Lids Included

COLD PLATE

- Stainless Steel Circuits In Solid Aluminum Plate
- Available In 7-Circuit And 10-Circuit Cold Plate

SLIM-LINE 18" WIDTH

Overall Size (L x W)	No Cold Plate		With 7 Circuit Cold Plate		With 10 Circuit Cold Plate	
24"x18"	UBIB-1824-X		UBIB-1824-CP7-X		-	-
30"x18"	UBIB-1830-X		UBIB-1830-CP7-X		UBIB-1830-CP10-X	
36"x18"	UBIB-1836-X		UBIB-1836-CP7-X		UBIB-1836-CP10-X	
48"x18"	UBIB-1848-X		-	-	UBIB-1848-CP10-X	

STANDARD (21" WIDTH)

Overall Size (L x W)	No Cold Plate		With 7 Circuit Cold Plate		With 10 Circuit Cold Plate	
24"x21"	UBIB-2124-X		UBIB-2124-CP7-X		-	-
30"x21"	UBIB-2130-X		UBIB-2130-CP7-X		UBIB-2130-CP10-X	
36"x21"	UBIB-2136-X		UBIB-2136-CP7-X		UBIB-2136-CP10-X	
48"x21"	UBIB-2148-X		-	-	UBIB-2148-CP10-X	



UBIB-1812-X

UNDERBAR INSULATED ICE BINS WITH 6 BOTTLE HOLDER LID



UNDERBAR ICE BIN

- 18GA 300 Series Stainless Steel
- Insulated Ice Bin 12" Deep w/Drain
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area.
- Gusset Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Pre-Installed Threaded Inserts For Additional Accessory Options
- 29-1/2" Working Height
- Ice Bin Lids Included

COLD PLATE

- Stainless Steel Circuits In Solid Aluminum Plate
- Available In 7-Circuit And 10-Circuit Cold Plate

SLIM-LINE 18" WIDTH

Model	Overall Size (L x W x H)	
UBIB-1812-X	12"x18"x29-1/2"	

STANDARD (21" WIDTH)

Model	Overall Size (L x W x H)	
UBIB-2112-X	12"x21"x29-1/2"	

UNDERBAR MOBILE ICE CADDY



- 18GA, Type 300 Series Stainless Steel
- Sliding Cover
- Foam Filled Insulated Basin
- 1/4 Turn Drain Valve In Center
- Includes 5" Locking Casters

Model	Overall Size (L x W x H)	Ice Capacity (lbs)	
UBIC-2430-X	30"x23-1/2"x31-3/16"	166	



5" LOCKING CASTERS



ICE BIN ACCESSORIES

ADD-ON COCKTAIL LID WITH BOTTLE WELL HOLDER

Model	Description	Fits Sizes	
UBIBL-1824-BWH-X	Slim-Line (18" Width)	24"x18"	
UBIBL-1830-BWH-X	Slim-Line (18" Width)	30"x18"	
UBIBL-1836-BWH-X	Slim-Line (18" Width)	36"x18"	
UBIBL-1848-BWH-X	Slim-Line (18" Width)	48"x18"	
UBIBL-2124-BWH-X	Standard (21" Width)	24"x21"	
UBIBL-2130-BWH-X	Standard (21" Width)	30"x21"	
UBIBL-2136-BWH-X	Standard (21" Width)	36"x21"	
UBIBL-2148-BWH-X	Standard (21" Width)	48"x21"	



UBIBL-1824-BWH-X

ADD-ON COCKTAIL LID WITH (2) BOTTLE WELL HOLDERS

Model	Description	Fits Sizes	
UBIBL-1824-BWH-2-X	Slim-Line (18" Width)	24"x18"	
UBIBL-1830-BWH-2-X	Slim-Line (18" Width)	30"x18"	
UBIBL-1836-BWH-2-X	Slim-Line (18" Width)	36"x18"	
UBIBL-1848-BWH-2-X	Slim-Line (18" Width)	48"x18"	
UBIBL-2124-BWH-2-X	Standard (21" Width)	24"x21"	
UBIBL-2130-BWH-2-X	Standard (21" Width)	30"x21"	
UBIBL-2136-BWH-2-X	Standard (21" Width)	36"x21"	
UBIBL-2148-BWH-2-X	Standard (21" Width)	48"x21"	



UBIBL-1824-BWH-2-X

ICE BIN DIVIDERS

Model	Description	
UBIBD-1510-X	18" Deep/7 or 10 Circuit Cold Plates	
UBIBD-1513-X	18" Deep/Without Cold Plates	
UBIBD-1810-X	21" Deep/7 or 10 Circuit Cold Plates	
UBIBD-1813-X	21" Deep/Without Cold Plates	

ADD-ON BOTTLE WELL HOLDER

Model	Description	
UBBWH-18-X	Slim-Line 18" Width Ice Bins	
UBBWH-21-X	Standard 21" Width Ice Bins	



UBIBD-1510-X



UBBWH-18-X

UNDERBAR EQUIPMENT



UBBB-2460-X

UNDERBAR MOBILE ICE CHEST



- 1/2" Thick Insulated 18GA 300 Series Stainless Steel Ice Bin
- Stainless Steel Legs & Bracing
- 1/2" Center Drain
- Includes 18GA 300 Series Stainless Steel Lid
- 5" Locking Casters

Model	Overall Size (L x W)	Ice Capacity (lbs)	
New UBBB-2436-X	36"x24"	219	
UBBB-2448-X	48"x24"	296	
UBBB-2460-X	60"x24"	373	



1/2" CENTER DRAIN



5" LOCKING CASTERS



UBSR2-18-X

UNDERBAR SPEED RAILS



- 18GA 300 Series Stainless Steel
- Keyhole Mount

Length	Single Tier		Double Tier	
12"	UBSR1-12-X		UBSR2-12-X	
18"	UBSR1-18-X		UBSR2-18-X	
24"	UBSR1-24-X		UBSR2-24-X	
30"	UBSR1-30-X		UBSR2-30-X	
36"	UBSR1-36-X		UBSR2-36-X	
42"	UBSR1-42-X		UBSR2-42-X	
48"	UBSR1-48-X		UBSR2-48-X	



UBSR2-18-X

UNDERBAR SPEED RAILS COVERS

- 18GA 300 Series Stainless Steel
- Uses Padlock To Secure To The Speed Rail. Padlock Not Included

Length	Single Tier		Double Tier	
12"	UBSR1C-12-X		UBSR2C-12-X	
18"	UBSR1C-18-X		UBSR2C-18-X	
24"	UBSR1C-24-X		UBSR2C-24-X	
30"	UBSR1C-30-X		UBSR2C-30-X	
36"	UBSR1C-36-X		UBSR2C-36-X	
42"	UBSR1C-42-X		UBSR2C-42-X	
48"	UBSR1C-48-X		UBSR2C-48-X	

UNDERBAR EQUIPMENT

UNDERBAR INSULATED DROP-IN ICE BINS

- 14GA Type 300 Stainless Steel Deck
- 18GA Type 300 Stainless Steel Base
- Includes Ice Bin Lid and Drain



PB-DIIB2820CP10-X

DROP-IN ICE BINS WITH 10-CIRCUIT COLD PLATE

Model	Overall Size (L x W x H)
PB-DIIB2820CP10-X	20"x28"x14-3/8"
PB-DIIB3420CP10-X	20"x34"x14-3/8"

DROP-IN ICE BINS

Model	Overall Size (L x W x H)
PB-DIIB1218-X	18"x12"x14-3/8"
PB-DIIB2218-X	18"x22"x14-3/8"
PB-DIIB2818-X	18"x28"x14-3/8"
PB-DIIB3418-X	18"x34"x14-3/8"
New PB-DIIB2420-16-X	20"x24"x16"


DROP-IN ICE BIN WITH WATER STATION




- 14GA Type 300 Stainless Steel Deck
- 18GA Type 300 Stainless Steel Base
- Includes Ice Bin Lid, Water Sink Grate, Removable Side Splash And Drains
- Optional With Or Without Glass Filler Faucet



PB-DIIBWS1821-P-X




PB-DIIBWS1821-X



PB-DIIBWS2118-P-X

INCLUDES
REMOVABLE SIDE
SPLASH



PB-DIIBWS2118-X

Model	Basin Size (L x W x D)	Overall Size (L x W x H)	Faucet
PB-DIIBWS1821-P-X	13"x9"x11"	18"x21"x13"	Includes Faucet PBF-SGF-LF
PB-DIIBWS1821-X	13"x9"x11"	18"x21"x13"	N/A
PB-DIIBWS2118-P-X	9"x13"x11"	21"x18"x13"	Includes Faucet PBF-SGF-LF
PB-DIIBWS2118-X	9"x13"x11"	21"x18"x13"	N/A

UNDERBAR INSULATED BOTTLE WELL HOLDERS

- 18GA Stainless Steel Construction
- Type 300 Stainless Steel With #4 Polish, Satin Finish
- 21" Deep Front To Back
- Side Holes And Key Hole Slot For Attaching To Adjacent Ice Bin
- Standard Front Inserts For Speed Rail Attachment

Model	Description	Overall Size (L x W x H)
UBIB-2106-X	Without Soda Chase, 4 Comp.	6"x21"x17"
UBIB-2106-CH-X	With Soda Chase, 3 Comp.	6"x21"x17"



UBIB-2106-X

UBIB-2106-CH-X

UNDERBAR EQUIPMENT



UBJB-2736-CP7-X



3 BOTTLE WELL HOLDERS WITH SODA GUN CHASE



4 BOTTLE WELL HOLDERS WITHOUT SODA GUN CHASE

CASINO JOCKEY BOX

New

- 18GA 300 Series Stainless Steel
- Stainless Steel Legs & Bracing, 3" Tall Backsplash
- 7 or 10 Circuit Ice Bins Available
- Includes 2 Piece Sliding Lid
- Includes Side Mount Bottle Well Holders
- (1) 24" Wide Speed Rail, (1) 36" Wide Speed Rail
- Adjustable Bullet Feet
- Available With or Without Soda Gun Chase

(LH & RH) 4 BOTTLE WELL HOLDERS, WITHOUT SODA GUN CHASE

Model	Cold Plate Circuits	Overall Size (L x W)	
UBJB-2736-CP7-X	7	36"x26-1/2"	
UBJB-2742-CP10-X	10	42"x26-1/2"	
UBJB-2748-CP10-X	10	48"x26-1/2"	

(LH & RH) 3 BOTTLE WELL HOLDERS, WITH SODA GUN CHASE

Model	Cold Plate Circuits	Overall Size (L x W)	
UBJB-2736-CP7-CH-X	7	36"x26-1/2"	
UBJB-2742-CP10-CH-X	10	42"x26-1/2"	
UBJB-2748-CP10-CH-X	10	48"x26-1/2"	



UBMS-2112-X



UBMS-2112-X

UNDERBAR MIXOLOGY STATIONS



- 18GA 300 Series Stainless Steel
- Push-Down Rinser Faucet
- 10"x8"x6" Fabricated Sink Bowl With 9-1/2" x 6" x 5" Perforated Dump Basket
- Dipper Well (Faucet Not Included)
- 4" O.C. Splash Mount Faucet Holes With Removable Mounting Faucet Plate, Requires Shallow Splash Mount Faucet (Sold Separately)
- Channel Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing Onto Die Wall
- Pre-Installed Threaded Inserts For Additional Accessory Options
- Flexible Water Line Connectors Recommended With Shallow Mount Faucets (Sold Separately)

SLIM-LINE (18" WIDTH)

Model	Description	Overall Size (L x W)	
UBMS-1812-X	Dump Sink w/Rinser Unit	12"x18"	
UBMS-1824-X	Dump Sink w/Rinser Unit, Dipper Well & Poly Cutting Board	24"x18"	

STANDARD (21" WIDTH)

Model	Description	Overall Size (L x W)	
UBMS-2112-X	Dump Sink w/Rinser Unit	12"x21"	
UBMS-2124-X	Dump Sink w/Rinser Unit, Dipper Well & Poly Cutting Board	24"x21"	

DIPPER WELL & FAUCET

Model	Description	
PB-DWBA-X	(1) Bowl 5-1/2"x5-1/2" (1) Basket 5"x4-1/2"	
PBF-DWF-G-X	Dipper Well Faucet, Deck Mount, Lead Free, Chrome Plated	



PB-DWBA-X



PBF-DWF-G-X

UNDERBAR HAND SINK W/SOAP & TOWEL DISPENSER



- 18GA Stainless Steel
- 4" O.C. Splash Mount Faucet Holes With Removable Mounting Faucet Plate
- Soap & Paper Towel Dispenser
- Channel Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing
- * **Requires Shallow Splash Mount Faucet (Sold Separately)**
- * **Flexible Water Line Connectors Recommended With Shallow Mount Faucets (Sold Separately)**

SLIM-LINE (18" WIDTH)

Model	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBHS-1812-X	12"x18"		PBF-W2-3GLF-X (Sold Separately)	PBF-4SM2-3GLF-X (Sold Separately)

STANDARD (21" WIDTH)

Model	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBHS-2112-X	12"x21"		PBF-W2-3GLF-X (Sold Separately)	PBF-4SM2-3GLF-X (Sold Separately)



UBHS-2112-X

UNDERBAR DUMP SINK



- 18GA 300 Series Stainless Steel
- Fabricated Sink Bowl: 14"x10"x6"
- Stainless Steel Scrap Basket Included
- 4" O.C. Splash Mount Faucet Holes With Removable Mounting Faucet Plate
- Channel Mounted Stainless Steel Legs & Bracing w/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing
- Pre-Installed Threaded Inserts For Additional Accessory Options
- 29-1/2" Working Height
- * **Requires Shallow Splash Mount Faucet (Sold Separately)**
- * **Flexible Water Line Connectors Recommended With Shallow Mount Faucets (Sold Separately)**

SLIM-LINE (18" WIDTH)

Model	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBDS-1812-X	12"x18"		PBF-W2-6LF-X (Sold Separately)	PBF-4SM2-6LF-X (Sold Separately)

STANDARD (21" WIDTH)

Model	Overall Size (L x W)		Economy Faucet	Heavy Duty Faucet
UBDS-2112-X	12"x21"		PBF-W2-6LF-X (Sold Separately)	PBF-4SM2-6LF-X (Sold Separately)



PRE-INSTALLED THREADED INSERTS FOR ADDITIONAL ACCESSORY OPTIONS



UBDS-2112-X

UNDERBAR ADD-ON RINSER UNIT



- 18GA 300 Series Stainless Steel
- Push-Down Rinsing Faucet
- 10"x8"x6" Fabricated Sink Bowl With 9-1/2" x 6" x 5" Perforated Dump Basket
- Dipper Well (Faucet Not Included)

Model
UBRS-12-X



UNDERBAR EQUIPMENT



UNDERBAR BLENDER STATION



- 18GA 300 Series Stainless Steel
- 4" O.C. Splash Mount Faucet Holes With Removable Mounting Faucet Plate
- Channel Mounted Stainless Steel Legs & Bracing W/Adj. Bullet Feet
- Includes Pre-Drilled Attachment Holes To Securely Attach Adjacent Equipment Together For A Uniform Underbar Area
- Includes "Z" Clips For Optional Wall Mounting/Securing
- 2" Rubber Grommet To Route Electrical Cord
- 29-1/2" Working Height
- **Requires Shallow Splash Mount Faucet (Sold Separately)**
- *** Flexible Water Line Connectors Recommended With Shallow Mount Faucets (Sold Separately)**

SLIM-LINE (18" WIDTH)

Model	Fab Sink Bowl Size	Overall Size (L x W)	Economy Faucet	Heavy Duty Faucet
UBBS-1824-X	14"x10"x6"	24"x18"	PBF-W2-6LF-X (Sold Separately)	PBF-4SM2-6LF-X (Sold Separately)

STANDARD (21" WIDTH)

Model	Fab Sink Bowl Size	Overall Size (L x W)	Economy Faucet	Heavy Duty Faucet
UBBS-2112-X	10"x8"x6"	12"x21"	PBF-W2-3GLF-X (Sold Separately)	PBF-4SM2-3GLF-X (Sold Separately)
UBBS-2118-X	10"x8"x6"	18"x21"		



PRODUCT IN USE,
MACHINE NOT INCLUDED

UNDERBAR FROZEN DRINK MACHINE STAND



- 18GA 300 Series Stainless Steel
- 1" Deep Drain Pan With Chamfered Front
- Drain Centered In Rear
- Stainless Steel Legs & Side Bracing
- Adjustable Stainless Steel Bullet Feet


Model	Overall Size (L x W x H)
UBBS-2918-X	18"x29"x32-1/2"

UNDERBAR BOLT-ON BLENDER SHELF



- 18GA 300 Series Stainless Steel
- Bolt-On
- Electric Cord Cut-Out With Rubber Grommet

Model	Overall Size (L x W)
UBBSS-12-X	12"x8"
UBBSS-18-X	18"x8"



UL LISTED CUSTOM BUILT FOODSERVICE EQUIPMENT



John Boos & Co. is UL Listed for Custom Built Foodservice Equipment in the U.S. and Canada. We design and fabricate equipment with food safety in mind, ensuring rigorous testing and inspections for UL certification.

Our UL Listed Chef's Counter highlights this certification. These counters are customizable in size and shape, with easy assembly and disassembly for any job site. We provide 3D CAD drawings for approval and allow customers to choose UL Listed equipment for installation. (Note: Customer-supplied equipment must be UL Listed.)

Counters are available in single or three-phase electrical service and include a 1-year manufacturer warranty.

- UL Listed Custom Fabrication
- Single & Three Phase Electrical Service Available
- Limitless Sizes And Configurations Available
- Installation Of Customer Supplied Equipment Included
- 3-D Drawings Included For Customer Approvals
- 14GA Stainless Steel Top (Gauge Preference Available)
- 16GA Stainless Steel Double Overshelf (Gauge Preference Available)
- 18GA Stainless Steel Cabinet Base (Gauge Preference Available)
- 100 Amp Single Phase Service Panel
- 240 Volt NEMA6-20P GFI Outlet
- 120 Volt GFI Outlet
- Custom Heated Cabinet



REQUEST A CUSTOM QUOTE!

EMAIL: QUOTES@JOHNBOOS.COM

CABINETS



PBJC-224884-L-X

DELUXE JANITOR CABINET WITH MOP SINK



- 18GA Type 300 Stainless Steel With #4 Polish Satin Finish
- (2) Vented Swing Doors With Lock Handles
- Available In Left Side or Right Side Configuration
- MOP SINK Compartment Side Includes:
 - (1) Oversized Mop Sink 20"x16"x12" with 3-1/2" Drain
 - (1) Overhead Storage Shelf With Panel Backing
 - (2) Mop/Broom Holders With Locking Cam On Front Shelf
 - Panel-Less Back
- Storage Compartment Side Includes:
 - (3) Storage Shelves
 - Bottom Storage Area
- Includes (1) Heavy Duty Service Faucet (PBF-SS-6-X)
- Includes (1) 10' Service Faucet Hose (PB-HOSE-120-X)

Model	Description	Mop Sink Location	
PBJC-224884-L-X	48"x21-13/16"x84"	Left	
PBJC-224884-R-X	48"x21-13/16"x84"	Right	



PBJC-303084-X

JANITOR CABINET WITH MOP SINK



- 18GA Type 300 Stainless Steel With #4 Polish Satin Finish
- All Exposed Hardware Is Tamper Proof
- (2) Vented Swing Doors With Lock Handles
- Overhead Storage Shelf With Panel Backing
- (2) Mop/Broom Holders With Locking Cam On Front Shelf
- Bottoms Of Bowls Formed For Drainage To 3-1/2" Diameter Die Stamped Opening
- Panel-less Back
- Includes (1) Heavy Duty Service Faucet (PBF-SS-6-X)
- Includes (1) 10' Service Faucet Hose (PB-HOSE-120-X)
- Mounting Location Of Service Faucet Can Be Specified By Kitchen Equipment Contractor

Model	Bowl Size (L x W x H)	Overall Size (L x W x H)	
PBJC-222584-X	20"x16"x12"	25"x22"x84"	
PBJC-303084-X	24"x24"x12"	30"x30"x84"	



TCH-224884-X

STORAGE CABINETS

- 18GA Type 400 Series Stainless Steel With #4 Polish, Satin Finish
- (4) Adjustable Stainless Steel Shelves
- Two Swing Lockable Doors
- Sloped Top
- Adjustable Bullet Feet
- Mounting Holes In Back Panel To Securely Fasten To Wall

Model	Overall Size (L x W x H)	
TCH-223684-X	22"x36"x84"	
TCH-224884-X	22"x48"x84"	

MAT WASH CABINET

- 18GA Type 300 Stainless Steel With #4 Polish Satin Finish
- (2) Swing Double Panel Doors With Lock Handle
- Mat Hangers
- (1) Oversized Sink 38"x20"x6" with 3-1/2" Drain
- (1) Side Mounted Mop/Broom Holder With Locking Cam
- (1) Fold Down Chemical Shelf
- (1) Service Faucet and 10' hose
- Vented Door Panels
- Includes (1) Heavy Duty Service Faucet (PBF-SS-6-X)
- Includes (1) 10' Service Faucet Hose (PB-HOSE-120-X)

Model	Overall Size (L x W x H)	Mop Sink Size (L x W x H)	
PBMC-224884-X	43"x26"x83"	38"x20"x6"	



BEVERAGE UNIT CABINET

- 14GA Type 300 Stainless Steel Top with 5" High Rear Backsplash
- Stallion Edge Front, Straight Turndown on Sides
- 18GA Type 400 Stainless Steel Base
- Front Hinged Doors
- Stainless Steel Legs & Adjustable Feet
- 6" Diameter Trash Chute
- Accommodates 16 GAL Slim Jim Trash Can. Not Included.
- Clear Dimensions 15" W x25-3/4" H.
- Overall Height 40-3/4"

Model	Trash Chute Location	Overall Size (L x W)	
4BU4R5-3648-L-X	Left Side	48"x36"	
4BU4R5-3648-R-X	Right Side	48"x36"	
4BU4R5-3660-L-X	Left Side	60"x36"	
4BU4R5-3660-R-X	Right Side	60"x36"	
4BU4R5-3672-L-X	Left Side	72"x36"	
4BU4R5-3672-R-X	Right Side	72"x36"	



4BU4R5-3672-L-X

ECONOMY DISH STORAGE CABINET

- 18GA 300 Series Stainless Steel
- Fixed Mid-Shelf

Model	Overall Size (L x W)	
EDSC8-1548-X	48"x15"	
EDSC8-1560-X	60"x15"	
EDSC8-1572-X	72"x15"	
EDSC8-1848-X	48"x18"	
EDSC8-1860-X	60"x18"	
EDSC8-1872-X	72"x18"	



EDSC8-1560-X

MOBILE DRAWER CABINET

- 18GA Type 300 Stainless Steel
- Stainless Steel Flat Top With Front Stallion Edge
- 3 Tier Drawer (Available With and Without Locks)
- Removable Pans
- Heavy Duty 5" Locking Casters
- Overall Height 33-3/4"

Model	Description	Overall Size (L x W)	
4CD4-2724-C-X	Locks - N/A	24"x26-1/2"	
4CD4-2730-C-X	Locks - N/A	30"x26-1/2"	
4CD4-2724-CL-X	Locks - Included	24"x26-1/2"	
4CD4-2730-CL-X	Locks - Included	30"x26-1/2"	



REMOVABLE PANS

4CD4-2724-CL-X

COMPARTMENT SINKS - "B-SERIES"

1 & 2 BOWL COMPARTMENT SINKS - "B-SERIES" 16 GA

- 16GA 300 Series Stainless Steel Bowl And Deck
- 8" O.C. Faucet Holes
- Stainless Steel Legs And Adj. Bullet Feet
- Includes Front To Back Adj. Stainless Bracing



1B18244-X



1B18244-1D18R-X



1B18244-1D18L-X



1B18244-2D18-X



2B18244-X



2B18244-1D18L-X



2B18244-1D18R-X



2B18244-2D18-X

1 COMPARTMENT SINK - "B-SERIES" 16 GA

Model	1 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
1B16204-X	1 - 16"x20"x14"	21"x25-1/2"	
1B16204-1D18L-X/1D18R-X	1 - 16"x20"x14" (18" Lh Or Rh Drainboard)	38"x25-1/2"	
1B16204-2D18-X	1 - 16"x20"x14" (18" Lh & Rh Drainboard)	55"x25-1/2"	
1B184-X	1 - 18"x18"x14"	23"x23-1/2"	
1B184-1D18L-X/1D18R-X	1 - 18"x18"x14" (18" LH or RH Drainboard)	40"x23-1/2"	
1B184-2D18-X	1 - 18"x18"x14" (18" LH & RH Drainboard)	57"x23-1/2"	
1B18244-X	1 - 18"x24"x14"	23"x29-1/2"	
1B18244-1D18L-X/1D18R-X	1 - 18"x24"x14" (18" LH or RH Drainboard)	40"x29-1/2"	
1B18244-2D18-X	1 - 18"x24"x14" (18" LH & RH Drainboard)	57"x29-1/2"	
1B18244-1D24L-X/1D24R-X	1 - 18"x24"x14" (24" LH or RH Drainboard)	46"x29-1/2"	
1B18244-2D24-X	1 - 18"x24"x14" (24" LH & RH Drainboard)	69"x29-1/2"	
1B244-X	1 - 24"x24"x14"	29"x29-1/2"	
1B244-1D24L-X/1D24R-X	1 - 24"x24"x14" (24" LH or RH Drainboard)	52"x29-1/2"	
1B244-2D24-X	1 - 24"x24"x14" (24" LH & RH Drainboard)	75"x29-1/2"	

2 COMPARTMENT SINKS - "B-SERIES" 16 GA

Model	2 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
2B16204-X	2 - 16"x20"x14"	37"x25-1/2"	
2B16204-1D18L-X/1D18R-X	2 - 16"x20"x14" (18" LH or RH Drainboard)	54"x25-1/2"	
2B16204-2D18-X	2 - 16"x20"x14" (18" LH & RH Drainboard)	71"x25-1/2"	
2B184-X	2 - 18"x18"x14"	41"x23-1/2"	
2B184-1D18L-X/1D18R-X	2 - 18"x18"x14" (18" LH or RH Drainboard)	58"x23-1/2"	
2B184-2D18-X	2 - 18"x18"x14" (18" LH & RH Drainboard)	75"x23-1/2"	
2B18244-X	2 - 18"x24"x14"	41"x29-1/2"	
2B18244-1D18L-X/1D18R-X	2 - 18"x24"x14" (18" LH or RH Drainboard)	58"x29-1/2"	
2B18244-2D18-X	2 - 18"x24"x14" (18" LH & RH Drainboard)	75"x29-1/2"	
2B244-X	2 - 24"x24"x14"	53"x29-1/2"	
2B244-1D24L-X/1D24R-X	2 - 24"x24"x14" (24" LH or RH Drainboard)	76"x29-1/2"	
2B244-2D24-X	2 - 24"x24"x14" (24" LH & RH Drainboard)	99"x29-1/2"	

STAINLESS STEEL WALL CABINETS

- 18GA 300 Series Stainless Steel With #4 Polish Satin Finish
- Includes Fixed Shelf
- Mounting Rail On Top Back For Ease Of Mounting To Wall
- Available With Hinged Doors, Sliding Doors, Or No Doors

Overall Size (L x W x H)	Hinged Doors		Sliding Doors		No Doors	
36"x14-1/2"x36"	WCH-36-X		WCS-36-X		WCO-36-X	
48"x14-1/2"x36"	WCH-48-X		WCS-48-X		WCO-48-X	
60"x14-1/2"x36"	WCH-60-X		WCS-60-X		WCO-60-X	



WCH-48-X

COMPARTMENT SINKS - "B-SERIES"

3 & 4 BOWL COMPARTMENT SINKS - "B-SERIES" 16 GA



- 16GA 300 Series Stainless Steel Bowl And Deck
- 8" O.C. Faucet Holes
- Stainless Steel Legs And Adj. Bullet Feet
- Includes Front To Back Adj. Stainless Bracing

3 COMPARTMENT SINKS - "B-SERIES" 16 GA

Model	3 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
3B16204-X	3 - 16"x20"x14"	53"x25-1/2"	
3B16204-1D18L-X/1D18R-X	3 - 16"x20"x14" (18" LH or RH Drainboard)	70"x25-1/2"	
3B16204-2D18-X	3 - 16"x20"x14" (18" LH & RH Drainboard)	87"x25-1/2"	
3B16204-2D24-X	3 - 16"x20"x14" (24" LH & RH Drainboard)	99"x25-1/2"	
3B16204-2D36-X	3 - 16"x20"x14" (36" LH & RH Drainboard)	123"x25-1/2"	
3B184-X	3 - 18"x18"x14"	59"x23-1/2"	
3B184-1D18L-X/1D18R-X	3 - 18"x18"x14" (18" LH or RH Drainboard)	76"x23-1/2"	
3B184-2D18-X	3 - 18"x18"x14" (18" LH & RH Drainboard)	93"x23-1/2"	
3B18244-X	3 - 18"x24"x14"	59"x29-1/2"	
3B18244-1D18L-X/1D18R-X	3 - 18"x24"x14" (18" LH or RH Drainboard)	76"x29-1/2"	
3B18244-2D18-X	3 - 18"x24"x14" (18" LH & RH Drainboard)	93"x29-1/2"	
3B18244-2D24-X	3 - 18"x24"x14" (24" LH & RH Drainboard)	105"x29-1/2"	
3B20304-2D20-X	3 - 20"x30"x14" (20" LH & RH Drainboard)	103"x35-1/2"	
3B20304-2D24-X	3 - 20"x30"x14" (24" LH & RH Drainboard)	111"x35-1/2"	
3B20304-2D30-X	3 - 20"x30"x14" (30" LH & RH Drainboard)	123"x35-1/2"	
3B244-X *	3 - 24"x24"x14"	77"x29-1/2"	
3B244-1D24L-X/1D24R-X *	3 - 24"x24"x14" (24" LH or RH Drainboard)	100"x29-1/2"	
3B244-2D24-X *	3 - 24"x24"x14" (24" LH & RH Drainboard)	123"x29-1/2"	

*NOTE: (Supplied with 2 Sets of Faucet Holes)

4 COMPARTMENT SINKS - "B-SERIES" 16 GA

Model	4 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
4B18244-2D18-X *	4 - 18"x24"x14" (18" LH & RH Drainboard)	111"x29-1/2"	

*NOTE: (Supplied with 2 Sets of Faucet Holes)



3B18244-X



3B18244-1D18L-X



3B18244-1D18R-X



3B18244-2D18-X



4B18244-2D18-X

COMPARTMENT SINK SIDE SPLASH

- 18GA 300 Stainless Steel
- Fits Left or Right Side Of Sink
- Sold Individually



Model	Fits Bowl Width	
PB-RES-18-X	18"	
PB-RES-20-X	20"	
PB-RES-24-X	24"	

COMPARTMENT SINKS - "E-SERIES"

COMPARTMENT SINKS: "E-SERIES" 18 GA

- 18GA 300 Series Stainless Steel Bowl And Deck
- Galvanized Legs And Adj. Plastic Bullet Feet
- 8" O.C. Faucet Holes



E1S8-1620-12-X

12" DEEP BOWL - 1 COMPARTMENT SINK - "E-SERIES" 18 GA

Model	1 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)
E1S8-1620-12-X	(1) 16"x20"x12"	21"x25-1/2"
E1S8-1620-12L18-X/12R18-X	(1) 16"x20"x12" (18" LH or RH Drainboard)	36-1/2"x25-1/2"
E1S8-1620-12T18-X	(1) 16"x20"x12" (18" LH & RH Drainboard)	52"x25-1/2"
E1S8-18-12-X	(1) 18"x18"x12"	23"x23-1/2"
E1S8-18-12L18-X/12R18-X	(1) 18"x18"x12" (18" LH or RH Drainboard)	38-1/2"x23-1/2"
E1S8-18-12T18-X	(1) 18"x18"x12" (18" LH & RH Drainboard)	54"x23-1/2"

12" DEEP BOWL - 2 COMPARTMENT SINKS - "E-SERIES" 18 GA

Model	2 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)
E2S8-1620-12-X	(2) 16"x20"x12"	37"x25-1/2"
E2S8-1620-12L18-X/12R18-X	(2) 16"x20"x12" (18" LH or RH Drainboard)	52-1/2"x25-1/2"
E2S8-1620-12T18-X	(2) 16"x20"x12" (18" LH & RH Drainboard)	68"x25-1/2"
E2S8-18-12-X	(2) 18"x18"x12"	41"x23-1/2"
E2S8-18-12L18-X/12R18-X	(2) 18"x18"x12" (18" LH or RH Drainboard)	56-1/2"x23-1/2"
E2S8-18-12T18-X	(2) 18"x18"x12" (18" LH & RH Drainboard)	72"x23-1/2"

12" DEEP BOWL - 3 COMPARTMENT SINKS - "E-SERIES" 18 GA

Model	3 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)
E3S8-1220-12T12-X	(3) 12"x20"x12" (12" LH & RH Drainboard)	60"x25-1/2"
E3S8-1416-12T12-X	(3) 14"x16"x12" (12" LH & RH Drainboard)	66"x21-1/2"
E3S8-1620-12-X	(3) 16"x20"x12"	53"x25-1/2"
E3S8-1620-12L18-X/12R18-X	(3) 16"x20"x12" (18" LH or RH Drainboard)	68-1/2"x25-1/2"
E3S8-1620-12T18-X	(3) 16"x20"x12" (18" LH & RH Drainboard)	84"x25-1/2"
E3S8-18-12-X	(3) 18"x18"x12"	59"x23-1/2"
E3S8-18-12L18-X/12R18-X	(3) 18"x18"x12" (18" LH or RH Drainboard)	74-1/2"x23-1/2"
E3S8-18-12T18-X	(3) 18"x18"x12" (18" LH & RH Drainboard)	90"x23-1/2"

10" DEEP BOWL - 3 COMPARTMENT SINKS - "E-SERIES" 18 GA

Model	3 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)
E3S8-1014-10-X	(3) 10"x14"x10"	35"x19-1/2"
E3S8-1014-10L15-X/10R15-X	(3) 10"x14"x10" (15" LH or RH Drainboard)	47-1/2"x19-1/2"
E3S8-1014-10T15-X	(3) 10"x14"x10" (15" LH & RH Drainboard)	60"x19-1/2"



E2S8-18-12T18-X



E3S8-18-12T18-X

STAINLESS STEEL LEGS & FEET



Model	Stainless Steel Legs & Feet
SLEG-20B-4-X	Set of 4 - 14" Deep Bowls
SLEG-22B-4-X	Set of 4 - 12" Deep Bowls
SLEG-24B-4-X	Set of 4 - 10" Deep Bowls

LEG BRACING KITS "E-SERIES" 18 GA SINKS



STAINLESS STEEL BRACING

Model	Bowl Width
EBK-S14-X	14" Bowls
EBK-S15-X	15" Bowls
EBK-S16-X	16" Bowls
EBK-S18-X	18" Bowls
EBK-S20-X	20" Bowls
EBK-S24-X	24" Bowls
EBK-S30-X	30" Bowls

GALVANIZED BRACING

Model	Bowl Width
EBK-G14-X	14" Bowls
EBK-G15-X	15" Bowls
EBK-G16-X	16" Bowls
EBK-G18-X	18" Bowls
EBK-G20-X	20" Bowls
EBK-G24-X	24" Bowls
EBK-G30-X	30" Bowls

COMPARTMENT SINKS - "E-SERIES"

14" DEEP BOWL - 1 COMPARTMENT SINK - "E-SERIES" 18 GA

Model	1 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
E1S8-15-14-X	(1) 15"x15"x14"	19"x20-1/2"	
E1S8-15-14L15-X/R15-X	(1) 15"x15"x14" (15" LH or RH Drainboard)	33"x20-1/2"	
E1S8-15-14T15-X *	(1) 15"x15"x14" (15" LH & RH Drainboard)	47"x20-1/2"	
E1S8-1824-14-X	(1) 18"x24"x14"	23"x29-1/2"	
E1S8-1824-14L24-X/14R24-X	(1) 18"x24"x14" (24" LH or RH Drainboard)	44-1/2"x29-1/2"	
E1S8-1824-14T24-X *	(1) 18"x24"x14" (24" LH & RH Drainboard)	66"x29-1/2"	
E1S8-24-14-X	(1) 24"x24"x14"	29"x29-1/2"	
E1S8-24-14L24-X/14R24-X *	(1) 24"x24"x14" (24" LH or RH Drainboard)	50-1/2"x29-1/2"	
E1S8-24-14T24-X *	(1) 24"x24"x14" (24" LH & RH Drainboard)	72"x29-1/2"	



E1S8-1824-14-X



E1S8-1824-14L24-X



E1S8-1824-14R24-X



E1S8-1824-14T24-X



E2S8-24-14-X



E2S8-24-14L24-X



E2S8-24-14R24-X



E2S8-24-14T24-X

14" DEEP BOWL - 2 COMPARTMENT SINK - "E-SERIES" 18 GA

Model	2 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
E2S8-24-14-X *	(2) 24"x24"x14"	53"x29-1/2"	
E2S8-24-14L24-X/14R24-X *	(2) 24"x24"x14" (24" LH or RH Drainboard)	74-1/2"x29-1/2"	
E2S8-24-14T24-X *	(2) 24"x24"x14" (24" LH & RH Drainboard)	96"x29-1/2"	

14" DEEP BOWL - 3 COMPARTMENT SINK - "E-SERIES" 18 GA

Model	3 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
E3S8-15-14-X	(3) 15"x15"x14"	50-1/2"x20-1/2"	
E3S8-15-14L15-X/R15-X	(3) 15"x15"x14" (15" LH or RH Drainboard)	62-1/2"x20-1/2"	
E3S8-15-14T15-X	(3) 15"x15"x14" (15" LH & RH Drainboard)	75"x20-1/2"	
E3S8-1620-14T18-X	(3) 16"x20"x14" (18" LH & RH Drainboard)	84"x25-1/2"	
E3S8-18-14T18-X	(3) 18"x18"x14" (18" LH & RH Drainboard)	90"x23-1/2"	
E3S8-18-14T24-X	(3) 18"x18"x14" (24" LH & RH Drainboard)	102"x23-1/2"	
E3S8-1824-14L24-X/14R24-X	(3) 18"x24"x14" (24" LH or RH Drainboard)	80"x29-1/2"	
E3S8-1824-14T24-X	(3) 18"x24"x14" (24" LH & RH Drainboard)	104"x29-1/2"	
E3S8-24-14-X	(3) 24"x24"x14"	77"x29-1/2"	
E3S8-24-14L24-X/14R24-X *	(3) 24"x24"x14" (24" LH or RH Drainboard)	98-1/2"x29-1/2"	
E3S8-24-14T24-X **	(3) 24"x24"x14" (24" LH & RH Drainboard)	120"x29-1/2"	
E3S8-2030-14T24-X **	(3) 20"x30"x14" (24" LH & RH Drainboard)	108"x35-1/2"	

*NOTE: (Supplied with 2 Sets of Faucet Holes)



E3S8-1824-14L24-X



E3S8-1824-14T24-X

14" DEEP BOWL - 4 COMPARTMENT SINK - "E-SERIES" 18 GA

Model	4 Compartment: Bowl Size (L x W x D)	Overall Size (L x W)	
E4S8-1620-14T18-X	(4) 16"x20"x14" (18" LH & RH Drainboard)	100"x25-1/2"	



BUDGET SINKS / MOBILE SOAK SINK



3BCS-184-2D18-X

3 COMPARTMENT CORNER SINKS



- 14" Deep Fabricated Bowls
- 8" O.C. Faucet Holes

16GA - "B-SERIES" - STAINLESS STEEL LEGS & ADJUSTABLE BRACING

Model	Bowl Size (L x W)	Overall Size (L x W)	
3BCS-184-2D18-X	3-18"x18"x14" (18" LH & RH Drainboard)	58-1/2"x23-1/2"	

18GA - "E-SERIES" - GALVANIZED LEGS & ADJUSTABLE BRACING

Model	Bowl Size (L x W)	Overall Size (L x W)	
E3BCS-184-2D18-X	3-18"x18"x14" (18" LH & RH Drainboard)	58-1/2"x23-1/2"	
E3BCS-244-2D24-X	3-24"x24"x14" (24" LH & RH Drainboard)	75"x29-1/2"	



MOBILE SOAK SINK



- 16GA 300 Series Stainless Steel
- Marine Edge With Corner Bumpers
- Stainless Steel Legs w/Locking Casters
- 20" Working Height w/ Twist Lever Waste

Model	Sink Size (L x W x D)	
PB-SS-208-X	20"x20"x8"	



PB-SRW-21-X

BHS1822-TS-X

WALL MOUNTED SORTING SHELVES



- 18GA 300 Series Stainless Steel
- Solid Shelf-Drain Tube In Corner

SOLID SORTING SHELVES

Model	Overall Size (L x W)	
PB-SRW-21-X	21"x18"	
PB-SRW-42-X	42"x18"	
PB-SRW-63-X	63"x18"	

TUBULAR SORTING SHELVES

Model	Overall Size (L x W)	
BHS1822-TS-X	22"x18"	
BHS1842-TS-X	42"x18"	
BHS1863-TS-X	63"x18"	



MOUNTS HORIZONTALLY OR VERTICALLY (DS-3 SHOWN)

WALL-MOUNT GLOVE DISPENSER UNIT

- 18GA Type 300 Stainless Steel Constructions With #4 Polish Satin Finish
- Strong And Durable Construction
- Mounts Securely To Wall Vertically Or Horizontally
- Holds Most Standard Sized Boxes Of Tissue, Masks, Or Gloves
- Great For Back Of House Foodservice Prep Areas
- Available In 1, 2, 3 or 4 Compartments
- Easy To Clean, Load, And Mount

*NOTE: Gloves Not Included

Model	Overall Size (L x W x H)	
DS-1-X	5-1/4"x4-1/2"x9-1/8" (1 Compartment)	
DS-2-X	10-1/8"x4-1/2"x9-1/8" (2 Compartment)	
DS-3-X	15-1/8"x4-1/2"x9-1/8" (3 Compartment)	
DS-4-X	20-1/8"x4-1/2"x9-1/8" (4 Compartment)	

PREP TABLES W/SINK BOWL

ECONOMY PREP WORK TABLES W/SINK BOWL



- 18GA Stainless Steel Construction
- Optional Stainless Steel or Galvanized Legs and Undershelf
- Sink Bowl 16"x20"x10" deep with 4" O.C. Faucet Holes
- Table Punched for 4" Deck Mount Faucet (Faucet Not Included)

STAINLESS STEEL LEGS & UNDERSHELF

Model	Sink Size (L x W x D)	Overall Size (L x W)	
EPT8R5-3048SSK-L-X/SSK-R-X	16"x20"x10" (LH or RH)	48"x30"	
EPT8R5-3060SSK-L-X/SSK-R-X	16"x20"x10" (LH or RH)	60"x30"	
EPT8R5-3072SSK-L-X/SSK-R-X	16"x20"x10" (LH or RH)	72"x30"	

GALVANIZED LEGS & UNDERSHELF

Model	Sink Size (L x W x D)	Overall Size (L x W)	
EPT8R5-3048GSK-L-X/GSK-R-X	16"x20"x10" (LH or RH)	48"x30"	
EPT8R5-3060GSK-L-X/GSK-R-X	16"x20"x10" (LH or RH)	60"x30"	
EPT8R5-3072GSK-L-X/GSK-R-X	16"x20"x10" (LH or RH)	72"x30"	



EPT8R5-3060SSK-R-X

PREP WORK TABLES W/SINK BOWL



- 16GA 300 Series Stainless Steel
- Includes 4" Deckmount Faucet And 10" Spout (PBF-4DM-10LF-X)
- Adjustable Undershelf

PREP TABLES W/GALVANIZED LEGS & ADJUSTABLE UNDERSHELF

Model	Sink Size (L x W x D)	Overall Size (L x W)	
EPT6R5-3048GSK-L-X/GSK-R-X	16"x20"x12" (LH or RH)	48"x30"	
EPT6R5-3060GSK-L-X/GSK-R-X	16"x20"x12" (LH or RH)	60"x30"	
EPT6R5-3072GSK-L-X/GSK-R-X	16"x20"x12" (LH or RH)	72"x30"	

PREP TABLES W/STAINLESS STEEL LEGS & ADJUSTABLE UNDERSHELF

Model	Sink Size (L x W x D)	Overall Size (L x W)	
EPT6R5-3048SSK-L-X/SSK-R-X	16"x20"x12" (LH or RH)	48"x30"	
EPT6R5-3060SSK-L-X/SSK-R-X	16"x20"x12" (LH or RH)	60"x30"	
EPT6R5-3072SSK-L-X/SSK-R-X	16"x20"x12" (LH or RH)	72"x30"	



EPT6R5-3060SSK-L-X

PREP TABLES W/SINKS



- 16GA 300 Series Stainless Top w/10" Clip-Down Riser
- (1) 16"x20"x8" Bowl & (1) 16"x20"x4" Bowl
- 4" Deckmount Faucet w/10" Swing Spout (PBF-4DM-10LF-X)
- (1) Roller Bearing Utensil Drawer w/ S/S Removable Liner
- (1) Poly Cutting Board 16"x21"x3/4" Thick
- Stainless Steel Legs & Adj. Undershelf

Model	Sink Location	Overall Size (L x W)	
EPT6R10-DL2B-72L-X	LH	72"x30"	
EPT6R10-DL2B-96L-X	LH	96"x30"	
EPT6R10-DL2B-72R-X	RH	72"x30"	
EPT6R10-DL2B-96R-X	RH	96"x30"	



EPT6R10-DL2B-72L-X

DISHTABLES



JDTC-20-60R-X



JDTS-20-60L-X

PRO-BOWL DISHTABLES - 16GA

- 16GA 300 Series Stainless Steel
- 20-7/8" Opening
- Soiled Dishtable Includes An Integrally Welded Bowl 20"x20"x8" with 8" O.C. Faucet Holes
- Stainless Steel Legs & Bracing w/Adj. Stainless Bullet Feet

CLEAN DISHTABLES - STRAIGHT

Model	Description	Overall Size (L x W)	
JDTC-20-24L-X/24R-X	24" Long (LH or RH)	24"x30"	
JDTC-20-26L-X/26R-X	26" Long (LH or RH)	26"x30"	
JDTC-20-36L-X/36R-X	36" Long (LH or RH)	36"x30"	
JDTC-20-48L-X/48R-X	48" Long (LH or RH)	48"x30"	
JDTC-20-60L-X/60R-X	60" Long (LH or RH)	60"x30"	
JDTC-20-72L-X/72R-X	72" Long (LH or RH)	72"x30"	
JDTC-20-96L-X/96R-X	96" Long (LH or RH)	96"x30"	

SOILED DISHTABLES - STRAIGHT - 20"x20"x8" SINK BOWL

Model	Description	Overall Size (L x W)	
JDTS-20-26L-X/26R-X	26" Long (LH or RH)	26"x30"	
JDTS-20-36L-X/36R-X	36" Long (LH or RH)	36"x30"	
JDTS-20-48L-X/48R-X	48" Long (LH or RH)	48"x30"	
JDTS-20-60L-X/60R-X	60" Long (LH or RH)	60"x30"	
JDTS-20-72L-X/72R-X	72" Long (LH or RH)	72"x30"	



EDTC8-S30-R60-X



EDTS8-S30-L60-X

DISHTABLES - "E-SERIES" 18GA

- 18GA 300 Series Stainless Steel
- 20-7/8" Opening
- Soiled Dishtable Includes An Integrally Welded Bowl 20"x20"x8" With 8" O.C. Faucet Holes
- Galvanized Legs & Bracing w/Adj. Plastic Bullet Feet

CLEAN DISHTABLES - STRAIGHT

Model	Description	Overall Size (L x W)	
EDTC8-S30-L26-X/R26-X	26" Long (LH or RH)	26"x30"	
EDTC8-S30-L36-X/R36-X	36" Long (LH or RH)	36"x30"	
EDTC8-S30-L48-X/R48-X	48" Long (LH or RH)	48"x30"	
EDTC8-S30-L60-X/R60-X	60" Long (LH or RH)	60"x30"	
EDTC8-S30-L72-X/R72-X	72" Long (LH or RH)	72"x30"	

SOILED DISHTABLES - STRAIGHT - 20"x20"x8" SINK BOWL

Model	Description	Overall Size (L x W)	
EDTS8-S30-L26-X/R26-X *	26" Long (LH or RH)	26"x30"	
EDTS8-S30-L36-X/R36-X	36" Long (LH or RH)	36"x30"	
EDTS8-S30-L48-X/R48-X	48" Long (LH or RH)	48"x30"	
EDTS8-S30-L60-X/R60-X	60" Long (LH or RH)	60"x30"	
EDTS8-S30-L72-X/R72-X	72" Long (LH or RH)	72"x30"	

*NOTE: (Indicates 16"x20"x8" Sink Bowl)

UNDERCOUNTER DISHTABLES

PRO-BOWL UNDERCOUNTER DISHTABLES - 16GA



- 16GA 300 Series Stainless Steel
- Soiled Dish Table Includes An Integrally Welded Bowl 20"x20"x8" With 8" O.C. Faucet Holes
- Available In Left Side or Right Side Sink Bowl Location
- Stainless Steel Legs & Bracing w/Adjustable Stainless Bullet Feet

Model	Bowl Size (L x W x D)	Overall Size (L x W)	
JDTS-20-50UCL-X/50UCR-X	20"x20"x8", (LH or RH)	50"x30"	
JDTS-20-60UCL-X/60UCR-X	20"x20"x8", (LH or RH)	60"x30"	



JDTS-20-60UCL-X

UNDERCOUNTER DISHTABLES - "E-SERIES" 18GA



- 18GA 300 Series Stainless Steel
- Soiled Dish Table Includes An Integrally Welded Bowl 20"x20"x8" With 8" O.C. Faucet Holes
- Available In Left Side or Right Side Sink Bowl Location
- Galvanized Legs & Bracing w/Adjustable Plastic Bullet Feet

Model	Bowl Size (L x W x D)	Overall Size (L x W)	
EDTS8-S30-50UCL-X/50UCR-X	20"x20"x8", (LH or RH)	50"x30"	
EDTS8-S30-60UCL-X	20"x20"x8", (LH)	60"x30"	



EDTS8-S30-60UCL-X

CLEAN DISHTABLES/POT SINKS "B-SERIES" 16GA




- 16GA 300 Series Stainless Steel Construction
- 18"x24"x14" Deep Sink Bowls
- 3 Rack Slides w/Storage Bracket
- 2 Drainboards 18" Or 24" Long
- Stainless Steel Legs & Bracing w/Adj. Bracing Front To Back
- 8" O.C. Faucet Holes



DT3B18244-2D18R-X

Model	Overall Size (L x W)	Bowl Size (L x W x D)	Drainboard	Dish Machine Opening	
DT3B18244-2D18L-X	91-1/2"x30"	18"x24"x14" (NSF CERTIFIED)	18" LH & RH	RH	
DT3B18244-2D18R-X	91-1/2"x30"	18"x24"x14" (NSF CERTIFIED)	18" LH & RH	LH	
DT3B18244-2D24L-X	103"x30"	18"x24"x14" (CSA & NSF CERTIFIED)	24" LH & RH	RH	
DT3B18244-2D24R-X	103"x30"	18"x24"x14" (CSA & NSF CERTIFIED)	24" LH & RH	LH	
DT3B244-2D24L-X	121-1/2"x30"	24"x24"x14" (CSA & NSF CERTIFIED)	24" LH & RH	RH	
DT3B244-2D24R-X	121-1/2"x30"	24"x24"x14" (CSA & NSF CERTIFIED)	24" LH & RH	LH	

DISHTABLE RACK SLIDE



Model

PB-DTS-20RS-X

PRE-RINSE BASKET



Model

PB-DTA-20-01-X

DISH SORTING TABLES



DST6-3049SSW-X



DST6-3049SBW-C-X



DST6R10-3049SSW-X



DST6R10-3049SBW-X

DISH SORTING TABLES



- 16GA 300 Series Stainless Steel Top
- Available In Flat Top or 10" Rear Riser
- Available In Fixed Stainless Steel Shelf or Bracing
- 2-1/4" Raised Edge
- Standard 1/2" MPT Drain
- Includes 1/2" FPT Ball Valve
- Ships Welded Setup

FLAT TOP WITH 2-1/4" RAISED EDGE STAINLESS STEEL LEGS & FIXED UNDERSHELF

Overall Size (L x W)	With Bullet Feet	With 5" Locking Casters
37"x30"	DST6-3037SSW-X	DST6-3037SSW-C-X
49"x30"	DST6-3049SSW-X	DST6-3049SSW-C-X
61"x30"	DST6-3061SSW-X	DST6-3061SSW-C-X
73"x30"	DST6-3073SSW-X	DST6-3073SSW-C-X

FLAT TOP WITH STAINLESS STEEL LEGS & FIXED BRACING

Overall Size (L x W)	With Bullet Feet	With 5" Locking Casters
37"x30"	DST6-3037SBW-X	DST6-3037SBW-C-X
49"x30"	DST6-3049SBW-X	DST6-3049SBW-C-X
61"x30"	DST6-3061SBW-X	DST6-3061SBW-C-X
73"x30"	DST6-3073SBW-X	DST6-3073SBW-C-X

10" REAR RISER TOP WITH STAINLESS STEEL LEGS & FIXED UNDERSHELF

Overall Size (L x W)	With Bullet Feet
37"x30"	DST6R10-3037SSW-X
49"x30"	DST6R10-3049SSW-X
61"x30"	DST6R10-3061SSW-X
73"x30"	DST6R10-3073SSW-X

10" REAR RISER TOP WITH STAINLESS STEEL LEGS & FIXED BRACING

Overall Size (L x W)	With Bullet Feet
37"x30"	DST6R10-3037SBW-X
49"x30"	DST6R10-3049SBW-X
61"x30"	DST6R10-3061SBW-X
73"x30"	DST6R10-3073SBW-X



D2020-GT-X

GLASS RACK DOLLIES

- Aluminum Construction
- 3" Plate Casters
- Glass Racks Not Included

Model	Overall Size (L x W)
D2020-GT-X	21"x21"


MOBILE BUSSING TABLE / MULTI-STATION HAND WASH

MOBILE BUSSING TABLE

- 16GA Type 300 Stainless Steel Top With Marine Edge
- Reinforced With 1"x2" Channel Running Entire Length Of Table
- 1-1/2" Stallion Edge, Straight Turndown On Sides
- 16GA Slanted Sorting Shelf With Weep Hole
- Stainless Steel Base With Fixed Mid-Shelf And Adjustable 18GA Undershelf
- Heavy Duty 5" Locking Casters
- Includes Scrap Hole

***NOTE: Does NOT Include Bus Tubs or 16GAL Slim Jim Trash**

Model	Overall Size (L x W)	
BT6-3042SSK-X	42"x30"	
BT6-3063SSK-X	63"x30"	



SLANTED SORTING
SHELF FOR GLASS
RACKS



BT6-3063SSK-X

MULTI-STATION HAND WASH SINK

- 16GA Type 300 Stainless Steel With #4 Polish
- 5" Deep Bowls
- Bottom Of Bowls Formed For Drainage To 3-1/2" Diameter Die Stamped Opening
- 7" High Backsplash
- Single 1" or 4" On-Center Faucet Holes In Backsplash
- ADA Compliant

MULT-STATION HAND WASH SINK - WITH LEGS

Model	Bowl Size (W x D x H)	Description	
PBMSHS-F1-4020-X	40"x19-5/8"x5"	(2) Single 1" Faucet Holes	
PBMSHS-F2-4020-X	40"x19-5/8"x5"	2 Sets Of 4" O.C. Faucet Holes	
PBMSHS-F1-6020-X	60"x19-5/8"x5"	(3) Single 1" Faucet Holes	
PBMSHS-F2-6020-X	60"x19-5/8"x5"	3 Sets Of 4" O.C. Faucet Holes	
PBMSHS-F1-8020-X	80"x19-5/8"x5"	(4) Single 1" Faucet Holes	
PBMSHS-F2-8020-X	80"x19-5/8"x5"	4 Sets Of 4" O.C. Faucet Holes	
PBMSHS-F1-10020-X	100"x19-5/8"x5"	(5) Single 1" Faucet Holes	
PBMSHS-F2-10020-X	100"x19-5/8"x5"	5 Sets Of 4" O.C. Faucet Holes	



PBMSHS-F2-6020-X

MULT-STATION HAND WASH SINK - WALL MOUNT

Model	Bowl Size (W x D x H)	Description	
PBMSHS-W1-4020-X	40"x19-5/8"x5"	(2) Single 1" Faucet Holes	
PBMSHS-W2-4020-X	40"x19-5/8"x5"	2 Sets Of 4" O.C. Faucet Holes	
PBMSHS-W1-6020-X	60"x19-5/8"x5"	(3) Single 1" Faucet Holes	
PBMSHS-W2-6020-X	60"x19-5/8"x5"	3 Sets Of 4" O.C. Faucet Holes	
PBMSHS-W1-8020-X	80"x19-5/8"x5"	(4) Single 1" Faucet Holes	
PBMSHS-W2-8020-X	80"x19-5/8"x5"	4 Sets Of 4" O.C. Faucet Holes	
PBMSHS-W1-10020-X	100"x19-5/8"x5"	(5) Single 1" Faucet Holes	
PBMSHS-W2-10020-X	100"x19-5/8"x5"	5 Sets Of 4" O.C. Faucet Holes	



PBMSHS-W2-6020-X

PRO-BOWL HAND SINKS



Model	Bowl Size (L x W x D)	Faucet Location	Side Splash
A. PBHS-W-1410-KV2MB-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 1 Hole Centered (Goose Neck Spout And Knee Valves Included.)	N/A
PBHS-W-1410-KV2MB-SS-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 1 Hole Centered (Goose Neck Spout And Knee Valves Included.)	LH & RH
B. PB-TD-0909-X	N/A	Wall Mount Towel Dispenser For 9"x9" Hand Sink	N/A
C. PBHS-W-0909-X	9"x9"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	N/A
PBHS-W-0909-P-X	9"x9"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center (Goose Neck Faucet Included.)	N/A
D. PBHS-W-0909-SSLR-X	9"x9"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	LH & RH
PBHS-W-0909-P-SSLR-X	9"x9"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center (Goose Neck Faucet Included.)	LH & RH
E. PBHS-W-0909-TD-SSLR-X	9"x9"x5" (2" Drain)	Towel Dispenser Deck Mount - 4" On-Center	LH & RH



Model	Bowl Size (L x W x D)	Faucet Location	Side Splash
F. PBHS-W-1410-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	N/A
G. PBHS-W-1410-P-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center (Faucet Included)	N/A
H. PBHS-W-1410-SSLR-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	LH
I. PBHS-W-1410-SSR-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	RH



Model	Bowl Size (L x W x D)	Faucet Location	Side Splash
J. PBHS-W-1410-SSLR-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	LH & RH
K. PBHS-W-1410-1-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 1 Hole Centered	N/A
L. PBHS-W-1410-1-SSLR-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 1 Hole Centered	LH & RH
M. PBHS-W-1410-P-SSLR-X	14"x10"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center (Faucet Included)	LH & RH



PRO-BOWL HAND SINKS

PRO-BOWL HAND SINKS



	Model	Bowl Size (L x W x D)	Faucet Location	Side Splash
N.	PBHS-W-1410-4D-X	14"x10"x5" (3-1/2" Drain)	Splash Mount - 4" On-Center	N/A
	PBHS-W-1410-1DM-X	14"x10"x5"	Deck Mount 1 Hole Centered	N/A
	PBHS-W-1410-1DM-SSLR-X	14"x10"x5"	Deck Mount 1 Hole Centered	LH & RH
Q.	PBHS-W-1410-2DM-X	14"x10"x5"	Deck Mount - 4" On-Center	N/A
P.	PBHS-W-1410-2DM-SSLR-X	14"x10"x5"	Deck Mount - 4" On-Center	LH & RH
Q.	PB-STD-1410-X	N/A	Wall Mount Soap & Towel Dispenser Only. For 14x10 Hand Sink. Includes Soap Dispenser.	N/A



CSA CERTIFIED ONLY



NO CERTIFICATION



	Model	Bowl Size (L x W x D)	Faucet Location	Side Splash
R.	PBHS-ADA-P-STD-X (CSA Certified Only)	14"x16"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center, CSA CERT. (Removable Front Panel. Goose Neck Faucet, Soap & Paper Towel Dispenser Included.)	N/A
S.	PBHS-ADA-P-STD-SSLR-X (No Certification)	14"x16"x5" (1-7/8" Drain)	Splash Mount - 4" On-Center	LH & RH
New	PBHS-ADA-1-STD-X	14"x16"x5" (1-7/8" Drain)	Splash Mount 1 Hole Centered	N/A
New	PBHS-ADA-1-STD-SSLR-X	14"x16"x5" (1-7/8" Drain)	Splash Mount 1 Hole Centered	LH & RH
T.	PBHS-W-1416ADAS-X	14"x16"x5" (1-7/8" Drain)	Splash Mount 4" On-Center	N/A
U.	PBHS-W-1616-X	16"x16"x10" (3-1/2" Drain)	Deck Mount 1 Hole Centered	N/A
V.	PBHS-W-1616-SSLR-X	16"x16"x10" (3-1/2" Drain)	Deck Mount 1 Hole Centered	LH & RH

HAND SINK SIDE SPLASH KIT

- 18GA Type 300 Stainless Steel
- Side Splash Each Sold Separately
- Includes Installation Hardware

Model	Description	Overall Size (L x H)
PB-HSS-99L-X/99R-X	LH or RH	14-1/2"x10"
PB-HSS1410L-X/1410R-X	LH or RH - SM Faucet	15-1/2"x10"
PB-HSS1410L-X/1410R-X	LH or RH - DM Faucet	17"x10"



MOBILE HAND WASH STATIONS



MOBILE HAND WASH STATION FLAT TOP WITHOUT SIDE SPLASHES

- 16GA Stainless Steel Flat Top
- 18GA Stainless Steel Panels
- 20GA Stainless Steel Hinged Door w/Magnetic Catches
- Drop-In Sink (10"x14"x5")
- Deck Mount Faucet 4" O.C.
- Soap and Paper Towel Dispenser
- Heavy Duty 5" Locking Casters
- Fresh Water Pump
- 2.5 GAL Water Heater
- 5 GAL Clean Water Container
- 6 GAL Grey Water Container
- GFI Outlet With 6' Cord
- All Components are UL Listed

Model	Sink Bowl Size (L x W x H)	Overall Size (L x W)	Overall Work Height	
MHS-F-2624-X	10"x14"x5"	26"x24"	36"	



HANDS-FREE MOBILE HAND WASH STATION WITH ELECTRIC FOOT SWITCH

- 16GA Stainless Steel Flat Top
- 18GA Stainless Steel Panels
- 20GA Stainless Steel Hinged Door w/Magnetic Catches
- Electric Foot Switch For Hands-Free Operation
- Low Flow Aerator
- Drop-In Sink (10"x14"x5")
- 5" Deck Mount Gooseneck Spout
- Soap and Paper Towel Dispenser
- Heavy Duty 5" Locking Casters
- Fresh Water Pump
- 2.5 GAL Water Heater
- 5 GAL Clean Water Container
- 6 GAL Grey Water Container
- GFI Outlet With 6' Cord
- All Components are UL Listed

Model	Sink Bowl Size (L x W x H)	Overall Size (L x W)	Overall Work Height	
MHS-F-2624-FS-X	10"x14"x5"	26"x24"	36"	



MOBILE HAND WASH STATION

- 16GA Stainless Steel Top
- 18GA Stainless Steel Panels
- 20GA Stainless Steel Hinged Door w/Magnetic Catches
- Marine Inverted "V" Front Edge
- 8" Rear Risers & Side Splashes
- Drop-In Sink
- Deck Mount Faucet 4" O.C.
- Soap and Paper Towel Dispenser
- Heavy Duty 5" Locking Casters
- Fresh Water Pump
- 2.5 GAL Water Heater
- CPS 5 GAL Clean Water Container
- CPS 6 GAL Grey Water Container
- GFI Outlet With 6 Foot Cord
- All Components are UL Listed

VIDEO
ONLINE AT
[YOUTUBE.COM/
JOHNBOOSCO](https://www.youtube.com/johnboosco)


Model	Sink Bowl Size (L x W x H)	Overall Size (L x W)	Overall Work Height	
MHS-2624-X	10"x14"x5"	26"x24"	36"	

HANDS-FREE SINKS

HAND SINK WITH EYE WASH



- Type 300 Stainless Steel
- Deep Drawn Bowl: 14"x10"x5"
- Drain Size: 1-7/8"
- Includes Eye Wash Attachment
- Knee Activated Faucet With Hinged Front Apron



EYE WASH ATTACHMENT



KNEE ACTIVATED FAUCET WITH HINGED FRONT APRON



PBHS-W-1410-KV1APS-EW-SS-X

Model	Sink Size (L x W x D)	Faucet Location	Side Splash
PBHS-W-1410-KV1APS-EW-X	17"x15-1/2"x22"	Splash Mount - 1 Hole Centered	N/A
PBHS-W-1410-KV1APS-EW-SS-X	17"x15-1/2"x22"	Splash Mount - 1 Hole Centered	LH & RH

EYE WASH DISCLAIMER IMPORTANT: Faucet-mounted eyewash requires two motions to operate (turn on water, pull knob to activate eyewash flow). Therefore, John Boos does not believe that these units meet the provisions of ANSI Z358.1-2014 as eyewash units. These units are intended solely as supplemental units in addition to dedicated, plumbed eyewash equipment installed in the workplace. Faucet-mounted eyewashes should be used with cold or warm water only. Use of hot water might cause scalding. Eyewash attachment not to be used with electronic faucets.

HAND SINK WITH KNEE ACTIVATED FAUCET WITH HINGED FRONT APRON



- Type 300 Stainless Steel
- Deep Drawn Bowl: 14"x10"x5"
- Drain Size: 1-7/8"
- Knee Activated Faucet With Hinged Front Apron



KNEE ACTIVATED FAUCET WITH HINGED FRONT APRON



Model	Sink Size (L x W x D)	Faucet Location	Side Splash
PBHS-W-1410-KV1APS-X	17"x15-1/2"x22"	Splash Mount - 1 Hole Centered	N/A
PBHS-W-1410-KV1APS-SS-X	17"x15-1/2"x22"	Splash Mount - 1 Hole Centered	LH & RH

PRO-BOWL HAND SINKS W/KNEE ACTIVATED FAUCET



- Type 300 Stainless Steel
- 14"x10"x5" With 1 Knee Valve or 9"x9"x5" Sink With 2 Knee Valves
- Drain Size: 1-7/8"
- Knee Activated Faucet

Model	Bowl Size (L x W x D)	Description	Side Splash
PBHS-W-1410-KV1MB-X	14"x10"x5"	Splash Mount - 1 Hole Centered, Goose Neck Faucet w/(1) Knee Valve	N/A
PBHS-W-1410-KV1MB-SS-X	14"x10"x5"	Splash Mount - 1 Hole Centered, Goose Neck Faucet w/(1) Knee Valve	LH & RH
PBHS-W-0909-KV2MB-X	9"x9"x5"	Splash Mount - 1 Hole Centered, Goose Neck Faucet w/(2) Knee Valves	N/A
PBHS-W-0909-KV2MB-SS-X	9"x9"x5"	Splash Mount - 1 Hole Centered, Goose Neck Faucet w/(2) Knee Valves	LH & RH



PBHS-W-0909-KV2MB-SS-X

WALL MOUNT SIDE SPLASH

- 18GA Type 300 Stainless Steel
- Side Splash Each Sold Separately



Model	Description	Overall Size (L x H)
WMSG-2424-X	LH or RH	24"x24"

LEVER DRAINS



Model	Description
PB-LWR-1-X	Twist, 3.5" Drain Opening, 2" Outlet
PB-LWS-1-X	Straight, 3.5" Drain Opening, 2" Outlet

PRO-BOWL DROP-IN HAND SINKS



DROP-IN HAND SINKS

1 BOWL

	Model	Bowl Size (L x W x D)	Sink Size (L x W x D)	Certification/Description	Side Splash	
M.	PB-DISINK090905-X	9"x9"x5"	12"x14"x5"	NSF® COMPONENT	N/A	
	PB-DISINK090905-SSLR-X	9"x9"x5"	12"x14"x5"	NSF® COMPONENT	LH & RH	
N.	PB-DISINK151506-X	12-1/2"x10-1/2"x6"	15"x15"x6"	NSF® COMPONENT	N/A	
O.	PB-DISINK101405-X	10"x14"x5"	12-1/4"x18"x5"	NSF® COMPONENT, CSA®	N/A	
P.	PB-DISINK101410-X	10"x14"x10"	12-1/4"x18"x10"	NSF® COMPONENT, CSA®	N/A	
Q.	PB-DISINK101405-P-SSLR-X	10"x14"x5"	12-1/2"x18-3/4"x10"	NSF® COMPONENT, CSA® (Faucet Included: PBF-4-DLF)	LH & RH	
R.	PB-DISINK101410-P-SSLR-X	10"x14"x10"	12-1/2"x18-3/4"x10"	NSF® COMPONENT, CSA® (Faucet Included: PBF-4-DLF)	LH & RH	
New	PB-DISINK162012-X	16"x20"x12"	20"x25-1/2"x12"	NSF® COMPONENT	N/A	
S.	PB-DISINK201608-X	20"x16"x8"	23-5/8"x21-5/8"x8"	NSF® COMPONENT	N/A	
T.	PB-DISINK201612-X	20"x16"x12"	23-5/8"x21-5/8"x12"	NSF® COMPONENT	N/A	
U.	PB-DISINK282012-X	28"x20"x12"	31-5/8"x25-5/8"x12"	NSF® COMPONENT	N/A	
V.	PB-DISINK091106-TD-X	9"x11"x6"	16-1/2"x17-1/2"x17"	N/A (TOWEL DISPENSER)	LH & RH	
W.	PB-DISINK091106-STD-X	9"x11"x6"	16-1/2"x17-1/2"x17"	N/A (SOAP & TOWEL DISPENSER)	LH & RH	

2 BOWL

	Model	Bowl Size (L x W x D)	Sink Size (L x W x D)	Certification/Description	Side Splash	
X.	PB-DISINK101410-2-X	2-10"x14"x10"	24"x18"x10"	NSF® COMPONENT, CSA®	N/A	
	PB-DISINK141610-2-X	2-14"x16"x10"	33"x22"x10"	NSF® COMPONENT	N/A	
	PB-DISINK201612-2-X	2-20"x16"x12"	45"x22"x12"	NSF® COMPONENT	N/A	

3 BOWL

	Model	Bowl Size (L x W x D)	Sink Size (L x W x D)	Certification/Description	Side Splash	
Y.	PB-DISINK101410-3-X	3-10"x14"x10"	36"x18"x10"	NSF® COMPONENT, CSA®	N/A	
Z.	PB-DISINK162012-3-X *	3-16"x20"x12"	54"x24"x12"	NSF® COMPONENT	N/A	

*NOTE: (Supplied with 2 Sets of Faucet Holes)

LOW-LEAD FAUCETS

HEAVY DUTY FAUCETS

	Model	O.C.	Description	Spout	
A.	PBF-8-SLF-X	8"	Splash Mount	8" Swing	
	PBF-10-SLF-X	8"	Splash Mount	10" Swing	
	PBF-12-SLF-X	8"	Splash Mount	12" Swing	
	PBF-14-SLF-X	8"	Splash Mount	14" Swing	
B.	PBF-18-DJSLF-X	8"	Splash Mount	18" Swing - Double	
	PBF-4SM-3MGLF-X	4"	Splash Mount	3" Gooseneck	
C.	PBF-4SM-3GLF-X	4"	Splash Mount	3.5" Gooseneck	
	PBF-4SM-5GLF-X	4"	Splash Mount	5" Gooseneck	
D.	PBF-4DM-3GLF-X	4"	Deck Mount	3.5" Gooseneck	
	PBF-4DM-5GLF-X	4"	Deck Mount	5" Gooseneck	
	PBF-4DM-6LF-X	4"	Deck Mount	6" Swing	
	PBF-4DM-10LF-X	4"	Deck Mount	10" Swing	
	PBF-4DM-12LF-X	4"	Deck Mount	12" Swing	

ECONOMY FAUCETS

	Model	O.C.	Description	Spout	
	PBF-4-S-LF-X	4"	Splash Mount	3.5" Gooseneck	
E.	PBF-4-S-6LF-X	4"	Splash Mount	6" Swing	
F.	PBF-4-D-LF-X	4"	Deck Mount	3.5" Gooseneck	
	PBF-4-D-10LF-X	4"	Deck Mount	10" Swing	

HEAVY DUTY SHALLOW MOUNT FAUCETS

	Model	O.C.	Description	Spout	
G.	PBF-4SM2-6LF-X	4"	Shallow Splash Mount	6" Swing	
	PBF-4SM2-8LF-X	4"	Shallow Splash Mount	8" Swing	
	PBF-4SM2-10LF-X	4"	Shallow Splash Mount	10" Swing	
H.	PBF-4SM2-3GLF-X	4"	Shallow Splash Mount	3.5" Gooseneck	
	PBF-4SM2-5GLF-X	4"	Shallow Splash Mount	5" Gooseneck	

ECONOMY SHALLOW MOUNT FAUCETS

	Model	O.C.	Description	Spout	
I.	PBF-W2-6LF-X	4"	Shallow Splash Mount	6" Swing	
	PBF-W2-8LF-X	4"	Shallow Splash Mount	8" Swing	
	PBF-W2-10LF-X	4"	Shallow Splash Mount	10" Swing	
J.	PBF-W2-3GLF-X	4"	Shallow Splash Mount	3.5" Gooseneck	

PRE-RINSE UNIT

	Model	O.C.	Description	Spout	
K.	PB-PRW-1LF-X	8"	Splash Mount	Pre-Rinse Unit	

ADD-ON FAUCET

	Model	Spout	
L.	PB-AD-8LF-X	8" Swing Add-On	
	PB-AD-10LF-X	10" Swing Add-On	
	PB-AD-12LF-X	12" Swing Add-On	
	PB-AD-14LF-X	14" Swing Add-On	

FLEXIBLE WATER LINE CONNECTORS - SHALLOW MOUNT FAUCETS

	Model	Description	
M.	PB-WL-36-X	(2) Hoses Per Kit, (1) Red, (1) Blue	

HANDS-FREE FAUCET WITH ELECTRIC SENSOR

	Model	Description	Spout	
N.	PBF-SEF3GLF-X	Splash Mount With Electric Sensor	3" Gooseneck	

MANUAL TEMPERATURE MIXING VALVE WITH BUILT-IN CHECK VALVES

	Model	Description	
O.	PB-MV-X	Manual Temperature Mixing Valve w/Built-In Check Valves	

FAUCETS

- 1/4" Turn Ceramic Cartridges
- Color Coded Hot & Cold Indicators
- Double O-Ring Spout Seal
- High Polished Nickel Chrome Finish



ENVIRONMENTALLY FRIENDLY! LESS THAN .25% LEAD WITHIN BRASS ALLOY CONTENT FOR HEALTHIER DRINKING WATER.



S/S WRIST BLADES

Model	Description	
PB-WR-X	1 Pair, Use w/Heavy Duty Faucets Only	

STALLION WORK TABLES - FLAT TOP W/SHELF



ST6-3048SSK-X

ASSEMBLY VIDEO
ONLINE AT
[YOUTUBE.COM/
JOHNBOOSCO](https://www.youtube.com/johnboosco)



ST6-3048GSK-X

STALLION WORK TABLES - FLAT TOP & SHELF



- 16GA 300 Series Stainless Steel Top, Flat Top
- Stallion Edge, Straight Turndown on Sides
- Available With 18GA Stainless Steel or Galvanized Legs & Adjustable Shelf
- Adjustable Metal Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble
- Casters Sold Separately

STAINLESS STEEL LEGS & SHELF

Overall Size (L x W)	Model
30"x24"	ST6-2430SSK-X
36"x24"	ST6-2436SSK-X
48"x24"	ST6-2448SSK-X
60"x24"	ST6-2460SSK-X
72"x24"	ST6-2472SSK-X
84"x24"	ST6-2484SSK-X
96"x24"	ST6-2496SSK-X
108"x24"	ST6-24108SSK-X
120"x24"	ST6-24120SSK-X
30"x30"	ST6-3030SSK-X
36"x30"	ST6-3036SSK-X
48"x30"	ST6-3048SSK-X
60"x30"	ST6-3060SSK-X
72"x30"	ST6-3072SSK-X
84"x30"	ST6-3084SSK-X
96"x30"	ST6-3096SSK-X
108"x30"	ST6-30108SSK-X
120"x30"	ST6-30120SSK-X
30"x36"	ST6-3630SSK-X
48"x36"	ST6-3648SSK-X
60"x36"	ST6-3660SSK-X
72"x36"	ST6-3672SSK-X
84"x36"	ST6-3684SSK-X
96"x36"	ST6-3696SSK-X

GALVANIZED LEGS & SHELF

Overall Size (L x W)	Model
30"x24"	ST6-2430GSK-X
36"x24"	ST6-2436GSK-X
48"x24"	ST6-2448GSK-X
60"x24"	ST6-2460GSK-X
72"x24"	ST6-2472GSK-X
84"x24"	ST6-2484GSK-X
96"x24"	ST6-2496GSK-X
108"x24"	ST6-24108GSK-X
120"x24"	ST6-24120GSK-X
30"x30"	ST6-3030GSK-X
36"x30"	ST6-3036GSK-X
48"x30"	ST6-3048GSK-X
60"x30"	ST6-3060GSK-X
72"x30"	ST6-3072GSK-X
84"x30"	ST6-3084GSK-X
96"x30"	ST6-3096GSK-X
108"x30"	ST6-30108GSK-X
120"x30"	ST6-30120GSK-X
48"x36"	ST6-3648GSK-X
60"x36"	ST6-3660GSK-X
72"x36"	ST6-3672GSK-X
84"x36"	ST6-3684GSK-X
96"x36"	ST6-3696GSK-X

STAINLESS STEEL DRAWERS

- 15"x20"x5"
- Stainless Steel Front Drawer And Pan
- Available In Poly Friction Slides or Stainless Steel Roller Bearings



DP2015-S30-X



DR2015-S30-X

POLY FRICTION SLIDES

Model	Description
DP2015-S24-X	24" Wide Stainless Tables Only
DP2015-S30-X	30" Wide Stainless Tables Only
DP2015-S36-X	36" Wide Stainless Tables Only
DP2015-W-X	Wood Top Tables Only - Any Size

STAINLESS STEEL ROLLER BEARINGS

Model	Description
DR2015-S24-X	24" Wide Stainless Tables Only
DR2015-S30-X	30" Wide Stainless Tables Only
DR2015-S36-X	36" Wide Stainless Tables Only
DR2015-W-X	Wood Top Tables Only - Any Size

SELF CLOSING STAINLESS STEEL DRAWERS

- 20"x20"x5"
- Self Closing Drawer
- Stainless Steel Front Drawer And Pan



DR2020SC-W-X

Model	Description
DR2020SC-S30-X	30" Wide Stainless Tables Only
DR2020SC-S36-X	36" Wide Stainless Tables Only
DR2020SC-W-X	Wood Top Tables Only - Any Size

STALLION WORK TABLES - FLAT TOP W/BRACING

STALLION WORK TABLES - FLAT TOP & BRACING



- 16GA 300 Series Stainless Steel Top, Flat Top
- Stallion Edge, Straight Turndown on Sides
- Available With 18GA Stainless Steel or Galvanized Legs & Adjustable Bracing
- Adjustable Metal Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble
- Casters Sold Separately

STAINLESS STEEL LEGS & BRACING

Overall Size (L x W)	Model	
30"x24"	ST6-2430SBK-X	
36"x24"	ST6-2436SBK-X	
48"x24"	ST6-2448SBK-X	
60"x24"	ST6-2460SBK-X	
72"x24"	ST6-2472SBK-X	
84"x24"	ST6-2484SBK-X	
96"x24"	ST6-2496SBK-X	
108"x24"	ST6-24108SBK-X	
120"x24"	ST6-24120SBK-X	
30"x30"	ST6-3030SBK-X	
36"x30"	ST6-3036SBK-X	
48"x30"	ST6-3048SBK-X	
60"x30"	ST6-3060SBK-X	
72"x30"	ST6-3072SBK-X	
84"x30"	ST6-3084SBK-X	
96"x30"	ST6-3096SBK-X	
108"x30"	ST6-30108SBK-X	
120"x30"	ST6-30120SBK-X	
48"x36"	ST6-3648SBK-X	
60"x36"	ST6-3660SBK-X	
72"x36"	ST6-3672SBK-X	
84"x36"	ST6-3684SBK-X	
96"x36"	ST6-3696SBK-X	

GALVANIZED LEGS & BRACING

Overall Size (L x W)	Model	
30"x24"	ST6-2430GBK-X	
36"x24"	ST6-2436GBK-X	
48"x24"	ST6-2448GBK-X	
60"x24"	ST6-2460GBK-X	
72"x24"	ST6-2472GBK-X	
84"x24"	ST6-2484GBK-X	
96"x24"	ST6-2496GBK-X	
108"x24"	ST6-24108GBK-X	
120"x24"	ST6-24120GBK-X	
30"x30"	ST6-3030GBK-X	
36"x30"	ST6-3036GBK-X	
48"x30"	ST6-3048GBK-X	
60"x30"	ST6-3060GBK-X	
72"x30"	ST6-3072GBK-X	
84"x30"	ST6-3084GBK-X	
96"x30"	ST6-3096GBK-X	
108"x30"	ST6-30108GBK-X	
120"x30"	ST6-30120GBK-X	
48"x36"	ST6-3648GBK-X	
60"x36"	ST6-3660GBK-X	
72"x36"	ST6-3672GBK-X	
84"x36"	ST6-3684GBK-X	
96"x36"	ST6-3696GBK-X	



ST6-3048SBK-X



ST6-3048GSK-X

STAINLESS STEEL LEGS WITH 6" ADJUSTABLE BULLET FOOT

- Leg Height Of 34"-40"
- Foot has 6" Adjustment
- 16GA, 1-5/8" Leg

New

SLEG-34B-ADJ-X

Model	Description	
SLEG-34B-ADJ-X	Sold Individually	

3" STAINLESS STEEL BULLET FOOT

- Stainless Steel Adjustable 3" Bullet Foot
- Works With 1-5/8" Round Leg

New

Model	Description	
CAS19-X	Set of 4	
CAS22-X	Set of 6	



STAINLESS STEEL LEGS WITH 5" LOCKING CASTERS

- Finished Working Height Of 35-3/4"
- For Adding Casters To Existing Work Tables In Field.



SLEG-34.75C-4

Model	Description	
SLEG-34.75C-4-X	Set of 4	
SLEG-34.75C-6-X	Set of 6	

REPLACEMENT CASTER SETS

- 5" Heavy Duty Locking Casters For Round Legs
- * NOTE: If "ST" Work Tables Are Ordered With Casters CAS01-R Or CAS02-R, Table Legs Will Be Precut To Allow A Finished Working Height Of 35-3/4". (Available For "ST" Tables Only.)



Model	Description	
CAS01-R-X	Set of 4	
CAS02-R-X	Set of 6	

STALLION WORK TABLES - 5" RISER TOP W/SHELF



ST6R5-3048SSK-X

ASSEMBLY VIDEO
ONLINE AT
[YOUTUBE.COM/
JOHNBOOSCO](https://www.youtube.com/johnboosco)



ST6R5-3048GSK-X

STALLION WORK TABLES - 5" RISER & SHELF



- 16GA 300 Series Stainless Steel Top w/ 5" Turn Up Rear Riser
- Stallion Edge, Straight Turndown on Sides
- Available With 18GA Stainless Steel or Galvanized Legs & Adjustable Shelf
- Adjustable Metal Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble
- Casters Sold Separately

STAINLESS STEEL LEGS & SHELF

Overall Size (L x W)	Model
30"x24"	ST6R5-2430SSK-X
36"x24"	ST6R5-2436SSK-X
48"x24"	ST6R5-2448SSK-X
60"x24"	ST6R5-2460SSK-X
72"x24"	ST6R5-2472SSK-X
84"x24"	ST6R5-2484SSK-X
96"x24"	ST6R5-2496SSK-X
108"x24"	ST6R5-24108SSK-X
120"x24"	ST6R5-24120SSK-X
24"x30"	ST6R5-3024SSK-X
30"x30"	ST6R5-3030SSK-X
36"x30"	ST6R5-3036SSK-X
48"x30"	ST6R5-3048SSK-X
60"x30"	ST6R5-3060SSK-X
72"x30"	ST6R5-3072SSK-X
84"x30"	ST6R5-3084SSK-X
96"x30"	ST6R5-3096SSK-X
108"x30"	ST6R5-30108SSK-X
120"x30"	ST6R5-30120SSK-X

GALVANIZED LEGS & SHELF

Overall Size (L x W)	Model
30"x24"	ST6R5-2430GSK-X
36"x24"	ST6R5-2436GSK-X
48"x24"	ST6R5-2448GSK-X
60"x24"	ST6R5-2460GSK-X
72"x24"	ST6R5-2472GSK-X
84"x24"	ST6R5-2484GSK-X
96"x24"	ST6R5-2496GSK-X
108"x24"	ST6R5-24108GSK-X
120"x24"	ST6R5-24120GSK-X
24"x30"	ST6R5-3024GSK-X
30"x30"	ST6R5-3030GSK-X
36"x30"	ST6R5-3036GSK-X
48"x30"	ST6R5-3048GSK-X
60"x30"	ST6R5-3060GSK-X
72"x30"	ST6R5-3072GSK-X
84"x30"	ST6R5-3084GSK-X
96"x30"	ST6R5-3096GSK-X
108"x30"	ST6R5-30108GSK-X
120"x30"	ST6R5-30120GSK-X

STAINLESS STEEL DRAWERS

- 15"x20"x5"
- Stainless Steel Front Drawer And Pan
- Available In Poly Friction Slides or Stainless Steel Roller Bearings



DP2015-S30-X



DR2015-S30-X

POLY FRICTION SLIDES

Model	Description
DP2015-S24-X	24" Wide Stainless Tables Only
DP2015-S30-X	30" Wide Stainless Tables Only
DP2015-S36-X	36" Wide Stainless Tables Only
DP2015-W-X	Wood Top Tables Only - Any Size

STAINLESS STEEL ROLLER BEARINGS

Model	Description
DR2015-S24-X	24" Wide Stainless Tables Only
DR2015-S30-X	30" Wide Stainless Tables Only
DR2015-S36-X	36" Wide Stainless Tables Only
DR2015-W-X	Wood Top Tables Only - Any Size

SELF CLOSING STAINLESS STEEL DRAWERS

- 20"x20"x5"
- Self Closing Drawer
- Stainless Steel Front Drawer And Pan



DR2020SC-W-X

Model	Description
DR2020SC-S30-X	30" Wide Stainless Tables Only
DR2020SC-S36-X	36" Wide Stainless Tables Only
DR2020SC-W-X	Wood Top Tables Only - Any Size

STALLION WORK TABLES - 5" RISER TOP W/BRACING

STALLION WORK TABLES - 5" RISER & BRACING



- 16GA 300 Series Stainless Steel Top w/ 5" Turn Up Rear Riser
- Stallion Edge, Straight Turndown on Sides
- Available With 18GA Stainless Steel or Galvanized Legs & Adjustable Bracing
- Adjustable Metal Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble
- Casters Sold Separately

STAINLESS STEEL LEGS & BRACING

Overall Size (L x W)	Model	
30"x24"	ST6R5-2430SBK-X	
36"x24"	ST6R5-2436SBK-X	
48"x24"	ST6R5-2448SBK-X	
60"x24"	ST6R5-2460SBK-X	
72"x24"	ST6R5-2472SBK-X	
84"x24"	ST6R5-2484SBK-X	
96"x24"	ST6R5-2496SBK-X	
108"x24"	ST6R5-24108SBK-X	
120"x24"	ST6R5-24120SBK-X	
24"x30"	ST6R5-3024SBK-X	
30"x30"	ST6R5-3030SBK-X	
36"x30"	ST6R5-3036SBK-X	
48"x30"	ST6R5-3048SBK-X	
60"x30"	ST6R5-3060SBK-X	
72"x30"	ST6R5-3072SBK-X	
84"x30"	ST6R5-3084SBK-X	
96"x30"	ST6R5-3096SBK-X	
108"x30"	ST6R5-30108SBK-X	
120"x30"	ST6R5-30120SBK-X	

GALVANIZED LEGS & BRACING

Overall Size (L x W)	Model	
30"x24"	ST6R5-2430GBK-X	
36"x24"	ST6R5-2436GBK-X	
48"x24"	ST6R5-2448GBK-X	
60"x24"	ST6R5-2460GBK-X	
72"x24"	ST6R5-2472GBK-X	
84"x24"	ST6R5-2484GBK-X	
96"x24"	ST6R5-2496GBK-X	
108"x24"	ST6R5-24108GBK-X	
120"x24"	ST6R5-24120GBK-X	
24"x30"	ST6R5-3024GBK-X	
30"x30"	ST6R5-3030GBK-X	
36"x30"	ST6R5-3036GBK-X	
48"x30"	ST6R5-3048GBK-X	
60"x30"	ST6R5-3060GBK-X	
72"x30"	ST6R5-3072GBK-X	
84"x30"	ST6R5-3084GBK-X	
96"x30"	ST6R5-3096GBK-X	
108"x30"	ST6R5-30108GBK-X	
120"x30"	ST6R5-30120GBK-X	



ST6R5-3048SBK-X

ASSEMBLY VIDEO
ONLINE AT
YOUTUBE.COM/
JOHNBOOSCO



ST6R5-3048GBK-X

STAINLESS STEEL LEGS WITH 6" ADJUSTABLE BULLET FOOT

- Leg Height Of 34"-40"
- Foot has 6" Adjustment
- 16GA, 1-5/8" Leg

New

SLEG-34B-ADJ-X

Model	Description	
SLEG-34B-ADJ-X	Sold Individually	

3" STAINLESS STEEL BULLET FOOT

- Stainless Steel Adjustable 3" Bullet Foot
- Works With 1-58" Round Leg

New



Model	Description	
CAS19-X	Set of 4	
CAS22-X	Set of 6	

STAINLESS STEEL LEGS WITH 5" LOCKING CASTERS

- Finished Working Height Of 35-3/4"
- For Adding Casters To Existing Work Tables In Field.



SLEG-34.75C-4

Model	Description	
SLEG-34.75C-4-X	Set of 4	
SLEG-34.75C-6-X	Set of 6	

REPLACEMENT CASTER SETS

- 5" Heavy Duty Locking Casters For Round Legs
- * NOTE: If "ST" Work Tables Are Ordered With Casters CAS01-R Or CAS02-R, Table Legs Will Be Precut To Allow A Finished Working Height Of 35-3/4". (Available For "ST" Tables Only.)



Model	Description	
CAS01-R-X	Set of 4	
CAS02-R-X	Set of 6	

STALLION WORK TABLES - 1½" RISER TOP W/SHELF



ST6R1.5-3048SSK-X

ASSEMBLY VIDEO
ONLINE AT
YOUTUBE.COM/
JOHNBOOSCO



ST6R1.5-3048GSK-X

STALLION WORK TABLES - 1½" RISER & SHELF



- 16GA 300 Series Stainless Steel Top w/ 1.5" Turn Up Rear Riser
- Stallion Edge, Straight Turndown on Sides
- Available With 18GA Stainless Steel or Galvanized Legs & Adjustable Shelf
- Adjustable Metal Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble
- Casters Sold Separately

STAINLESS STEEL LEGS & SHELF

Overall Size (L x W)	Model
30"x24"	ST6R1.5-2430SSK-X
36"x24"	ST6R1.5-2436SSK-X
48"x24"	ST6R1.5-2448SSK-X
60"x24"	ST6R1.5-2460SSK-X
72"x24"	ST6R1.5-2472SSK-X
84"x24"	ST6R1.5-2484SSK-X
96"x24"	ST6R1.5-2496SSK-X
108"x24"	ST6R1.5-24108SSK-X
120"x24"	ST6R1.5-24120SSK-X
30"x30"	ST6R1.5-3030SSK-X
36"x30"	ST6R1.5-3036SSK-X
48"x30"	ST6R1.5-3048SSK-X
60"x30"	ST6R1.5-3060SSK-X
72"x30"	ST6R1.5-3072SSK-X
84"x30"	ST6R1.5-3084SSK-X
96"x30"	ST6R1.5-3096SSK-X
108"x30"	ST6R1.5-30108SSK-X
120"x30"	ST6R1.5-30120SSK-X
48"x36"	ST6R1.5-3648SSK-X
60"x36"	ST6R1.5-3660SSK-X
72"x36"	ST6R1.5-3672SSK-X
84"x36"	ST6R1.5-3684SSK-X
96"x36"	ST6R1.5-3696SSK-X

GALVANIZED LEGS & SHELF

Overall Size (L x W)	Model
30"x24"	ST6R1.5-2430GSK-X
36"x24"	ST6R1.5-2436GSK-X
48"x24"	ST6R1.5-2448GSK-X
60"x24"	ST6R1.5-2460GSK-X
72"x24"	ST6R1.5-2472GSK-X
84"x24"	ST6R1.5-2484GSK-X
96"x24"	ST6R1.5-2496GSK-X
108"x24"	ST6R1.5-24108GSK-X
120"x24"	ST6R1.5-24120GSK-X
30"x30"	ST6R1.5-3030GSK-X
36"x30"	ST6R1.5-3036GSK-X
48"x30"	ST6R1.5-3048GSK-X
60"x30"	ST6R1.5-3060GSK-X
72"x30"	ST6R1.5-3072GSK-X
84"x30"	ST6R1.5-3084GSK-X
96"x30"	ST6R1.5-3096GSK-X
108"x30"	ST6R1.5-30108GSK-X
120"x30"	ST6R1.5-30120GSK-X
48"x36"	ST6R1.5-3648GSK-X
60"x36"	ST6R1.5-3660GSK-X
72"x36"	ST6R1.5-3672GSK-X
84"x36"	ST6R1.5-3684GSK-X
96"x36"	ST6R1.5-3696GSK-X

STAINLESS STEEL DRAWERS

- 15"x20"x5"
- Stainless Steel Front Drawer And Pan
- Available In Poly Friction Slides or Stainless Steel Roller Bearings



DP2015-S30-X



DR2015-S30-X

POLY FRICTION SLIDES

Model	Description
DP2015-S24-X	24" Wide Stainless Tables Only
DP2015-S30-X	30" Wide Stainless Tables Only
DP2015-S36-X	36" Wide Stainless Tables Only
DP2015-W-X	Wood Top Tables Only - Any Size

STAINLESS STEEL ROLLER BEARINGS

Model	Description
DR2015-S24-X	24" Wide Stainless Tables Only
DR2015-S30-X	30" Wide Stainless Tables Only
DR2015-S36-X	36" Wide Stainless Tables Only
DR2015-W-X	Wood Top Tables Only - Any Size

SELF CLOSING STAINLESS STEEL DRAWERS

- 20"x20"x5"
- Self Closing Drawer
- Stainless Steel Front Drawer And Pan



DR2020SC-W-X

Model	Description
DR2020SC-S30-X	30" Wide Stainless Tables Only
DR2020SC-S36-X	36" Wide Stainless Tables Only
DR2020SC-W-X	Wood Top Tables Only - Any Size

STALLION WORK TABLES - 1½" RISER TOP W/BRACING

STALLION WORK TABLES - 1½" RISER & BRACING



- 16GA 300 Series Stainless Steel Top w/ 1.5" Turn Up Rear Riser
- Stallion Edge, Straight Turndown on Sides
- Available With 18GA Stainless Steel or Galvanized Legs & Adjustable Bracing
- Adjustable Metal Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble
- Casters Sold Separately

STAINLESS STEEL LEGS & BRACING

Overall Size (L x W)	Model
30"x24"	ST6R1.5-2430SBK-X
36"x24"	ST6R1.5-2436SBK-X
48"x24"	ST6R1.5-2448SBK-X
60"x24"	ST6R1.5-2460SBK-X
72"x24"	ST6R1.5-2472SBK-X
84"x24"	ST6R1.5-2484SBK-X
96"x24"	ST6R1.5-2496SBK-X
108"x24"	ST6R1.5-24108SBK-X
120"x24"	ST6R1.5-24120SBK-X
30"x30"	ST6R1.5-3030SBK-X
36"x30"	ST6R1.5-3036SBK-X
48"x30"	ST6R1.5-3048SBK-X
60"x30"	ST6R1.5-3060SBK-X
72"x30"	ST6R1.5-3072SBK-X
84"x30"	ST6R1.5-3084SBK-X
96"x30"	ST6R1.5-3096SBK-X
108"x30"	ST6R1.5-30108SBK-X
120"x30"	ST6R1.5-30120SBK-X
48"x36"	ST6R1.5-3648SBK-X
60"x36"	ST6R1.5-3660SBK-X
72"x36"	ST6R1.5-3672SBK-X
84"x36"	ST6R1.5-3684SBK-X
96"x36"	ST6R1.5-3696SBK-X

GALVANIZED LEGS & BRACING

Overall Size (L x W)	Model
30"x24"	ST6R1.5-2430GBK-X
36"x24"	ST6R1.5-2436GBK-X
48"x24"	ST6R1.5-2448GBK-X
60"x24"	ST6R1.5-2460GBK-X
72"x24"	ST6R1.5-2472GBK-X
84"x24"	ST6R1.5-2484GBK-X
96"x24"	ST6R1.5-2496GBK-X
108"x24"	ST6R1.5-24108GBK-X
120"x24"	ST6R1.5-24120GBK-X
30"x30"	ST6R1.5-3030GBK-X
36"x30"	ST6R1.5-3036GBK-X
48"x30"	ST6R1.5-3048GBK-X
60"x30"	ST6R1.5-3060GBK-X
72"x30"	ST6R1.5-3072GBK-X
84"x30"	ST6R1.5-3084GBK-X
96"x30"	ST6R1.5-3096GBK-X
108"x30"	ST6R1.5-30108GBK-X
120"x30"	ST6R1.5-30120GBK-X
48"x36"	ST6R1.5-3648GBK-X
60"x36"	ST6R1.5-3660GBK-X
72"x36"	ST6R1.5-3672GBK-X
84"x36"	ST6R1.5-3684GBK-X
96"x36"	ST6R1.5-3696GBK-X



ST6R1.5-3048SBK-X

ASSEMBLY VIDEO
ONLINE AT
YOUTUBE.COM/
JOHNBOOSCO



ST6R1.5-3048GBK-X

STAINLESS STEEL LEGS WITH 6" ADJUSTABLE BULLET FOOT

- Leg Height Of 34"-40"
- Foot has 6" Adjustment
- 16GA, 1-5/8" Leg

New

SLEG-34B-ADJ-X

Model	Description
SLEG-34B-ADJ-X	Sold Individually

3" STAINLESS STEEL BULLET FOOT

- Stainless Steel Adjustable 3" Bullet Foot
- Works With 1-58" Round Leg

New



Model	Description
CAS19-X	Set of 4
CAS22-X	Set of 6

STAINLESS STEEL LEGS WITH 5" LOCKING CASTERS

- Finished Working Height Of 35-3/4"
- For Adding Casters To Existing Work Tables In Field.



SLEG-34.75C-4

Model	Description
SLEG-34.75C-4-X	Set of 4
SLEG-34.75C-6-X	Set of 6

REPLACEMENT CASTER SETS

- 5" Heavy Duty Locking Casters For Round Legs
- * NOTE: If "ST" Work Tables Are Ordered With Casters CAS01-R Or CAS02-R, Table Legs Will Be Precut To Allow A Finished Working Height Of 35-3/4". (Available For "ST" Tables Only.)



Model	Description
CAS01-R-X	Set of 4
CAS02-R-X	Set of 6

"E-SERIES" BUDGET WORK TABLES

"E-SERIES" BUDGET WORK TABLES W/STAINLESS UNDERSHELF

- 18GA Type 430 Stainless Steel, Flat Top
- Stallion Edge Both Faces, Straight Turn Down On Sides
- Adjustable Stainless Steel Legs And Undershef
- Adjustable Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble



FBLS4830-X

Length	18" Wide	24" Wide	30" Wide
24"	FBLS2418-X	FBLS2424-X	-
30"	FBLS3018-X	FBLS3024-X	FBLS3030-X
36"	FBLS3618-X	FBLS3624-X	FBLS3630-X
48"	FBLS4818-X	FBLS4824-X	FBLS4830-X
60"	FBLS6018-X	FBLS6024-X	FBLS6030-X
72"	FBLS7218-X	FBLS7224-X	FBLS7230-X
96"	FBLS9618-X	FBLS9624-X	FBLS9630-X

"E-SERIES" BUDGET WORK TABLES W/GALVANIZED UNDERSHELF

- 18GA Type 430 Stainless Steel, Flat Top
- Stallion Edge Both Faces, Straight Turn Down On Sides
- Adjustable Galvanized Legs And Undershef
- Adjustable Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble



FBLG4830-X

Length	18" Wide	24" Wide	30" Wide
24"	-	FBLG2424-X	-
30"	-	FBLG3024-X	FBLG3030-X
36"	FBLG3618-X	FBLG3624-X	FBLG3630-X
48"	FBLG4818-X	FBLG4824-X	FBLG4830-X
60"	FBLG6018-X	FBLG6024-X	FBLG6030-X
72"	FBLG7218-X	FBLG7224-X	FBLG7230-X
84"	-	FBLG8424-X	FBLG8430-X
96"	FBLG9618-X	FBLG9624-X	FBLG9630-X

"E-SERIES" BUDGET WORK TABLES W/5" RISER & GALVANIZED UNDERSHELF

- 18GA Type 430 Stainless Steel, 5" Riser Top
- Stallion Edge, Straight Turndown on Sides
- Adjustable Galvanized Legs And Undershef
- Adjustable Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble



FBLGR5-4830-X

Length	24" Wide	30" Wide
24"	FBLGR5-2424-X	-
30"	FBLGR5-3024-X	FBLGR5-3030-X
36"	FBLGR5-3624-X	FBLGR5-3630-X
48"	FBLGR5-4824-X	FBLGR5-4830-X
60"	FBLGR5-6024-X	FBLGR5-6030-X
72"	FBLGR5-7224-X	FBLGR5-7230-X
84"	FBLGR5-8424-X	FBLGR5-8430-X
96"	FBLGR5-9624-X	FBLGR5-9630-X

"E-SERIES" BUDGET WORK TABLES

"E-SERIES" BUDGET WORK TABLES W/1.5" RISER & STAINLESS UNDERSHELF

- 18GA Type 430 Stainless Steel, 1.5" Turn Up Rear Riser Top
- Stallion Edge, Straight Turndown on Sides
- Adjustable Stainless Steel Legs & Undershef
- Adjustable Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble



UFBLS4830-X

Length	18" Wide		24" Wide		30" Wide	
24"	UFBLS2418-X		UFBLS2424-X		-	
30"	UFBLS3018-X		UFBLS3024-X		UFBLS3030-X	
36"	UFBLS3618-X		UFBLS3624-X		UFBLS3630-X	
48"	UFBLS4818-X		UFBLS4824-X		UFBLS4830-X	
60"	UFBLS6018-X		UFBLS6024-X		UFBLS6030-X	
72"	UFBLS7218-X		UFBLS7224-X		UFBLS7230-X	
96"	UFBLS9618-X		UFBLS9624-X		UFBLS9630-X	

"E-SERIES" BUDGET WORK TABLES W/1.5" RISER & GALVANIZED UNDERSHELF

- 18GA Type 430 Stainless Steel, 1.5" Turn Up Rear Riser Top
- Stallion Edge, Straight Turndown on Sides
- Adjustable Galvanized Legs And Undershef
- Adjustable Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble



UFBLG4830-X

Length	18" Wide		24" Wide		30" Wide	
24"	-		UFBLG2424-X		-	
30"	-		UFBLG3024-X		UFBLG3030-X	
36"	UFBLG3618-X		UFBLG3624-X		UFBLG3630-X	
48"	UFBLG4818-X		UFBLG4824-X		UFBLG4830-X	
60"	UFBLG6018-X		UFBLG6024-X		UFBLG6030-X	
72"	UFBLG7218-X		UFBLG7224-X		UFBLG7230-X	
84"	-		UFBLG8424-X		UFBLG8430-X	
96"	UFBLG9618-X		UFBLG9624-X		UFBLG9630-X	

WALL CORNER GUARDS

- 16GA Stainless Steel
- 2"x2" and 4"x4" Sizes
- Available For Inside Or Outside Corners
- Sold Individually

Model	Overall Size (L x W x H)	Description	
CORNER482-OUT-X	2"x2"x48"	Outside Corner	
CORNER602-OUT-X	2"x2"x60"	Outside Corner	
CORNER962-OUT-X	2"x2"x96"	Outside Corner	
CORNER484-OUT-X	4"x4"x48"	Outside Corner	
CORNER484-IN-X	4"x4"x48"	Inside Corner	



EXPEDITING WORK TABLE / FILLER TABLES



ET6-2484SSW-X

EXPEDITING WORK TABLE

- 16GA 300 Series Stainless Steel, Sound Deadened Top
- Reinforced With 1"x2" Channel That Runs Entire Length Of Table
- Stainless Steel Base With Welded Undershelf
- 84"x12"x18" Overshelf With 1" Post - Fully Welded
- Hatco Glo-Ray® Infrared Food Warmer, 72" Long, High Wattage (1725w, 120V/60/1-PH) With Built-In Toggle Switch, 6' Cord
- 35-3/4" Working Height
- 5" Locking Casters

Model	Overall Size (L x W)
ET6-2484SSW-X	84"x24"

OPTIONAL ACCESSORIES

Model	Description
X-FMS001	Mid Shelf, Full Length Of Table
X-HMS001	Mid Shelf, Half Length Of Table
X-HTR001	Tray Rack, Half Length Of Table, 9" Spacing
X-FTR001	Tray Rack, Full Length Of Table, 9" Spacing



ET6-2484SSW-X
(W/X-FMS001)



ET6-2484SSW-X
(W/X-HTR001 & HMS001)



ET6-2484SSW-X
(W/X-FTR001)



EFT8-3015-X

RISER TOP FILLER TABLES 1.5" TURN UP W/ADJUSTABLE UNDERSHELF



- 18GA 430 Series Stainless Steel
- Stallion Edge Both Faces, Straight Turn Down On Sides
- 1.5" Turned Up Rear Riser
- Adjustable Lower Shelf w/Plastic Bullet Feet
- Shipped Knocked-Down, Easy-To-Assemble

STAINLESS STEEL LEGS AND SHELF

Model	Overall Size (L x W)
EFT8-3012SSK-X	12"x30"
EFT8-3015SSK-X	15"x30"
EFT8-3018SSK-X	18"x30"
EFT8-3024SSK-X	24"x30"
EFT8-3612SSK-X	12"x36"
EFT8-3615SSK-X	15"x36"
EFT8-3618SSK-X	18"x36"
EFT8-3624SSK-X	24"x36"

GALVANIZED LEGS AND SHELF

Model	Overall Size (L x W)
EFT8-2418-X	18"x24"
EFT8-3012-X	12"x30"
EFT8-3015-X	15"x30"
EFT8-3018-X	18"x30"
EFT8-3024-X	24"x30"
EFT8-3612-X	12"x36"
EFT8-3615-X	15"x36"
EFT8-3618-X	18"x36"
EFT8-3624-X	24"x36"



DROP-IN SINK & FAUCET

EFT8-3015SSK-S-X

FILLER TABLE WITH DROP-IN SINK

- 18GA Type 400 Stainless Steel Top
- 1-1/2" Turn Up Rear Riser
- Stallion Edge Front, Straight Turndown on Sides
- Stainless Steel Legs And Adjustable Undershelf
- Adjustable Bullet Feet
- Includes Drop-In Sink (10"x14"x5" Bowl Size)
- Includes Economy Faucet (PBF-4-D-LF-X)

Model	Overall Size (L x W)
EFT8-3015SSK-S-X	15"x30"
EFT8-3018SSK-S-X	18"x30"
EFT8-3024SSK-S-X	24"x30"

ADJUSTABLE LIFT TABLES / OVERSHELVES

ERGONOMIC ADJUSTABLE LIFT TABLES - STAINLESS STEEL

- 16GA Stainless Steel Top
- Fixed Stainless Steel Undershelf
- Hydraulic Lift System
- 32" - 40" Adjustable Table Height

- 8" Stroke Lift System Cylinders
- Hand Crank Height Adjustment
- Foldable Hand Crank When Not In Use
- Adjustable Floor Glides



LT6-3048SSW-X

FOLDABLE HAND CRANK



LT6R5-3048SSW-X

FOLDABLE HAND CRANK

FLAT TOP HYDRAULIC LIFT TABLES W/LOWER SHELF

Model	Overall Size (L x W)	
LT6-3048SSW-X	48"x30"	
LT6-3060SSW-X	60"x30"	
LT6-3072SSW-X	72"x30"	

5" RISER TOP HYDRAULIC LIFT TABLES W/LOWER SHELF

Model	Overall Size (L x W)	
LT6R5-3048SSW-X	48"x30"	
LT6R5-3060SSW-X	60"x30"	
LT6R5-3072SSW-X	72"x30"	

ECONOMY OVERSHELVES



- 18GA 300 Series Stainless Steel
- Double Overshelves Including Adjustable Lower Shelf

SINGLE ECONOMY OVERSHELVES

Model	Overall Size (L x W)	
OS-ES-1236-X	36"x12"	
OS-ES-1248-X	48"x12"	
OS-ES-1260-X	60"x12"	
OS-ES-1272-X	72"x12"	
OS-ES-1296-X	96"x12"	
OS-ES-1836-X	36"x18"	
OS-ES-1848-X	48"x18"	
OS-ES-1860-X	60"x18"	
OS-ES-1872-X	72"x18"	
OS-ES-1896-X	96"x18"	



DOUBLE ECONOMY OVERSHELVES

Model	Overall Size (L x W)	
OS-ED-1236-X	36"x12"	
OS-ED-1248-X	48"x12"	
OS-ED-1260-X	60"x12"	
OS-ED-1272-X	72"x12"	
OS-ED-1296-X	96"x12"	
OS-ED-1836-X	36"x18"	
OS-ED-1848-X	48"x18"	
OS-ED-1860-X	60"x18"	
OS-ED-1872-X	72"x18"	
OS-ED-1896-X	96"x18"	



EQUIPMENT / MACHINE STANDS



GS6-3048SSK-X

EQUIPMENT STANDS - 16GA



- 16GA Stainless Steel Top
- 18GA Adjustable Undershelf
- Galvanized or Stainless Steel Legs With Adj. Bullet Feet
- 1.5" High Rear and Side Risers
- 24" Overall Height

STAINLESS STEEL LEGS & ADJ. UNDERSHELF

Model	Overall Size (L x W)	
GS6-3015SSK-X	15"x30"	
GS6-3018SSK-X	18"x30"	
GS6-3024SSK-X	24"x30"	
GS6-3036SSK-X	36"x30"	
GS6-3048SSK-X	48"x30"	
GS6-3060SSK-X	60"x30"	
GS6-3072SSK-X *	72"x30"	

*NOTE: (72" Long, Standard w/6 Legs)

GALVANIZED LEGS & ADJ. UNDERSHELF

Model	Overall Size (L x W)	
GS6-3015GSK-X	15"x30"	
GS6-3018GSK-X	18"x30"	
GS6-3024GSK-X	24"x30"	
GS6-3036GSK-X	36"x30"	
GS6-3048GSK-X	48"x30"	
GS6-3060GSK-X	60"x30"	
GS6-3072GSK-X *	72"x30"	

*NOTE: (72" Long, Standard w/6 Legs)



EES8-3048-X

EQUIPMENT STANDS- 18GA "E-SERIES"



- 18GA 430 Series Stainless Steel Top
- 18GA Adjustable Undershelf
- Stainless Steel or Galvanized Legs And Adj. Bullet Feet
- 1.5" High Rear and Side Risers
- 24" Overall Height

STAINLESS STEEL LEGS & ADJ. UNDERSHELF

Model	Overall Size (L x W)	
EES8-3015SSK-X	15"x30"	
EES8-3018SSK-X	18"x30"	
EES8-3024SSK-X	24"x30"	
EES8-3036SSK-X	36"x30"	
EES8-3048SSK-X	48"x30"	
EES8-3060SSK-X	60"x30"	
EES8-3072SSK-X *	72"x30"	

*NOTE: (72" Long, Standard w/6 Legs)

GALVANIZED LEGS & ADJ. UNDERSHELF

Model	Overall Size (L x W)	
EES8-3015-X	15"x30"	
EES8-3018-X	18"x30"	
EES8-3024-X	24"x30"	
EES8-3036-X	36"x30"	
EES8-3048-X	48"x30"	
EES8-3060-X	60"x30"	
EES8-3072-X *	72"x30"	

*NOTE: (72" Long, Standard w/6 Legs)

HEAVY DUTY MACHINE STANDS



- 14GA 300 Series Stainless Steel
- 1-5/8" Legs & Bracing w/Adj. Metal Bullet Feet
- Marine Edge: 20" Tall
- Shipped Knocked Down Easy-To-Assemble



MS4-2424GSK-X

STAINLESS STEEL LEGS & SHELF

Model	Overall Size (L x W)	
MS4-2424SSK-X	24"x24"	
MS4-2430SSK-X	30"x24"	
MS4-3030SSK-X	30"x30"	
MS4-3036SSK-X	36"x30"	

GALVANIZED LEGS & SHELF

Model	Overall Size (L x W)	
MS4-2424GSK-X	24"x24"	
MS4-2430GSK-X	30"x24"	
MS4-3030GSK-X	30"x30"	
MS4-3036GSK-X	36"x30"	

MACHINE STANDS



- 16GA 300 Series Stainless Steel
- 1-5/8" Legs & Bracing w/Adj. Metal Bullet Feet
- Shipped Knocked Down Easy-To-Assemble
- Available Welded Setup At No Additional Cost



S16MS07-X

STAINLESS STEEL LEGS & BRACING

Model	Overall Size (L x W)	
S16MS06-X	24"x20"	
S16MS07-X	24"x24"	
S16MS08-X	30"x20"	
S16MS09-X	30"x24"	
S16MS10-X	30"x30"	

GALVANIZED BASE & BRACING

Model	Overall Size (L x W)	
S16MS01-X	24"x20"	
S16MS02-X	24"x24"	
S16MS03-X	30"x20"	
S16MS04-X	30"x24"	
S16MS05-X	30"x30"	

WORK TABLES - WOOD TOP

1-1/2" THICK MAPLE WOOD TOP WORK TABLES - GALVANIZED BASE



- 1-1/2" Thick Hard Rock Flat Maple Top w/Penetrating Oil Finish
- Adjustable Bullet Feet
- Available In Galvanized Adj. Lower Shelf Or Adj. Bracing
- Shipped Knocked-Down, Easy-To-Assemble

Overall Size (L x W)	With Shelf	With Bracing
36"x18"	JNS1836-X	-
48"x18"	JNS1848-X	-
60"x18"	JNS1860-X	-
48"x24"	JNS02-X	JNB02-X
60"x24"	JNS03-X	JNB03-X
72"x24"	JNS04-X	JNB04-X
96"x24"	JNS06-X	JNB05-X
48"x30"	JNS09-X	JNB08-X
60"x30"	JNS10-X	JNB09-X
72"x30"	JNS11-X	JNB10-X
96"x30"	JNS13-X	JNB11-X
48"x36"	-	JNB14-X
60"x36"	-	JNB15-X
72"x36"	-	JNB16-X
96"x36"	-	JNB17-X



JNS10-X



JNB09-X

1-3/4" THICK MAPLE WOOD TOP WORK TABLES - STAINLESS STEEL BASE



- 1-3/4" Thick Hard Rock Flat Maple Top w/Penetrating Oil Finish
- Adjustable Bullet Feet
- Available In Stainless Steel Adj. Lower Shelf Or Adj. Bracing
- Shipped Knocked-Down, Easy-To-Assemble

Overall Size (L x W)	With Shelf	With Bracing
36"x18"	SNS1836-X	-
48"x18"	SNS1848-X	-
60"x18"	SNS1860-X	-
48"x24"	SNS02-X	SNB02-X
60"x24"	SNS03-X	SNB03-X
72"x24"	SNS04-X	SNB04-X
96"x24"	SNS05-X	SNB05-X
48"x30"	SNS08-X	SNB08-X
60"x30"	SNS09-X	SNB09-X
72"x30"	SNS10-X	SNB10-X
96"x30"	SNS11-X	SNB11-X
36"x36"	SNS13-X	-
48"x36"	-	SNB14-X
60"x36"	-	SNB15-X
72"x36"	-	SNB16-X
96"x36"	-	SNB17-X



SNS09-X



SNB09-X

OPTIONAL STAINLESS STEEL ADJUSTABLE LOWER SHELF



- 18GA Type 400 Stainless Steel With #4 Polish, Satin Finish
- Knocked Down Setup
- Fits JNS & SNS Tables

Model	Overall Size (L x W)
ESSK8-3048-X	48"x30"
ESSK8-3060-X	60"x30"
ESSK8-3072-X	72"x30"
ESSK8-3096-X	96"x30"



WORK TABLES - WOOD TOP

1-3/4" THICK MAPLE WOOD TOP WITH 4" COVED RISER REAR & SIDES

- 1-3/4" Thick - Northern Hard Rock Maple Flat Top w/Penetrating Oil Finish
- 4" Coved Riser Rear And Sides
- Available In Galvanized or Stainless Steel Adj. Lower Shelf
- Available In Galvanized or Stainless Steel Adj. Bracing
- Shipped Knocked-Down, Easy-To-Assemble



DNS08-X



DNB08-X



DSS07-X



DSB07-X

GALVANIZED LEGS & ADJUSTABLE LOWER SHELF

Model	Overall Size (L x W)	
DNS07-X	48"x30"	
DNS08-X	60"x30"	
DNS09-X	72"x30"	
DNS11-X	96"x30"	

GALVANIZED LEGS & ADJUSTABLE BRACING

Model	Overall Size (L x W)	
DNB07-X	48"x30"	
DNB08-X	60"x30"	
DNB09-X	72"x30"	
DNB11-X	96"x30"	
DNB13-X	48"x36"	
DNB14-X	60"x36"	
DNB15-X	72"x36"	
DNB17-X	96"x36"	

STAINLESS STEEL LEGS & ADJUSTABLE LOWER SHELF

Model	Overall Size (L x W)	
DSS06-X	48"x30"	
DSS07-X	60"x30"	
DSS08-X	72"x30"	
DSS09-X	96"x30"	

STAINLESS STEEL LEGS & ADJUSTABLE BRACING

Model	Overall Size (L x W)	
DSB06-X	48"x30"	
DSB07-X	60"x30"	
DSB08-X	72"x30"	
DSB09-X	96"x30"	
DSB11-X	48"x36"	
DSB12-X	60"x36"	
DSB13-X	72"x36"	
DSB14-X	96"x36"	

1-1/2" THICK WALNUT WOOD TOP WORK TABLES

- 1-1/2" Thick American Black Walnut Top w/Penetrating Oil Finish
- Adjustable Bullet Feet
- Available In Galvanized Adjustable Bracing or Adjustable Undershelf
- Shipped Knocked-Down, Easy-To-Assemble



WAL-JNB10-O-X



WAL-JNS10-O-X

GALVANIZED LEGS & ADJUSTABLE BRACING

Model	Overall Size (L x W)	
WAL-JNB02-O-X	48"x25"	
WAL-JNB03-O-X	60"x25"	
WAL-JNB08-O-X	48"x30"	
WAL-JNB09-O-X	60"x30"	

GALVANIZED LEGS & ADJUSTABLE UNDERSHELF

Model	Overall Size (L x W)	
WAL-JNS02-O-X	48"x25"	
WAL-JNS03-O-X	60"x25"	
WAL-JNS09-O-X	48"x30"	
WAL-JNS10-O-X	60"x30"	

REPLACEMENT WOOD TOPS

SC STYLE REPLACEMENT TOPS - 1-3/4" THICK HARD ROCK MAPLE



- 1-3/4" Thick - Northern Hard Rock Maple Flat Top w/Penetrating Oil Finish
- Non-Reversible

Model	Overall Size (L x W)	WT (lbs)	
SC011-O-X	48"x30"	77	
SC012-O-X	60"x30"	96	
SC013-O-X	72"x30"	116	
SC015-O-X	96"x30"	154	



SB STYLE REPLACEMENT TOPS - 1-3/4" THICK HARD ROCK MAPLE WITH 4" HIGH HORIZONTALLY VERTICAL COVED RISER



- 1-3/4" Thick - Northern Hard Rock Maple Flat Top w/Penetrating Oil Finish
- Non-Reversible
- 4" High Horizontal and Vertical Coved Risers On Back And Sides

Model	Overall Size (L x W)	WT (lbs)	
SB009-O-X	48"x30"	106	
SB010-O-X	60"x30"	127	
SB011-O-X	72"x30"	149	
SB013-O-X	96"x30"	192	



MYS128-X



MYS-3-X

BOOS BLOCK MYSTERY OIL

Model	Description	
MYS-3-X	3 Pack - 16oz Bottle	
MYS128-X	1 GAL Bottle	

BAR KEEPERS FRIEND - CLEANSER

- As a bleach-free product, this cleanser is an ideal stainless steel cleaner and can easily remove rust, tarnish, mineral deposits, and tough stains from most surfaces.
- SURFACES: Stainless Steel, Porcelain, Ceramic, Copper Alloys, Fiberglass, Corian, Brass, Bronze, Chrome, Aluminum



Model	Description	
BKF-P12-X	12oz - Single	

JOHN BOOS STAINLESS STEEL CLEANER & POLISH

A unique blend of plant-based ingredients deliver superior results that cleans and polishes stainless steel surfaces. Works great on appliances, countertops, sinks, grills and more. Removes streaks, smudges, and fingerprints. Eco-Friendly.

Model	Description	
BSC-X	8oz Spray Bottle (Must Order In Quantities of 12)	
BSC-3-X	8oz Spray Bottle (3-Pack)	



BEFORE AFTER

FLOOR TROUGHS / MOP SINKS

FLOOR TROUGHS

- 14GA 300 Series Construction With Mounting Flange
- 4" Round Stainless Steel No-Hub Pipe Connection

- Includes Removable Drain Basket
- Ships In 5 Business Days!

STAINLESS STEEL GRATES

- Removable 3/16"x1" Flatbar Subway Grating


FIBERGLASS GRATES

- Removable Gray Fiberglass Subway-Style Grating With Non-Slip Surface


Model	Overall Size (L x W)	
FTSG-1212-X	12"x12"	
FTSG-1224-X	24"x12"	
FTSG-1230-X	30"x12"	
FTSG-1236-X	36"x12"	
FTSG-1248-X	48"x12"	
FTSG-1260-X	60"x12"	
FTSG-1272-X *	72"x12"	
FTSG-1824-X	24"x18"	
FTSG-1830-X	30"x18"	
FTSG-1836-X	36"x18"	
FTSG-1848-X	48"x18"	
FTSG-1860-X	60"x18"	

Model	Overall Size (L x W)	
FTFG-1224-X	24"x12"	
FTFG-1230-X	30"x12"	
FTFG-1236-X	36"x12"	
FTFG-1248-X	48"x12"	
FTFG-1260-X	60"x12"	
FTFG-1272-X *	72"x12"	
FTFG-1824-X	24"x18"	
FTFG-1830-X	30"x18"	
FTFG-1836-X	36"x18"	
FTFG-1848-X	48"x18"	
FTFG-1860-X	60"x18"	

*NOTE: 72" Does Not Ship In 5 Business Days



FTSG-1836-X



FTFG-1836-X



DRAIN BASKET



FLUSH MOUNT MOP SINKS

- 14GA Type 300 Stainless Steel
- Flush Floor Mount Design For Roll-In Mop Bucket
- Standard Backsplash With Left Hand And Right Hand Splashes
- Accommodates A 4" O.D. Diameter Drain Pipe 3-1/4" Long
- Optional Stainless Steel or Fiberglass Subway-Style Grating
- Removable Stainless Steel Grate With 3/16" Stainless Steel Bar Stock on 3/4" Centers
- 5° Breaks In Bottom For Positive Drainage Towards Drain

Model	Overall Size (L x W x D)	Grate Material	
PBMS-FMSG-SSLR-X	21-7/8"x23-7/8"x30-1/4"	Stainless Steel	
PBMS-FMFG-SSLR-X	21-7/8"x23-7/8"x30-1/4"	Fiberglass	



PBMS-FMSG-SSLR-X



PBMS-FMFG-SSLR-X

MOP SINKS



- 16GA 300 Series Stainless Steel
- Includes 3-1/2" Free Flow Drain
- (Does not include faucet.)

Model	Bowl Size (L x W x D)	Overall Size (L x W)	
PBMS2016-6-X	20"x16"x6" - 6" High Water Level	24-5/8"x19-1/8"	
PBMS2016-12-X	20"x16"x12" - 12" High Water Level	24-5/8"x19-1/8"	
PBMS2424-6-X	24"x24"x6" - 6" High Water Level	28-5/8"x27-3/8"	
PBMS2424-12-X	24"x24"x12" - 12" High Water Level	28-5/8"x27-3/8"	
PBMS2820-6-X	28"x20"x6" - 6" High Water Level	32-5/8"x23-1/8"	
PBMS2820-12-X	28"x20"x12" - 12" High Water Level	32-5/8"x23-1/8"	



PBMS2016-6-X



PBMS2820-12-X



PBF-SS-6-X


Model	Description	
PBF-SS-6-X	Service Faucet w/Vacuum Breaker	

VENTLESS CONDENSATE HOODS



- 18GA Stainless Steel
 - Full Perimeter Gutter
 - Removable Condensate Baffle
 - Rear Drain Tube
 - Welded Hanging Brackets
- *Note: Check Local Codes For Approval**

Model	Overall Size (L x W)	
C2HB-42-2-X	42"x42"	



CONDENSATE HOODS



- 18GA Stainless Steel Construction
- Full Perimeter Gutter
- Welded Hanging Brackets

Model	Overall Size (L x W)	CFM	
C2H-36-2-X	36"x36"	450	
C2H-42-2-X	42"x42"	600	
C2H-60-2-X	60"x42"	875	



CARBON STEEL GREASE INTERCEPTORS

- 1/8" Thick Carbon Steel
- Removable Baffle
- No-Skid Cover
- Easy Removable Cover
- TIG Welded

Model	Size	Width	G.P.M. Capacity	Grease Capacity (Lbs)	
GT-8-X	8#	10-1/2"	4	8	
GT-14-X	14#	13-1/2"	7	14	
GT-20-X	20#	14-1/2"	10	20	
GT-30-X	30#	16"	15	30	
GT-40-X	40#	16"	20	40	
GT-50-X	50#	17-1/2"	25	50	
GT-70-X	70#	18"	35	70	
GT-100-X	100#	22-1/4"	50	100	



GT40-GT100

GT8-GT30

WALL SHELVES

18GA 300 - WALL SHELVES - 1.5" REAR HIGH RISER

- 18GA 300 Series Stainless Steel
- 1.5" Rear High Riser
- 6', 7', And 8' Wall Shelves Standard w/3 Support Brackets



BHS1236-X

Model	Overall Size (L x W)		Model	Overall Size (L x W)	
BHS1224-X	24"x12"		BHS1624-X	24"x16"	
BHS1236-X	36"x12"		BHS1636-X	36"x16"	
BHS1248-X	48"x12"		BHS1648-X	48"x16"	
BHS1260-X	60"x12"		BHS1660-X	60"x16"	
BHS1272-X	72"x12"		BHS1672-X	72"x16"	
BHS1284-X	84"x12"		BHS1684-X	84"x16"	
BHS1296-X	96"x12"		BHS1696-X	96"x16"	

18GA 430 - WALL SHELVES - 1.5" REAR HIGH RISER

- 18GA 430 Series Stainless Steel
- 1.5" Rear High Riser
- 6', 7', And 8' Wall Shelves Standard w/3 Support Brackets



EWS8-1236-X

Model	Overall Size (L x W)		Model	Overall Size (L x W)	
EWS8-1224-X	24"x12"		EWS8-1624-X	24"x16"	
EWS8-1236-X	36"x12"		EWS8-1636-X	36"x16"	
EWS8-1248-X	48"x12"		EWS8-1648-X	48"x16"	
EWS8-1260-X	60"x12"		EWS8-1660-X	60"x16"	
EWS8-1272-X	72"x12"		EWS8-1672-X	72"x16"	
EWS8-1284-X	84"x12"		EWS8-1684-X	84"x16"	
EWS8-1296-X	96"x12"		EWS8-1696-X	96"x16"	

WALL SHELVES 1.5" REAR HIGH RISER W/SINGLE BAR POT RACK

- 18GA 300 Series Stainless Steel
- 1.5" Rear High Riser
- 6', 7', And 8' Wall Shelves Standard w/3 Support Brackets



BHS1236PR-X

Model	Overall Size (L x W)	
BHS1224PR-X	24"x12"	
BHS1236PR-X	36"x12"	
BHS1248PR-X	48"x12"	
BHS1260PR-X	60"x12"	
BHS1272PR-X	72"x12"	

MICROWAVE SHELVES INVERTED "V" FRONT EDGE

- 16GA 300 Series Stainless Steel
- Inverted "V" Front Edge
- Electric Cord Cut-Out With Rubber Grommet



BMS2024-X

Model	Overall Size (L x W)	
BMS2024-X	24"x20"	
BMS2030-X	30"x20"	

SPICE SHELVES

- 16GA 300 Series Stainless Steel
- Includes Brackets And Mounting Hardware

WITHOUT 4" REAR HIGH RISER

Model	Overall Size (L x W)	
BHS5166-X	16"x5"	
BHS5186-X	18"x5"	
BHS5246-X	24"x5"	
BHS5366-X	36"x5"	
BHS5486-X	48"x5"	

WITH 4" REAR HIGH RISER

Model	Overall Size (L x W)	
BHS516R6-X	16"x5"	
BHS518R6-X	18"x5"	
BHS524R6-X	24"x5"	
BHS536R6-X	36"x5"	
BHS548R6-X	48"x5"	



BHS5166-X




BHS516R6-X

TUBULAR WALL SHELVES

- 16GA 300 Series Stainless Steel
- 1-5/8" Tubing & Includes Brackets


Model	Overall Size (L x W)	
BHS1624-T-X	24"x16"	
BHS1636-T-X	36"x16"	
BHS1648-T-X	48"x16"	
BHS1660-T-X	60"x16"	
BHS1672-T-X	72"x16"	



UTILITY SHELF

- 16GA 300 Series Stainless Steel
- 1-1/2" Rear & Side Risers
- Includes Hooks & Mop/Broom Holder with Locking Cam

Model	Overall Size (L x W)	
PB-MSS824-X	24"x8"	




MOP/BROOM HOLDER WITH LOCKING CAM

MOP BROOM HOLDER

- Stainless Steel
- (3) Rubber Cam Grips

Model	Overall Size (L x W)	
PB-MH-3-X	26"x3"	



STALLION POT RACKS

- 300 Series Stainless Steel
- Made of 3/16"x2" Stainless Steel Flat Bar
- All Racks Provided With 300 Series Stainless Steel Hooks (See Chart For Quantity Per Size.)

SINGLE BAR - WALL MOUNT POT RACKS - PRW1

Model	Overall Size (L x W)	#/Hooks	
PRW11-X	48"	4	
PRW12-X	60"	5	
PRW13-X	72"	6	
PRW14-X	96"	8	
PRW15-X	120"	10	



DOUBLE BAR - WALL MOUNT POT RACKS - PRW2

Model	Overall Size (L x W)	#/Hooks	
PRW21-X	48"	8	
PRW22-X	60"	10	
PRW23-X	72"	12	
PRW24-X	96"	16	
PRW25-X	120"	20	

RACKS & SHELVES



OPTIONAL REAR KEG STRAP

ALKRS-2042-X

ALKR-2042-X

3 TIERED ALUMINUM KEG RACK

- Aluminum Shelves Constructed Of 1-3/4" Square Tubing
 - Aluminum Posts
 - (2) Adjustable Keg Storage Racks
 - (1) Adjustable Top Storage Shelf
 - Shipped Knocked-Down
- *NOTE: Includes 3 Sets of Legs**

Model	Overall Size (L x W x H)	
ALKR-2042-X	42"x20"x76"	
ALKR-2060-X	60"x20"x76"	
ALKR-2072-X *	72"x20"x76"	
ALKR-2080-X *	80"x20"x76"	
ALKR-2093-X *	93"x20"x76"	

OPTIONAL REAR KEG STRAP

- Aluminum Constructed Of 1-3/4" Square Tubing
- Prevents Kegs From Sliding Off The Rear Keg Rack

Model	Overall Size (L x W)	
ALKRS-2042-X	42"x20"	
ALKRS-2060-X	60"x20"	
ALKRS-2072-X	72"x20"	
ALKRS-2080-X	80"x20"	
ALKRS-2093-X	93"x20"	



ALUMINUM DUNNAGE RACK

- 6065 Aluminum Construction
- 1.5" Square Tube Frame
- 1,500 lbs Weight Capacity

Model	Overall Size (L x W x H)	
ALJB362012-X	36"x20"x12"	
ALJB362412-X	36"x24"x12"	
ALJB482012-X	48"x20"x12"	
ALJB482412-X	48"x24"x12"	
ALJB602012-X	60"x20"x12"	
ALJB602412-X	60"x24"x12"	



STALLION EDGE

18" WIDTH

Model	Overall Size (L x W x H)	#/Shelves	
SUS-183036-2-X	30"x18"x36"	2	
SUS-184236-2-X	42"x18"x36"	2	
SUS-185436-2-X	54"x18"x36"	2	
SUS-183060-3-X	30"x18"x60"	3	
SUS-184260-3-X	42"x18"x60"	3	
SUS-185460-3-X	54"x18"x60"	3	
SUS-183072-4-X	30"x18"x72"	4	
SUS-184272-4-X	42"x18"x72"	4	
SUS-185472-4-X	54"x18"x72"	4	

24" WIDTH

Model	Overall Size (L x W x H)	#/Shelves	
SUS-243036-2-X	30"x24"x36"	2	
SUS-244236-2-X	42"x24"x36"	2	
SUS-245436-2-X	54"x24"x36"	2	
SUS-243060-3-X	30"x24"x60"	3	
SUS-244260-3-X	42"x24"x60"	3	
SUS-245460-3-X	54"x24"x60"	3	
SUS-243072-4-X	30"x24"x72"	4	
SUS-244272-4-X	42"x24"x72"	4	
SUS-245472-4-X	54"x24"x72"	4	

DRY STORAGE SHELF

- 18GA Type 400 Stainless Steel Shelves With #4 Polish
- 1-1/2" Stallion Edge On All Sides Of Shelf
- For General Purpose Dry Storage Or In Refrigerators And Freezers
- Solid Surface Shelf For Easy Of Cleaning Up Spills
- Adjustable Bullet Feet
- Optional 5" Locking Casters
- Shipped Knocked Down, Easy To Assemble

ALUMINUM MEAT BOAT RACKS

- Wall Mount
- Single or Double Shelf
- Square Tube Frame, Slatted Shelf, Back & Sides
- Type 6063-T5 Aluminum
- Standard w/ Paper Tray
- Optional Dividers (ALMBR-D, 24"x20")
- Optional Paper Trays - 18", 24" or 30"

SINGLE SHELF

Model	Overall Size (L x W x H)	
ALMBR-4W-X	48"x20"x44"	
ALMBR-5W-X	60"x20"x44"	
ALMBR-6W-X	72"x20"x44"	
ALMBR-8W-X	96"x20"x44"	

DOUBLE SHELF

Model	Overall Size (L x W x H)	
ALMBR-3W-2SH-X	36"x20"x29"	
ALMBR-4W-2SH-X	48"x20"x29"	
ALMBR-5W-2SH-X	60"x20"x29"	
ALMBR-6W-2SH-X	72"x20"x29"	
ALMBR-8W-2SH-X	96"x20"x29"	



ALMBR-5W-X

MOBILE PAN RACKS (FRONT & SIDE LOAD)

- 6063 Aluminum Constructions
- 1" Square Tube Frame With Bolted Cross Bracing
- 3" Pan Spacing/20 Pan Capacity
- 5" Non-Locking Casters



ABPR-1820-3KD-X



ABPR-1820-3KDS-X



ABPR-1820-RKD-X



ABPR-1820-RKDS-X



ABPR-1820-ZN-X



ABPR-1820-ZNS-X

STANDARD MOBILE PAN RACK

Model	Desc.	Overall Size (L x W x H)	Weight Capacity	
ABPR-1820-3KD-X	Front Load	26"x20-1/2"x69"	200 lbs Total/10 lbs Per Pan	
ABPR-1820-PC-X	Clear Plastic Cover w/ Zippers (Front Load Only)	28"x23"x61"	-	
ABPR-1820-3KDS-X	Side Load	29-1/2"x19-1/2"x69"	200 lbs Total/10 lbs Per Pan	

ROUNDED TOP MOBILE PAN RACK

Model	Desc.	Overall Size (L x W x H)	Weight Capacity	
ABPR-1820-RKD-X	Front Load	26"x20-1/2"x69"	200 lbs Total/10 lbs Per Pan	
ABPR-1820-RKDS-X	Side Load	29-1/2"x19-1/2"x69-3/4"	200 lbs Total/10 lbs Per Pan	

NESTING MOBILE PAN RACK (SET-UP)

Model	Desc.	Overall Size (L x W x H)	Weight Capacity	
ABPR-1820-ZN-X	Front Load	26"x20-1/2"x69"	300 lbs Total/15 lbs Per Pan	
ABPR-1820-ZNS-X	Side Load	29-1/2"x19-1/2"x71"	300 lbs Total/15 lbs Per Pan	

TABLE BASES / SHEET PAN DOLLIES / SPLASH GUARDS



STAINLESS STEEL TABLE BASES

- Square Stainless Steel Table Base With 3" Round Column
- 17-1/2" Cast Iron Top Plate Spider
- Adjustable Leveling Feet
- Brushed Stainless Steel Finish
- Dining Height Table Bases Stand 28-1/4" To The Top Of The Spider
- Bar Height Table Bases Stand 40-1/4" To The Top Of The Spider

Model	Overall Height	
STB-2230-X	28-1/4"	
STB-2242-X	40-1/4"	

ASSEMBLY VIDEO
ONLINE AT
YOUTUBE.COM/
JOHNBOOSCO



SHEET PAN DOLLIES

- Aluminum Construction
- 5" Plate Casters
- Push Handle
- Fits 26"x18" Sheet Pans
- Sheet Pans Not Included

Model	Inner (L x W)	Overall Size (L x W x H)	
D1927-SP-H-X	27"x19-1/2"	28"x21-1/2"x31-5/16"	



UNIVERSAL DEEP FRYER SPLASH GUARD

- 18GA 300 Stainless Steel
- Fits Left or Right Side Of Fryer
- Sold Individually

Model	Overall Size (L x H)	
FSG-2018-X	20"x18"	

PEDESTAL HAND SINKS

SLANTED PEDESTAL HAND SINKS



- 16GA Type 300 Stainless Steel
- Drain Size: 3-1/2"
- Removable Access Panel On Right Side
- Mounts Securely To The Floor
- Includes Foot Valve and Gooseneck Faucet (PBF-FV2-SM-35GLF-X)

SINGLE FOOT VALVE

Model	Side Splash	Bowl Size (L x W x D)	
PBHS-F-1410-FV1-T-X	None	14"x10"x5"	
PBHS-F-1410-FV1-T-SSLR-X	LH & RH	14"x10"x5"	

DOUBLE FOOT VALVE

Model	Side Splash	Bowl Size (L x W x D)	
PBHS-F-1410-FV2-T-X	None	14"x10"x5"	
PBHS-F-1410-FV2-T-SSLR-X	LH & RH	14"x10"x5"	



PBHS-F-1410-FV1-T-X

PEDESTAL HAND SINKS



- 16GA Type 300 Stainless Steel
- Drain Size: 3-1/2"
- Removable Access Panel On Right Side
- Mounts Securely To The Floor
- Includes Foot Valve and Gooseneck Faucet (PBF-FV2-SM-35GLF-X)

Model	Bowl Size (L x W x D)	
PBHS-F-1410-X	14"x10"x5"	
PBHS-F-1410-SSLR-X	14"x10"x5"	



PBF-FV2-SM-35GLF-X



STAINLESS STEEL MICROWAVE SHELF

- 14GA Type 300 Stainless Steel With #4 Polish, Satin Finish
- Finished With 1-9/16" Bends On All Sides
- Reinforced With 1-1/2" Square Tube Support Brackets To Mount To Wall
- All Joints Are Welded And Polished

Model	Overall Size (L x W)	
CGS-MS2026-X	20"x26"	



TEPPANYAKI CART

- 16GA Stainless Steel Top
- Type 300 Stainless Steel With #4 Polish, Satin Finish
- 18/300 Stainless Steel Midshelf
- 14 Half Size Steam Table Pan Capacity
- 3-3/8" Pan Rack Centers
- 5" Clocking Casters
- Welded Set-Up

Model	Overall Size (L x W x H)	
TYC-1530-X	33-5/8"x14-1/2"x33-3/4"	



MOBILE WIRE CART

- Available In Northern Hard Rock Maple or American Black Walnut
- Varnique Finish Top
- 2 Chrome Wire Shelves
- 130 lbs Per Shelf Capacity Evenly Distributed
- Numbered Posts With 3" Locking Casters
- 36" Overall Height

Model	Top Size (L x W x H)	Wood Species	Shelf Size (L x W)	
MET-MWC-1-X	27"x21"x1-1/2"	Maple	24"x18"	
MET-MWC-2-X	33"x27"x1-1/2"	Maple	30"x24"	
MET-CWC-1-X	27"x21"x1-1/2"	Cherry	24"x18"	
MET-WWC-1-X	27"x21"x1-1/2"	Walnut	24"x18"	
MET-WWC-2-X	33"x27"x1-1/2"	Walnut	30"x24"	



FORMAGGIO CART
WITH REMOVABLE BOOS BLOCK® TOP

- 1-1/2" Thick - Northern Hard Rock Maple Removable Boos Block® Cutting Board Top
- 18GA Type 430 Stainless Steel Base
- (2) 18GA Type 430 Stainless Steel Fixed Shelves
- Stainless Steel Towel Bar
- (4) 3" Locking Casters

Model	Overall Size (L x W x H)	
CUFC-M1830-X	30"x18"x36"	



REMOVABLE TOP

MOBILE BUSSING CART

- Chrome Plated Wire Shelves, 36"x18"
- (3) Adjustable Shelves
- 1" Diameter Numbered Posts For Easy Shelf Height Adjustments
- (4) 3" Locking Casters With Bumpers
- * AVAILABLE WHILE SUPPLIES LAST!

Model	Overall Size (L x W x H)	
CWC-1836-3-X	36"x18"x42-1/2"	





LET US QUOTE YOUR NEXT PROJECT

For a custom quote,
reach out to:

quotes@johnboos.com | (217) 347-7701

Our simple process
allows for streamlined
planning and execution,
ensuring efficiency from
start to finish.

1

Request your quote by emailing
quotes@johnboos.com

2

A dedicated project manager
will be assigned to you and our
estimators will provide a quote.

3

Submit a purchase order and
our team of engineers will create
drawings for your project.

4

Once drawings are reviewed
and approved, we manufacture
and ship.

TERMS & CONDITIONS



ORDERING TERMS

- No modifications, additions, or deletions to orders prior to 72-hour tentative ship date confirmation.
- Flyer pricing and products subject to change without notice.
- Charges to orders with custom products combined with standard flyer items are subject to a 14 day or more notification.
- Orders less than \$5,500.00 net do not qualify for free freight.
- Orders less than \$5,500.00 net that have been processed, may not have additions made to that same purchase order or combine a new purchase order in an effort to qualify for free freight.

CAUTION: FREIGHT CLAIMS

Before accepting any shipment, examine it carefully and note any damage or shortage on the Freight Bill before signing for delivery. All claims for shortage or damage must be filed with the carrier. Title passes from John Boos & Co. to the purchaser at point of origin of shipment. If, after receipt of shipment, concealed damage is discovered, immediately notify the delivering carrier requesting immediate inspection. The inspection report should be used to support your claims against the carrier.

RETURN SHIPMENTS

We will not accept any returned merchandise unless written authorization has been issued. Any claims for defective materials or workmanship should be mailed to the factory.

For return of UNUSED merchandise in A-1 condition - there is a 25% or greater restocking charge for AUTHORIZED returns. John Boos & Co. reserves the right to deny returned merchandise.



WE ACCEPT



All credit card payments are subject to a 2% convenience fee.



Connect With Us!



WARRANTY

The only warranty, expressed or implied, is a 1-year guarantee against defect in workmanship and material.

This warranty does not apply to damages which may result from neglect, accidental or intentional damage, normal wear and tear, misuse of product, unauthorized repair, exposure to extremes in temperature and humidity, and alteration or abuse of the product. Wood products ordered "unfinished" do not come with a warranty. Routine maintenance required. Periodically re-oil butcher block tops and wood cutting boards to preserve their longevity, beauty and durability. Care and maintenance products found on page 47.

Factory obligation under this warranty, is limited, at the option of John Boos & Co. to repair or replacement of the product (or one of equal type and quality if the product is no longer available), within 90 days after the receipt of written recommendation from the dealer, provided none of the above exceptions are evident.

John Boos & Co. shall not be liable for any loss or damage arising from use, or for consequential damages. This warranty gives certain legal rights and there may be other rights that vary from state to state.

FREIGHT PROGRAM

- Free Freight for mixed stainless steel flyer items on order of \$5,500.00 net or more. Shipments Continental U.S.A. only.
- Wire Shelving Freight Program:
 - Free freight for wire shelving orders of \$3,500 net or more. Shipments Continental U.S.A. only
 - Wire shelving will ride free with mixed flyer stainless steel on orders of \$5,500 net or more.
- 24 hours for concealed damage - retain original package.
- Price F.O.B. Factory.
- Product subject to item availability.
- 2-3 week lead time for fabricated product not in inventory on standard work tables and dish tables (E-Series not included).
- Flyer pricing and products subject to change without notice.
- No modifications to flyer product.
- All Prices Dealer Net.
- John Boos & Co. Will Not Be Responsible For Additional Accessorial Rates and Freight Charges. Any Additional Charges Will Be Covered By Customer

"-X" MODEL NUMBERS ARE FOR THE FOODSERVICE FLYER ONLY AND DOES NOT AFFECT NSF LISTING. "-X" ON THE END OF THE MODEL # DENOTES FLYER PRICED ITEMS ONLY



3601 S BANKER ST
EFFINGHAM, IL 62401
JOHNBOOS.COM
PH: 888-431-2667 FAX: 800-433-2667
CHANGE SERVICE REQUESTED



EMAIL: PURCHASEORDERS@JOHNBOOS.COM

RESERVES THE RIGHT TO UPDATE PRICES AS DEEMED NECESSARY